Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Polyhedron 21 (2002) 2835–2854
POLYHEDRON
www.elsevier.com/locate/poly

Author Index to Volume 21

Abboud, K.A., see Mills, R.C., 1051
Abdul Malik, K.M., see Azam, K.A., 885
Abdul Malik, K.M., see Azam, K.A., 381
Abdul Malik, K.M., see Johns, C.A., 395
Abel Lozano, A., see Santana, M.D., 1935
Abiko, S.-i., see Kita, M., 843
Abram, U., see de Figueiredo, A.T., 2351
Abu-Surrah, A.S., Kettunen, M., Lappalainen, K., Piironen, U., Klinga, M. and Leskelä, M., Synthesis of new chiral diimine palladium(II) and nickel(II) complexes bearing oxazoline- and myrtanyl-based nitrogen ligands. Crystal structure of the C_2-symmetric complex [{(1*R*,2*S*)-*inda-box*}$PdCl_2$], 27
Acuña, V., see Manzur, J., 181
Acuña-Cueva, E.R., Faure, R., Illán-Cabeza, N.A., Jiménez-Pulido, S.B. and Moreno-Carretero, M.N., Spectral and XRD studies on perchlorate salts of several Co(II), Ni(II), Cu(II), Zn(II), Cd(II) and Hg(II) complexes from 1-methyllumazine and 1,6,7-trimethyllumazine, 1961
Adams, H., Bradshaw, D. and Fenton, D.E., A co-ordination number asymmetric dinuclear zinc(II) complex of an unsymmetrical compartmental proligand, 1957
Adeyga, A.M., see Benetollo, F., 425
Adrover, B., see Garcia-Raso, A., 1197
Agnoletto, P., see Albertin, G., 1755
Aguado, R., see Arnáiz, F.J., 2755
Aguado, R., see Arnáiz, F.J., 1635
Aguirre, A., see Domínguez, M., 1429
Ahmad, S., Isab, A.A., Al-Arfaj, A.R. and Arnold, A.P., Synthesis of cyano(selenone)gold(I) complexes and investigation of their scrambling reactions using ^{13}C and ^{15}N NMR spectroscopy, 2099
Ahmad, S., see Isab, A.A., 1267
Airoldi, C., see Sales, J.A.A., 2647
Airoldi, C., see de Farias, R.F., 1677
Alam, T.M., see Boyle, T.J., 2333
Alan Howie, R., see Aupers, J.H., 2107
Alan Howie, R., see Bomfim, J.A.S., 1667
Al-Arfaj, A.R., see Ahmad, S., 2099
Alberdi, G., see Ares, R., 2309
Alberti, G., see Pesavento, M., 1343
Albertin, G., Agnoletto, P. and Antoniutti, S., Preparation of acetylide and propadienylidene complexes of iron(II), 1755
Ali, A.M., see Tarafder, M.T.H., 2683
Ali, A.M., see Tarafder, M.T.H., 2691
Ali, M.S., Thurston, J.H., Whitmire, K.H. and Khokhar, A.R., Synthesis and characterization of platinum(II) and (IV) complexes containing hexamethyleneimine ligand: crystal structure of [Pt^{II}(hexamethyleneimine)$_2$(cyclobutanedicarboxylato)]·H_2O, 2659
Ali, A.M., see Tarafder, M.T.H., 2547
Ali, M.S., Mukhopadhyay, U., Shirvani, S.M., Thurston, J., Whitmire, K.H. and Khokhar, A.R., Homopiperazine platinum(II) complexes containing substituted disulfide groups: crystal structure of [Pt^{II}(homopiperazine)(diphenylsulfide)Cl]NO_3, 125
Al-Jahdali, M., see Baker, P.K., 2301
Alp, H., see Kantekin, H., 1865
Al-Salem, N.A., see Goher, M.A.S., 1871
Alstrum-Acevedo, J.H., see Valdés-Martínez, J., 409
Alzuet, G., see Cejudo, R., 1057
Amélia Santos, M., Grazina, R., Buglyó, P., Gama, S. and Farkas, E., A new bipodal carboxy-bis(hydroxypyridinonate) ligand. Synthesis and complexation with copper(II), nickel(II) and zinc(II) in aqueous solution, 2609
Amirkhanov, V.M., see Gubina, K.E., 963
Amirnasr, M., Mahmoudkhani, A.H., Gorji, A., Dehghanpour, S. and Bijanzadeh, H.R., Cobalt(II), nickel(II), and zinc(II) complexes with bidentate *N*,*N*′-bis(β-phenylcinnamaldehyde)-1,2-diiminoethane Schiff base: synthesis and structures, 2733
Amorello, D., Gambino, V., Romano, V. and Zingales, R., The determination of mineral acidity excess in solutions containing Ga(III), Al(III), Bi(III), 1369
Andac, O., see Yilmaz, V.T., 2393
Andrews, N.L., see Boyle, T.J., 2333
Andy Hor, T.S., see Wang, W., 1991
Annibale, G., see Pitteri, B., 2283
Anticó, E., see Domínguez, M., 1429
Antoniutti, S., see Albertin, G., 1755
Antus, S., see Ősz, K., 2149
Antzutkin, O.N., see Ivanov, A.V., 2727
Aoyama, T., see Kameta, N., 805
Apostilco, L., see Binions, R., 1943
Appleby, T., Aucott, S.M., Clarke, M.L., Slawin, A.M.Z. and Derek Woollins, J., Preparation and coordination chemistry of $Ph_2P(CH_2)_nNHP^iPr_2$ ($n = 2$, 3), 2639
Aquino, M.A.S., see Cooke, M.W., 1235
Arab, M., see Isab, A.A., 1267
Araujo, M.L., see Armas, M.T., 1513
Ares, R., López-Torres, M., Fernández, A., Castro-Juiz, S., Suarez, A., Alberdi, G., Fernández, J.J. and Vila, J.M., Cyclopalladated compounds with bridging and chelating diphosphine ligands. Effect of ring size. Crystal and molecular structure of [{Pd[4-(COH)C_6H_3C(H)=N(Cy)-*C2*,*N*](Cl)}$_2$(μ-$Ph_2PCH_2PPh_2$)], 2309
Armas, M.T., Mederos, A., Gili, P., Domínguez, S., Hernández-Molina, R., Lorenzo, P., Vaz-Júnior, S., Baran, E.J., Araujo, M.L., Lubes, V. and Brito, F., Speciation in oxovanadium(IV)–carnosine system, 1513
Arnáiz, F.J., Miranda, M.J., Aguado, R., Mahía, J. and Maestro, M.A., Uranyl polyhalides. Molecular structure of [UO_2(OAsPh_3)$_4$](Br_3)$_2$ and [UO_2(OPPh_3)$_4$](I_3)$_2$, 2755
Arnáiz, F.J., see Gómez-Saiz, P., 2257
Arnáiz, F.J., Aguado, R., Pedrosa, M.R., Mahía, J. and Maestro, M.A., Addition compounds of MoO_2Br_2 from $MoO_2Br_2(H_2O)_2$. Molecular structure of MoO_2Br_2{OP[N(CH_3)$_2$]$_3$}$_2$ and MoO_2Br_2{CH_2[P(O)(C_6H_5)$_2$]$_2$}, 1635
Arnold, A.P., see Ahmad, S., 2099
Arnold, D.P., see Pan, N., 1905
Aromí, G., Bhaduri, S., Artús, P., Huffman, J.C., Hendrickson, D.N. and Christou, G., A tetranuclear manganese carboxylate cluster with bis(2-pyridyl)amine ligation: [Mn_4O_2(O_2CEt)$_7$(bpya)$_2$](ClO_4), 1779
Arrington, D.L., see Royer, A.C., 155
Artús, P., see Aromí, G., 1779
Asada, H., Ozeki, M., Fujiwara, M. and Matsushita, T., Structures of

Elsevier Science Ltd.
PII: S0277-5387(02)01350-5

four types of novel high-valent manganese complexes obtained by the reactions of $KMnO_4$ with tridentate Schiff base ligands, 1139
Asadi, M., Zabardasti, A., Karimivand, V.A. and Ghasemi, J., The thermodynamic studies of the molecular interactions of methyltin(IV) tribromide with free base *meso*-tetraarylporphyrins, 1255
Asadi, M., Zabardasti, A. and Ghasemi, J., The thermodynamic studies of the molecular interactions of dimethyltin(IV) dichloride with free base *meso*-tetraarylporphyrins, 683
Asaji, T., Tajima, F. and Hashimoto, M., On the crystal structures of some protonic complexes of oxo-ligands with tetrachloroauric acid, $[(RO)_nH][AuCl_4]$ (R: Py, Ph_3As; n: 1, 2), prepared from deuterated and non-deuterated solvent systems, 2207
Asfari, Z., see Thuéry, P., 2497
Asfari, Z., see Thuéry, P., 1949
Atwood, D., see Kim, C.-H., 225
Aucott, S.M., see Appleby, T., 2639
Aupers, J.H., Chohan, Z.H., Comerlato, N.M., Alan Howie, R., Silvino, A.C., Wardell, J.L. and Wardell, S.M.S.V., Bis(1,3-dithiole-2-one-4,5-dithiolato)antimonate(1-) salts, $[Q][Sb(dmio)_2]$. Structural comparisons of $[Q][Sb(dmio)_2]$ and bis(1,3-dithiole-2-thione-4,5-dithiolato)antimonate(1-) salts, $[Q][Sb(dmit)_2]$, 2107
Ávila Terra, L.H.S., Guekezian, M., Gaubeur, I., Matos, J.R. and Suárez-Iha, M.E.V., Synthesis, characterization, properties and thermal study of nickel(II)/di-2-pyridyl ketone benzoylhydrazone complex, 2375
Ayers, A.E., see Dias, H.V.R., 611
Aymonino, P.J., see Soria, D.B., 1767
Azam, K.A., Hanif, K.M., Ghosh, A.C., Kabir, S.E., Karmakar, S.R., Abdul Malik, K.M., Parvin, S. and Rosenberg, E., Triosmium and triruthenium clusters containing deprotonated 2-mercapto-1-methylimidazole ligand: X-ray structures of $[(\mu\text{-}H)Os_3(CO)_{10}\{\mu\text{-}SC{=}NCH{=}CHN(CH_3)\}]$, $[(\mu\text{-}H)Ru_3(CO)_9\{(\mu_3\text{-}\eta^2\text{-}SC{=}NCH{=}CHN(CH_3)\}]$ and $[(\mu\text{-}H)Os_3(CO)_8\{\mu\text{-}SC{=}NCH{=}CHN(CH_3)\}(\mu\text{-}dppm)]$, 885
Azam, K.A., Golzar Hossain, G.M., Kabir, S.E., Abdul Malik, K.M., Mottalib, M.A., Perven, S. and Sarker, N.C., Sulfido triosmium clusters containing bridging dppm ligand: crystal structures of $[Os_3(CO)_7(\mu_3\text{-}CO)(\mu_3\text{-}S)(\mu\text{-}dppm)]$ and the two isomers of $[Os_3(CO)_7(\mu_3\text{-}S)_2(\mu\text{-}dppm)]$, 381
Azevedo, F., Freire, C. and de Castro, B., Reductive electrochemical study of Ni(II) complexes with N_2O_2 Schiff base complexes and spectroscopic characterisation of the reduced species. Reactivity towards CO, 1695
Azócar-Guzmán, I., see Moya, S.A., 439

Báča, J., see Plešek, J., 975
Bag, P., see Baitalik, S., 2481
Bagherzadeh, H., see Mahjoub, A.R., 2555
Bahgat, K. and Orabi, A.S., Physical characteristics, vibrational spectroscopy and normal-coordinate analysis of 2-aminophenol and 2-phenylenediamine complexes, 987
Baitalik, S., Bag, P. and Nag, K., Synthesis, spectroscopic properties and proton-coupled redox activities of mononuclear osmium(II) mixed-chelates derived from pyrazole-3,5-bis(benzimidazole) and 2,2′-bipyridine, 2481
Baker, P.K. and Al-Jahdali, M., The reactions of the monodentate organometallic phosphines $[MI_2(CO)_3\{MeC(CH_2PPh_2)_3\text{-}P,P'\}]$ (M = Mo, W) with π-allyl molybdenum(II) complexes and iron(O) and iron(II) carbonyl complexes, 2301
Balboa, S., see Carballo, R., 2811
Ball, R.J., see Devereux, M., 1063
Bandyopadhyay, P. and Mukhopadhyay, S., Kinetics of oxidation of hydroxylamine by [ethylenebis(biguanide)]silver(III) in aqueous media, 1893
Banger, K.K., see Ngo, S.C., 1289
Baran, P., Boča, R., Breza, M., Elias, H., Fuess, H., Jorík, V., Klement, R. and Svoboda, I., The spectroscopic and structural properties of copper(II) complexes of the novel tridentate (ONO) pyridine N-oxide ligand Hpoxap, 1561
Baran, E.J., see Armas, M.T., 1513
Barfield, M.E., see Vohs, J.K., 531
Barman, R.K., Chakrabarty, R. and Das, B.K., Structure and properties of tetraaquabis(hydrogenmaleato)iron(II), 1189
Barret, M.C., Mahon, M.F., Molloy, K.C., Wright, P. and Creeth, J.E., The structural chemistry of copper(II) hinokitiol and its adducts, 1761
Barron, A.R., see van Poppel, L.H., 1877
Bartczak, T.J., see Machura, B., 2617
Bartoszak-Adamska, E., Bregier-Jarzebowska, R. and Lomozik, L., Crystal and molecular structures of cadmium(II) nitrate complexes with triamines: 1,5-diamino-3-azapentane, 1,6-diamino-3-azahexane and 1,7-diamino-4-azaheptane, 739
Barwiolek, M., see Szlyk, E., 2711
Basosi, R., see Noethig-Laslo, V., 1643
Batista, A.A., see Von Poelhsitz, G., 2221
Beck, E.J., see Cooke, M.W., 1235
Beer, R.H., see Torzilli, M.A., 697
Beer, R.H., see Torzilli, M.A., 705
Beheshti, A., Clegg, W., Hyvadi, R. and Fereshteh Hekmat, H., Synthesis and structures of the $WOS_3Cu_3Pz_3Cl$ and $[PPh_4]_4[\{WOS_3(CuNCSe)_3\}_2]$ clusters (Pz = pyrazole), and structure of $[PPh_4]_2[Cu(NCS)_4]$, 1547
Bekaroğlu, Ö., see Kandaz, M., 255
Bell, N.A., Coles, S.J., Constable, C.P., Hursthouse, M.B., Light, M.E., Mansor, R. and Salvin, N.J., Mercury(II) halide complexes of tertiary phosphines. Part XVII. Complexes of the very basic and sterically demanding ligand, tris(2,4,6-trimethoxyphenyl)phosphine (TMPP) of stoichiometry $(TMPP)_x(HgX_2)_y$ (X = Cl, Br, I; x = 1, 2; y = 1: x = 2, y = 3: X = I; x = 1, y = 2). Crystal structures of the monomeric 1:1 complexes (TMPP)HgX_2 (X = Br, I) and $(TMPP)(HgI_2)_2$, 1845
Bell, N.A., Brooks, J.S., Forder, S.D., Robinson, J.K. and Thorpe, S.C., Backscatter Fe-57 Mössbauer studies of iron(II) phthalocyanine, 115
Belokon', A.I., see Kessler, V.G., 1629
Belsley, M., see Gamelas, J.A.F., 2537
Bencini, A., Berni, E., Chuburu, F., Giorgi, C., Handel, H., Le Baccon, M., Paoletti, P. and Valtancoli, B., Basicity and coordination ability of linear hexa-amines in relation to N-$(CH_2)_n$-N chain-link lengths. A solution study, 1459
Bencini, A., Bianchi, A., Fornasari, P., Giorgi, C., Paoletti, P. and Valtancoli, B., Cd(II) complexation in aqueous solution with dipyridine- and phenanthroline-containing polyamine macrocycles, 1329
Benetollo, F., see Clemente, D.A., 2161
Benetollo, F., Bombieri, G., Adeyga, A.M., Fonda, K.K., Gootee, W.A., Samaria, K.M. and Vallarino, L.M., Lanthanide(III) complexes of six-nitrogen-donor macrocyclic ligands with benzyl-type peripheral substituents, and crystal structure of $[La(NO_3)_2(H_2O)(C_{36}H_{38}N_6)](NO_3)(H_2O)$, 425
Benniston, A.C., Ellis, D., Farrugia, L.J., Kennedy, R., Peacock, R.D. and Walker, S., The synthesis of small azamacrocycles bearing pendant aromatic functionalities. The crystal structures of $[Cu(\mathbf{L}_1)_2](PF_6)_2$, $[(\mathbf{L}_1)CuCl_2]$, $[Cu(\mathbf{L}_6)(NO_3)_2]$ and $[Cu_2(\mathbf{L}_7\text{–}H)_2(OH_2)_2](PF_6)_2\cdot 3H_2O$ ($\mathbf{L}_1$ = *N*-(mesitylethyl)-1,4,7-triazacyclononane, $\mathbf{L}_6$ = *N*-(4-hydroxymethylbenzyl)-1,4,7-triazacylcononane, $\mathbf{L}_7$ = *N*-(4-benzylcarboxylic acid)-1,4,7-triazacylcononane), 333
Bentiss, F., Lagrenée, M., Wignacourt, J.P. and Holt, E.M., Complexes of cobalt(II), nickel(II) and copper(II) with a thia ligand: 2,5-bis(2-pyridyl)-1,3,4-thiadiazole: structural identification, 403
Bera, S.K., see Deoghoria, S., 2457
Bera, P., Butcher, R.J., Chaudhuri, S. and Saha, N., Synthesis and spectroscopic characterisation of cobalt(III) complexes with *S*-benzyl-β-*N*-(5-methylpyrazole-3-yl)methylenedithiocarbazate

(H_2L): X-ray structures of $[Co(HL)_2]NO_3 \cdot EtOH$ (**1**) and $[Co(HL)(L)] \cdot H_2O$ (**2**), 1
Bermejo, E., see Ketcham, K.A., 859
Bermejo, E., see García, I., 729
Bernal, I., see Cai, J., 817
Bernès, S., see Gasque, L., 935
Berni, E., see Bencini, A., 1459
Bertolasi, V., see Pitteri, B., 2283
Bessler, K.E., see de Figueiredo, A.T., 2351
Beyer, L., see Domínguez, M., 1429
Bhaduri, S., see Aromí, G., 1779
Bharara, M., see Kim, C.-H., 225
Bhattacharya, R., Sinha Ray, M., Dey, R., Righi, L., Bocelli, G. and Ghosh, A., Synthesis, crystal structure and thermochromism of benzimidazolium tetrachlorocuprate: $(C_7H_7N_2)_2[CuCl_4]$, 2561
Bhattacharyya, I., Shivakumar, M. and Chakravorty, A., Chemistry of a family of semiquinone monochelates of carbonyl ruthenium(II) generated by reacting quinones with hydridic species, 2761
Bhattacharyya, S., see Chakraborty, I., 1597
Bian, Z.-Q., Wang, K.-Z. and Jin, L.-P., Syntheses, spectroscopic and crystal structural studies of novel imidazo[4,5-f]1,10-phenanthroline derivatives and their Eu(III) ternary complexes with dibenzoylmethane, 313
Bianchi, A., see Bencini, A., 1329
Bibal, C., Mazières, S., Gornitzka, H. and Couret, C., New arylchlorogermylenes stabilized by two *ortho* side-chain donor ligands, 2827
Biesuz, R., see Pesavento, M., 1343
Bijanzadeh, H.R., see Amirnasr, M., 2733
Binions, R., Blackman, C.S., Carmalt, C.J., O'Neill, S.A., Parkin, I.P., Molloy, K. and Apostilco, L., Tin phosphide coatings from the atmospheric pressure chemical vapour deposition of SnX_4 (X = Cl or Br) and PR_xH_{3-x} (R = Cyc^{hex} or phenyl), 1943
Bismondo, A., Di Bernardo, P., Portanova, R., Tolazzi, M. and Zanonato, P.L., Complexation of lanthanide(III) with a tripodal polyaza polycatecholate ligand, 1393
Blackman, C.S., see Binions, R., 1943
Blacque, O., see Boni, G., 371
Blanco, L.M., see Kharisov, B.I., 2081
Bobev, S. and Sevov, S.C., Isolated deltahedral clusters of lead in the solid state: synthesis and characterization of Rb_4Pb_9 and $Cs_{10}K_6Pb_{36}$ with Pb_9^{4-}, and $A_3A'Pb_4$ (A = Cs, Rb, K; A′ = Na, Li) with Pb_4^{4-}, 641
Boča, R., see Baran, P., 1561
Bocelli, G., see Bhattacharya, R., 2561
Bocheńska, M., Zielińska, A., Kravtsov, V.C., Gdaniec, M., Luks, E. and Radecka-Paryzek, W., Lower rim substituted *tert*-butylcalix[4]arenes (II). Complexing ability of 5,11,17,23-tetra-*tert*-butyl-25,26,27,28-tetrakis-*O*-(piperidinylcarbonyl)methylenecalix[4]arene. The crystal structures of the ligand and its sodium complex, 763
Bogusz, K., see Kroczewska, D., 295
Bohra, R., see Gupta, A., 2387
Bóka, B., see Ősz, K., 2149
Bombieri, G., see Benetollo, F., 425
Bomfim, J.A.S., Filgueiras, C.A.L., Alan Howie, R., Low, J.N., Skakle, J.M.S., Wardell, J.L. and Wardell, S.M.S.V., Tris(2-methyl-2-phenylpropyl)stannane derivatives, $(Neo)_3SnX$, revisited. Comparison of crystal structures of $(Neo)_3SnX$ (X = Cl, Br, I, N_3, NCS and OAc), 1667
Boncella, J.M., see Mills, R.C., 1051
Bondarenko, G.I., see Kharisov, B.I., 2081
Boni, G., Blacque, O., Sauvageot, P., Poujaud, N., Moïse, C. and Kubicki, M.M., Tantalocene–hydride–phosphorus chemistry. Some new complexes and crystal structures of $[CpCp'TaH_2(PMe_2H)]PF_6$ (Cp = C_5H_5, Cp′ = $C_5H_5^tBu(Me)_2$) and $Cp_2Ta(H)(\mu\text{-}PPh_2H)Fe(CO)_3$, 371
Booncoon, S., see Youngme, S., 1279
Borda, E., see Smieja, J.A., 1889
Borneman, M., see Smieja, J.A., 1889
Borrás, J., see Macías, B., 1899
Borrás, J., see Macías, B., 1229
Borrás, J., see Cejudo, R., 1057
Bosque, R., see López, C., 2361
Bott, S.G., see van Poppel, L.H., 1877
Boyle, T.J., Andrews, N.L., Alam, T.M., Rodriguez, M.A., Santana, J.M. and Scott, B.L., Crystallographic characterization of the esterification pathway of Group V alkoxides, 2333
Bradshaw, D., see Adams, H., 1957
Braibanti, A., see Compari, C., 1503
Braibanti, A., Molecular energy parameters by solution thermodynamics, 1439
Bregier-Jarzebowska, R., see Bartoszak-Adamska, E., 739
Breza, M., see Baran, P., 1561
Bridgeman, A.J. and Cavigliasso, G., Bonding in $[W_4O_{16}]^{8-}$ isopolyanions, 2201
Brito, H.F., see Teotonio, E.E.S., 1837
Brito, F., see Armas, M.T., 1513
Brombacher, H., see Craven, E., 553
Bronowska, W., Staszak, Z., Daszkiewicz, M., Cieślak-Golonka, M. and Wojciechowska, A., Systematic investigation of the $[Ni^{2+}$–phen–$CrO_4^{2-}]$ system; dichromate species isolated from alkaline solutions, 997
Brooks, J.S., see Bell, N.A., 115
Brown, S.T., Petraco, N.D.K., Yamaguchi, Y. and Schaefer, H.F., III, $\tilde{X}\ ^3\Sigma^-$ and $\tilde{A}\ ^3\Pi$ electronic states of linear disilaketenylidene (SiSiO): analysis of the Renner effect in the $\tilde{A}\ ^3\Pi$ state. Comparison with the analogous multiple bonded systems SiCO, CSiO, and CCO, 599
Bu, X.R., see Liang, S., 2021
Budiu, T., see Rațiu, C., 353
Bugella-Altamirano, E., see Serrano-Padial, E., 1451
Buglyó, P., see Amélia Santos, M., 2609
Bukowska-Strzyżewska, M., see Sieroń, L., 2473
Bunel, S., see Parada, J., 2215
Bunton, C.A., see Parada, J., 2215
Burlov, A.S., see Kharisov, B.I., 2081
Bushuev, M.B., Virovets, A.V., Garcia, Y., Gieck, C., Sheludyakova, L.A., Ikorskii, V.N., Tremel, W., Gütlich, P. and Lavrenova, L.G., Mononuclear coordination compounds based on a novel chelating triazole ligand: 1-vinyl-3-acetylamino-1,2,4-triazole, 797
Butcher, R.J., see Saha, N.C., 779
Butcher, R.J., see Singh, A.K., 667
Butcher, R.J., see Bera, P., 1
Byun, J.C., see Na, H.G., 917

Cai, Z.-G., see Tian, Y.-P., 1217
Cai, J., Hu, X., Bernal, I. and Ji, L.-N., Nickel(II) complexes of amino acids in comparison with the cobalt(III) analogues: interesting structural aspects relative to intermolecular hydrogen bonds and chiral recognition, 817
Cai, J., see Chen, C.-H., 689
Cai, J., see Zhang, H., 721
Cameron, T.S., see Cooke, M.W., 1235
Cao, R., see Luo, J.-H., 893
Carballo, R., Castiñeiras, A., Balboa, S., Covelo, B. and Niclós, J., Solid state coordination chemistry of copper(II)/α-hydroxycarboxylato/2,2′-bipyridine systems, 2811
Carballo, R., see Serrano-Padial, E., 1451
Carlton, L., see Circu, V., 1775
Carmalt, C.J., see Binions, R., 1943
Carrasco, A.L., see Zuno-Cruz, F.J., 1105
Carriedo, G.A., García Alonso, F.J., Luis García Álvarez, J., Valenzuela, C.D. and Sáez, N.Y., Synthesis and spectroscopic properties of a new high molecular weight poly-spirophosphazene–oxypyridine copolymer and its complexes with $W(CO)_5$ fragments, 2587

Carriedo, G.A., García Alonso, F.J., González, P.A., Díaz Vaienzuela, C. and Yutronic Sáez, N., Synthesis and spectroscopic characterization of cyclic and polymeric phosphazenes bearing phosphine complexes, 2579
Carrillo, D., see Galindo, A.M., 2531
Carunchio, V., Metal complexes: from pioneers to the GTC, 1313
Casas, J.S., Castaño, M.V., Cifuentes, M.C., Sánchez, A. and Sordo, J., Synthesis and structures of acetylferrocene thiosemicarbazones and their dimethylthallium(III) complexes, which have four- or five-membered chelate rings, 1651
Čáslavský, J., see Plešek, J., 975
Castanheira, R., see Delgado, R., 2265
Castaño, M.V., see Casas, J.S., 1651
Castellano, E.E., see Von Poelhsitz, G., 2221
Castillo, O., see Luque, A., 19
Castiñeiras, A., see Carballo, R., 2811
Castiñeiras, A., see Macías, B., 1899
Castiñeiras, A., see Labisbal, E., 1553
Castineiras, A., see Lobana, T.S., 1603
Castiñeiras, A., see Choquesillo-Lazarte, D., 1485
Castiñeiras, A., see Serrano-Padial, E., 1451
Castiñeiras, A., see Macías, B., 1229
Castiñeiras, A., see Ketcham, K.A., 859
Castiñeiras, A., see García, I., 729
Castineiras, A., see Lobana, T.S., 205
Castro-Juiz, S., see Ares, R., 2309
Cataldo, F. and Keheyan, Y., About a new class of inorganic polymers: the polythiocyanogens $[S_x(CN)_2]_x$, 1825
Caubet, A., see López, C., 2361
Caubet, A., see García-Raso, A., 1197
Cavaleiro, A.M.V., see Gamelas, J.A.F., 2537
Cavaleiro, A.M.V., see Santos, I.C.M.S., 2009
Cavigliasso, G., see Bridgeman, A.J., 2201
Cecconi, F., Frassineti, C., Gans, P., Iotti, S., Midollini, S., Sabatini, A. and Vacca, A., Complex formation equilibria of phosphocreatine with sodium, potassium and magnesium ions, 1481
Cejudo, R., Alzuet, G., Borrás, J., Liu-González, M. and Sanz-Ruiz, F., Crystal structure, magnetic and spectroscopic properties of copper(II) formato dimethylformamide: a new tetracarboxylato-bridged copper(II) dimer, 1057
Cesar, A., see de Moura, C.V.R., 2227
Chacón Villalba, M.E., see Soria, D.B., 1767
Chaichit, N., see Youngme, S., 1279
Chaichit, N., see Youngme, S., 943
Chaichit, N., see Youngme, S., 247
Chakrabarty, R., see Barman, R.K., 1189
Chakraborty, I., Bhattacharyya, S. and Chakravorty, A., The first family of trigonal prismatic $M(bidentate)_2(monodentate)_2$ complexes: synthesis and characterization of halobis(2-amidothiophenolato)triphenylphosphinerhenium(V), 1597
Chakraborty, A.R., see Rath, R.K., 1929
Chakravorty, A., see Bhattacharyya, I., 2761
Chakravorty, A., see Chakraborty, I., 1597
Chakravorty, A., see Panda, B.K., 899
Chanda, N., Mondal, B., Puranik, V.G. and Lahiri, G.K., Ruthenium monoterpyridine complexes incorporating α,α′-diimine based ancillary functions. Synthesis, crystal structure, spectroelectrochemical properties and catalytic aspect, 2033
Chandra, K., see Singhal, S., 2489
Chandra, S.K., see Deoghoria, S., 2457
Chang, H.-C., see Yu, X.-Y., 1613
Chang, F., see Liu, S.-T., 1073
Charsley, S.M., Jones, C.J., Neaves, B.D., Kresiński, R.A., McWhinnie, S.L.W., McCleverty, J.A. and Yellowlees, L.J., Synthesis, electrochemistry and spectroelectrochemistry of hydrazido(2-) bridged bimetallic molybdenum species, and the X-ray crystal structure of $[Mo\{HB(3,5\text{-}Me_2pz)_3\}(NO)Cl]_2(\mu\text{-}NHNH)$ in solid solution, 849
Chattopadhyay, S., see Panda, B.K., 899
Chaudhuri, N.R., see Sain, S., 2293
Chaudhuri, S., see Saha, N.C., 779
Chaudhuri, S., see Bera, P., 1
Chen, M.-Q., see Pang, Z., 2675
Chen, L.-H., see Misra, T.K., 2045
Chen, Y.S., see Zeng, W.F., 1081
Chen, X.-M., see Chen, C.-H., 689
Chen, C.-H., Cai, J., Feng, X.-L. and Chen, X.-M., Assembly via H-bonds and Ag–Ag attractions of one-dimensional silver(I) complexes of nicotinamide and nicotinic acid with sulfonate counteranions, 689
Cheng, C.P., see Zeng, W.F., 1081
Chern, S.S., see Zeng, W.F., 1081
Chew, K.-B., see Tarafder, M.T.H., 2683
Chiang, M.Y., see Sain, S., 2293
Chiang, M.Y., see Zeng, W.F., 1081
Chicote, E., see Macías, B., 1899
Cho, H.Y., Roh, S.-G. and Jeong, J.H., Syntheses and reactivities of new bis(imido)Mo(VI) complexes of hydrotris(3,5-dimethyl-1-pyrazolyl)borate and X-ray molecular structures of $[\{HB(3,5\text{-}Me_2C_3N_2H)_3\}Mo(Nmes)_2X]$ (X = Cl or OH; mes = 2,4,6-trimethylphenyl), 1211
Chohan, Z.H., see Aupers, J.H., 2107
Choi, K.-Y., Chun, K.-M., Lee, K.-C. and Kim, J., Synthesis and characterization of nickel(II) complexes of hexaazamacrotetracyclic ligand containing organic ligands, 1913
Choi, J.H., see Na, H.G., 917
Choi, M.-G., see Park, Y.J., 33
Choquesillo-Lazarte, D., Covelo, B., González-Pérez, J.M., Castiñeiras, A. and Niclós-Gutiérrez, J., Metal chelates of *N*-(2-pyridylmethyl)iminodiacetate(2-) ion (pmda). Part I. Two mixed-ligand copper(II) complexes of pmda with *N*,*N*-chelating bases. Synthesis, crystal structure and properties of $H_2pmda\cdot 0.5H_2O$, $[Cu(pmda)(pca)]\cdot 3H_2O$ (pca = α-picolylamine) and $[Cu(pmda)(Hpb)]\cdot 5H_2O$ (Hpb = 2-(2′-pyridyl)benzimidazole), 1485
Choquesillo-Lazarte, D., see Serrano-Padial, E., 1451
Christou, G., see Aromí, G., 1779
Chryssou, K., Stergiopoulos, T. and Falaras, P., Synthesis and spectroscopic properties of a new bipyridine-bipyrazoyl(pyridine)-thiocyanato-ruthenium(II) complex, 2773
Chu, S.-Y., see Lai, C.-H., 579
Chuburu, F., see Bencini, A., 1459
Chun, K.-M., see Choi, K.-Y., 1913
Chung, C.-S., see Misra, T.K., 2045
Cieślak-Golonka, M., see Bronowska, W., 997
Cifuentes, M.C., see Casas, J.S., 1651
Cindrić, M., see Korpar-Čolig, B., 147
Ciunik, Z., see Ruman, T., 2743
Clarke, M.L., see Appleby, T., 2639
Clegg, W., see Liddle, S.T., 2451
Clegg, W., see Beheshti, A., 1547
Clemente, D.A., Marzotto, A. and Benetollo, F., Synthesis, crystal and molecular structure of pseudotetrahedral Zn(II) zwitterionic complexes: trichloro(1-methylpiperazin-1-ium-N^4)zinc(II) and trichloro(1,4-dimethylpiperazin-1-ium-N^4)zinc(II), 2161
Coles, S.J., see Bell, N.A., 1845
Collison, D., see Zhang, Y., 81
Collison, D., see Zhang, Y., 69
Colquhoun, S., see Torzilli, M.A., 697
Colquhoun, S., see Torzilli, M.A., 705
Comerlato, N.M., see Aupers, J.H., 2107
Compari, C., Fisicaro, E. and Braibanti, A., Cooperativity effects in the protonation of aliphatic polyamines, 1503
Compari, C., see Fisicaro, E., 1497
Comuzzi, C., Novelli, V., Portanova, R. and Tolazzi, M., The influence of *N*-alkylation and chain length in the coordination ability of

diamines towards silver(I) in dimethylsulfoxide, 1337
Comuzzi, C., Di Bernardo, P., Portanova, R., Tolazzi, M. and Zanonato, P., Affinity of lanthanide(III) ions for oxygen- and mixed oxygen–nitrogen-donor ligands in dimethylsulfoxide: a thermodynamic and spectroscopic investigation, 1385
Conato, C., Kozłowski, H., Młynarz, P., Pulidori, F. and Remelli, M., Copper and nickel complex-formation equilibria with Lys–Gly–His–Lys, a fragment of the matricellular protein SPARC, 1469
Concolino, T., see Reger, D.L., 1795
Constable, C.P., see Bell, N.A., 1845
Cooke, M.W., Murphy, C.A., Cameron, T.S., Beck, E.J., Vamvounis, G. and Aquino, M.A.S., Synthesis and crystal structures of urea and thiourea derivatives of diruthenium(II,III) tetraacetate, 1235
Cordopatis, P., see Tiliakos, M., 229
Córdova, C., see Manzur, J., 181
Cornard, J.P. and Merlin, J.C., Complexes of aluminium(III) with isoquercitrin: spectroscopic characterization and quantum chemical calculations, 2801
Cornu, D., Hitchcock, P.B., Lappert, M.F. and Uiterweerd, P.G.H., Some 2,6-bis(dimethylamino)phenyl–mercury(II) and –boron complexes, 635
Cotton, S.A., Franckevicius, V. and Fawcett, J., Syntheses and structures of iron(III) complexes of simple N-donor ligands, 2055
Coucouvanis, D., see Han, J., 2523
Couret, C., see Bibal, C., 2827
Covelo, B., see Carballo, R., 2811
Covelo, B., see Choquesillo-Lazarte, D., 1485
Crans, D.C., see Rosu, C., 959
Craven, E., Mutlu, E., Lundberg, D., Temizdemir, S., Dechert, S., Brombacher, H. and Janiak, C., Thallium(I) complexes with modified poly(pyrazolyl)borate ligands—metal-ligand coordination and crystal packing, 553
Circu, V., Fernandes, M.A. and Carlton, L., Reactivity of a rhodium(I) complex towards oxygen enhanced by a cyano ligand. Structure of $[Rh(CN)(O_2)(PPh_3)_2(XNC)]$ (XNC = xylyl isocyanide), 1775
Creeth, J.E., see Barret, M.C., 1761
Crespo, M., Font-Bardia, M. and Solans, X., Formation and cleavage of platinacycles containing a fluorinated imine. Crystal structure of $[PtMe(3,4,5\text{-}C_6HF_3CH{=}NCH_2C_6H_5)PPh_3]$, 105
Crisponi, G., Diaz, A., Nurchi, V.M., Pivetta, T. and Tapia Estévez, M.J., Equilibrium study on Cd(II) and Zn(II) chelates of mercapto carboxylic acids, 1319
Cristiani, F., see Villaescusa, I., 1363
Crouse, K.A., see Tarafder, M.T.H., 2683
Crouse, K.A., see Tarafder, M.T.H., 2691
Crouse, K.A., see Tarafder, M.T.H., 2547
Císařová, I., see Plešek, J., 975
Cui, C.-P., Dai, J.-C., Du, W.-X., Fu, Z.-Y., Hu, S.-M., Wu, L.-M. and Wu, X.-T., Synthesis, structure and fluorescence of a 3-D polymer $\{(Mo_4O_{12})(4,4'\text{-bipy})_2\}_n$, 175
Cuypers, L., see Uhl, W., 511
Czeluśniak, I., see Szymańska-Buzar, T., 2505
Czeluśniak, I., see Szymańska-Buzar, T., 1817

Dai, J.-C., see Cui, C.-P., 175
Damnatara, K., see Youngme, S., 943
Daniele, S., Hubert-Pfalzgraf, L.G. and Perrin, M., Molecular structures of volatile Ce(IV) tetrafluoroisopropoxide complexes with TMEDA and diglyme. CVD experiments, 1985
Darensbourg, M.Y., see de Moura, C.V.R., 2227
Das, B.K., see Barman, R.K., 1189
Das, C., see Saha, A., 97
Daszkiewicz, M., see Bronowska, W., 997
Datta, A., Karan, N.K., Mitra, S. and Tiekink, E.R.T., A novel trinuclear cyano-bridged calcium(II)–iron(III) complex; $[(phen)_2(H_2O)_2CaNC(NC)_4FeCNCa(OH_2)(Phen)_2NO_3]\cdot H_2O$, 2237
Díaz, P., Doménech, A., García-España, E. and Soriano, C., Synthesis, acid–base behaviour, co-ordination and electrochemistry studies on new open-chain bithiophene receptors, 1523
Díaz, C. and Valenzuela, M.L., Transition metal containing dendrimers based on cyclophosphazene units, 909
Díaz Valenzuela, C., see Carriedo, G.A., 2579
de Araujo, M.P., see Von Poelhsitz, G., 2221
De Bellis, V.M., see Oliveira, M.R.L., 2243
de Castro, B., see Azevedo, F., 1695
Dechert, S., see Craven, E., 553
Decinti, A., see Zolezzi, S., 55
De Clercq, E., see Višnjevac, A., 2567
de Faria, D.L.A., see Teotonio, E.E.S., 1837
de Farias, R.F., Airoldi, C. and Scatena, H., Jr., Empirical correlations involving calorimetric, thermogravimetric and infrared data for zinc halides adducts, 1677
de Fátima Cabral, M., see Delgado, R., 2265
de Figueiredo, A.T., Deflon, V.M., Bessler, K.E., Maichle-Mössmer, C. and Abram, U., Hydroximato complexes of boron—the X-ray crystal structures of dicyclohexylammonium bis(benzohydroximato)borate chloroform solvate and tetra-*n*-propylammonium bis(benzohydroximato)borate, 2351
Deflon, V.M., see de Figueiredo, A.T., 2351
Dehghanpour, S., see Amirnasr, M., 2733
Delgado, R., de Fátima Cabral, M., Castanheira, R., Zhang, A. and Herrmann, R., Metal complexes of edta-derived macrocyclic ether bis(lactones). Hydrolysis of the macrocycles and the metal catalysis effect, 2265
de Lima, G.M., see Moura, E.M., 2323
de Matos Gomes, E., see Gamelas, J.A.F., 2537
de Moura, C.V.R., Silva, R.M., Cesar, A., Darensbourg, M.Y. and Reibenspies, J., X-ray structure of $[Nb(\eta^5\text{-}C_5H_5)_2(SCH_2CH_2CH_2S]$. ECP quantum chemistry of niobium five and six metallacycle complexes, 2227
Deng, Y.-F., see Zhou, Z.-H., 787
Deoghoria, S., Sain, S., Moulton, B., Zaworotko, M.J., Bera, S.K. and Chandra, S.K., Synthesis, crystal structure and magnetic behavior of two new binuclear complexes bridged by a pentadentate ligand: $[Ni_2L_2(NCS)_2](ClO_4)_2$ and $[Ni_2L_2(NCO)_2](ClO_4)_2$ [L = pentadentate ligand], 2457
de Oliveira, L.A.A., see Von Poelhsitz, G., 2221
Derek Woollins, J., see Appleby, T., 2639
Derveer, D.V., see Liang, S., 2021
Descalzo, A.B., see Sancenón, F., 1397
de Sousa, A.S. and Fernandes, M.A., The synthesis and low-temperature X-ray study of bis[*N*,*N*,*N*′,*N*′-tetrakis-(2-hydroxyethyl)ethylenediamine]copper(II) perchlorate, 1883
de Sousa, G.F., see Fernandes, R.M., 1149
Devereux, M., McCann, M., Leon, V., McKee, V. and Ball, R.J., Synthesis and catalytic activity of manganese(II) complexes of heterocyclic carboxylic acids: X-ray crystal structures of $[Mn(pyr)_2]_n$, $[Mn(dipic)(bipy)_2]\cdot 4.5H_2O$ and $[Mn(chedam)(bipy)]\cdot H_2O$ (pyr = 2-pyrazinecarboxylic acid; dipic = pyridine-2,6-dicarboxylic acid; chedam = chelidamic acid(4-hydroxypyridine-2,6-dicarboxylic acid); bipy = 2,2-bipyridine), 1063
Dey, R., see Bhattacharya, R., 2561
Diamantopoulou, E., Raptopoulou, C.P., Terzis, A., Tangoulis, V. and Perlepes, S.P., Heptanuclearity in nickel(II) chemistry: preparation, characterization, crystal structure and magnetic properties of $[Ni_7(OH)_2(acac)_8(btaO)_4(H_2O)_2]$ ($btaO^-$ = the 1-hydroxybenzotriazolate ion), 2117
Dias, H.V.R. and Ayers, A.E., Reactions of divalent group 14 compounds containing an azide functionality: synthesis and characterization of $[HB(3,5\text{-}(CF_3)_2Pz)_3]AgGe(N_3)[(n\text{-}Pr)_2ATI]$ and $[HB(3,5\text{-}(CF_3)_2Pz)_3]AgSn(N_3)[(n\text{-}Pr)_2ATI]$, 611
Diaz, A., see Crisponi, G., 1319
Di Bernardo, P., see Bismondo, A., 1393
Di Bernardo, P., see Comuzzi, C., 1385

Dinda, R., see Rana, A., 1023
Ding, E.-R., see Liu, S.-T., 1073
Do, Y., see Yoo, J., 715
Do, Y., see Park, Y.J., 33
Dobrzyńska, D., Duczmal, M., Jezierska, J. and Jerzykiewicz, L.B., Synthesis and structure of the mixed ligand complex of copper(II), bis(9,10-dihydro-9-oxo-10-acridineacetato)bis(imidazole)copper(II) tetrahydrate, 2381
Dolmella, A., Intini, F.P., Pacifico, C., Padovano, G. and Natile, G., Structural characterization of the 'lantern-shaped' platinum(III) complex $[Pt_2Cl_2\{N(H)C(Bu^t)O\}_4]$, 275
Domasevitch, K.V., see Gubina, K.E., 963
Domasevitch, K.V., see Lysenko, A.B., 769
Doménech, A., see Díaz, P., 1523
Domínguez, S., see Armas, M.T., 1513
Domínguez, M., Anticó, E., Beyer, L., Aguirre, A., García-Granda, S. and Salvadó, V., Liquid–liquid extraction of palladium(II) and gold(III) with *N*-benzoyl-*N'*,*N'*-diethylthiourea and the synthesis of a palladium benzoylthiourea complex, 1429
Doucet, D., see Torzilli, M.A., 697
Doufou, P., see Mills, R.C., 1051
Downs, A.J., Himmel, H.-J. and Manceron, L., Low valent and would-be multiply bonded derivatives of the Group 13 metals Al, Ga and In revealed through matrix isolation, 473
Downs, L.E., see Vohs, J.K., 531
Dozol, J.-F., see Thuéry, P., 2497
Drake, J.E., see Gupta, A., 2387
Drake, J.E., see Singh, A.K., 667
Drew, M.G.B., see Quintal, S.M.O., 2783
Drobot, D.V., see Shcheglov, P., 2317
Drożdżewski, P., Pawlak, B. and Głowiak, T., Unusual co-ordination behaviour of imidazole-4-acetic acid. Synthesis, crystal structure and vibrational studies of one-dimensional co-ordination polymer of zinc(II) with two different ligand forms, 2819
Du, W.-X., see Cui, C.-P., 175
Duan, Y.-B., see Li, Y.-G., 2601
Duczmal, M., see Dobrzyńska, D., 2381
Dutta, D.P., Jain, V.K., Knoedler, A. and Kaim, W., Dithiocarbamates of gallium(III) and indium(III): syntheses, spectroscopy, and structures, 239
Dyrda, G., see Słota, R., 677
Dzięgielewski, J.O., see Machura, B., 2617

Eccles, H., see Zhang, Y., 81
Eccles, H., see Zhang, Y., 69
Edwards, D., see Smieja, J.A., 1889
Eilmes, J., Ptaszek, M. and Wozniak, K., Synthesis, reactivity, crystal and molecular structure of [5,14-dihydro-7,16-bis(2-oxo-3*H*-furan-5-yl)-6,8,15,17-tetramethyldibenzo[b,i][1,4,8,11]tetraazacyclotetradecinato(2-)-κ^4N]nickel(II), 7
Eisen, M.S., see Koch, T., 2445
Elerman, Y., see Kavlakoglu, E., 1539
Elias, H., see Baran, P., 1561
Elizondo, N.V., see Kharisov, B.I., 2081
Ellena, J., see Von Poelhsitz, G., 2221
Ellis, D., see Benniston, A.C., 333
Elmali, A., see Kavlakoglu, E., 1539
El-Sawaf, A.K., see Ketcham, K.A., 859
El Sawaf, A.K., see García, I., 729
Þentürk, O.S., see Hogarth, G., 791
Escuer, A., see Papaefstathiou, G.S., 2027
Escuer, A., see Goher, M.A.S., 1871
Espinosa, E., see García-Raso, A., 1197
Espinosa-Pérez, G., see Valdés-Martínez, J., 409
Espinola, J.G.P., see Teotonio, E.E.S., 1837
Evans, D.J., Junk, P.C. and Smith, M.K., The effect of coordinated solvent ligands on the solid-state structures of compounds involving uranyl nitrate and Schiff bases, 2421
Evans, W.J., Fujimoto, C.H. and Ziller, J.W., Synthesis and structure of inorganic and organometallic *N*,*N'*-bis(3, 5-di-*tert*-butylsalicylidene)ethylenediamine yttrium complexes, 1683

Falaras, P., see Chryssou, K., 2773
Falaras, P., see Raţiu, C., 353
Falvello, L.R., see Rana, A., 1023
Farkas, E., see Amélia Santos, M., 2609
Farková, M., see Havel, J., 1375
Farrugia, L.J., see Benniston, A.C., 333
Faure, R., see Acuña-Cueva, E.R., 1961
Fawcett, J., see Cotton, S.A., 2055
Fawcett, J., Platt, A.W.G. and Russell, D.R., Structures and catalytic properties of triphenylphosphine oxide complexes of scandium and lanthanide triflates, 287
Félix, V., see Quintal, S.M.O., 2783
Feng, X.-L., see Chen, C.-H., 689
Feng, X.-L., see Zhang, H., 721
Fenton, D.E., see Adams, H., 1957
Fereshteh Hekmat, H., see Beheshti, A., 1547
Fernandes, M.A., see de Sousa, A.S., 1883
Fernandes, M.A., see Circu, V., 1775
Fernandes, R.M., Lang, E.S., López, E.M.V. and de Sousa, G.F., Organotin(IV) complexes of 4,6-dimethylpyrimidine-2-thione, Me_2-PymtH. Preparation, characterization and crystal structure determination of *cis*-$[Ph_2Sn(Me_2Pymt)_2]$ and $[Ph_3Sn(Me_2Pymt)]$, 1149
Fernández, J.J., see Ares, R., 2309
Fernández, A., see Ares, R., 2309
Fernández, A., see López-Torres, M., 2063
Fernández, J.J., see López-Torres, M., 2063
Fernández, J.J., see Fernández, A., 39
Fernández, A., Pereira, E., Fernández, J.J., López-Torres, M., Suárez, A., Mosteiro, R. and Vila, J.M., Cyclopalladated compounds derived from [C,N,O] terdentate ligands: synthesis, characterization and reactivity, 39
Feroci, G., see Fini, A., 1421
Ferrari, M.B., Pelizzi, C., Pelosi, G. and Rodríguez-Argüelles, M.C., Preparation, characterization and X-ray structures of 1-methylisatin 3-thiosemicarbazone copper, nickel and cobalt complexes, 2593
Ferrari, R., see Gasque, L., 935
Ferreira, A.G., see Von Poelhsitz, G., 2221
Ferrer, E.G., see Williams, P.A.M., 1979
Ferretti, V., see Pitteri, B., 2283
Fidalgo, E.G., Neels, A., Stoeckli-Evans, H. and Süss-Fink, G., New iso and heteropolyoxomolybdates: synthesis and molecular structure of the anions $[Mo_8^{VI}O_{26}(OH)]^{5-}$, $[HAs^{III}As^{V}Mo^{V}Mo_8^{VI}O_{34}]^{6-}$ and $[HAs^{III}As^{V}Mo^{V}Mo_8^{VI}O_{34}\{Co(C_5H_5N)_2(H_2O)_3\}]^{4-}$, 1921
Field, L.D., He, T., Masters, A.F. and Turner, P., The synthesis and X-ray structural characterisation of the decaphenylmolybdenocenium cation as its tetrafluoroborate salt, 1707
Filgueiras, C.A.L., see Bomfim, J.A.S., 1667
Fini, A., Feroci, G. and Roda, A., Acidity in bile acid systems, 1421
Fiol, N., see Villaescusa, I., 1363
Fiol, J.J., see García-Raso, A., 1197
Fischer, R.A., see Weiß, D., 535
Fisicaro, E., see Compari, C., 1503
Fisicaro, E., Compari, C. and Moroi, Y., Apparent and partial molar enthalpies of some potassium *p*-*n*-alkyl-benzoate aqueous solutions, 1497
Floris, C., see Villaescusa, I., 1363
Foley, S.R., Yap, G.P.A. and Richeson, D.S., Synthesis and structural characterization of the first trialkylguanidinate and hexahydropyramidopyramidinate complexes of tin, 619
Fonda, K.K., see Benetollo, F., 425
Font-Bardia, M., see López, C., 2361
Font-Bardia, M., see Papaefstathiou, G.S., 2027

Font-Bardía, M., see Crespo, M., 105
Forder, S.D., see Bell, N.A., 115
Formica, M., Giorgi, L., Fusi, V., Micheloni, M. and Pontellini, R., Two triaza-polyamine units linked together by different aromatic spacers, coordination properties towards metal cations of a new compartmental ligand, 1351
Fornasari, P., see Bencini, A., 1329
Foster, C.L., Kilner, C.A., Thornton-Pett, M. and Halcrow, M.A., Steric effects on the stereochemistry of copper complexes of 2,6-bis(pyrazol-1-ylmethyl)pyridines, 1031
Franckevicius, V., see Cotton, S.A., 2055
Frassineti, C., see Cecconi, F., 1481
Freire, C., see Azevedo, F., 1695
Frenking, G., see Weiß, D., 535
Fröhlich, N., see Weiß, D., 535
Fu, Z.-Y., see Cui, C.-P., 175
Fuess, H., see Baran, P., 1561
Fujimoto, C.H., see Evans, W.J., 1683
Fujisawa, K., see Yamada, Y., 2143
Fujisawa, K., see Mahboob, N., 1809
Fujiwara, M., see Asada, H., 1139
Fun, H.-K., see Tarafder, M.T.H., 2683
Fun, H.-K., see Tarafder, M.T.H., 2691
Fun, H.-K., see Tarafder, M.T.H., 2547
Fun, H.K., see Kannan, S., 2403
Fusi, V., see Formica, M., 1351
Fuyuhiro, A., see Kita, M., 843

Gabrielli, M., see Masci, B., 1125
Gade, L.H., see Haller, I., 629
Galan-Fereres, M., see Koch, T., 2445
Galas, D.F., see Grant, G.J., 879
Galindo, A.M., Mardones, M., Manzur, C., Hamon, J.-R., Vega, A., Garland, M.T. and Carrillo, D., Reactivity of [*trans*-$R_2MoO(NNPhR')$(*o*-phen)] toward $R'PhNNH_2$ and $R'PhNNH_3^+Cl^-$, R = Me, Ph and R′ = Me, Ph. X-ray structure of [*trans*-MeCl-$MoO(NNPh_2)$(*o*-phen)], 2531
Galli, A., Ghezzi, L., Raspi, G., Secco, F. and Spinetti, M., Detection of heterologous bovine pancreatic trypsin inhibitor by capillary zone electrophoresis, 1405
Gama, S., see Amélia Santos, M., 2609
Gambino, V., see Amorello, D., 1369
Gamelas, J.A.F., Cavaleiro, A.M.V., de Matos Gomes, E., Belsley, M. and Herdtweck, E., Synthesis, properties and photochromism of novel charge transfer compounds with Keggin anions and protonated 2,2′-biquinoline, 2537
Gans, P., see Cecconi, F., 1481
Gao, S., see Liu, Q.-D., 1097
Gao, J.-X., see Zhou, Z.-H., 787
Gao, E.-Q., Sun, H.-Y., Liao, D.-Z., Jiang, Z.-H. and Yan, S.-P., Synthesis of and magnetic interactions in binuclear Cu(II)–M(II) (M = Cu, Ni and Mn) complexes of macrocyclic oxamido ligands, 359
García, L., see Santana, M.D., 1935
García, G., see Santana, M.D., 1935
García, L., see Serrano, J.L., 1589
García, I., see Macías, B., 1229
García, I., Bermejo, E., El Sawaf, A.K., Castiñeiras, A. and West, D.X., Structural studies of metal complexes of 2-pyridineformamide N(4)-methylthiosemicarbazone, 729
García, A.M., see Manzur, J., 181
García Alonso, F.J., see Carriedo, G.A., 2587
García Alonso, F.J., see Carriedo, G.A., 2579
García-España, E., see Díaz, P., 1523
García-Granda, S., see Domínguez, M., 1429
García-Raso, A., Fiol, J.J., Adrover, B., Caubet, A., Espinosa, E., Mata, I. and Molins, E., Synthesis and structure of peptide–copper(II)–isocytosine ternary complexes, 1197
García-Tojal, J., see Gómez-Saiz, P., 2257
Garcia, I., see Ketcham, K.A., 859
Garcia, Y., see Bushuev, M.B., 797
Garg, A.N., see Singhal, S., 2489
Garland, M.T., see Galindo, A.M., 2531
Garnovskii, A.D., see Kharisov, B.I., 2081
Gasowska, A. and Lomozik, L., Spectroscopic and potentiometric investigation of the solution structure and stability of Ni(II) and Co(II) complexes with adenosine 5′-monophosphate and 1,12-diamino-4,9-diazadodecane (spermine) or 1,11-diamino-4,8-diazaundecane, 745
Gasque, L., Bernès, S., Ferrari, R. and Mendoza-Díaz, G., Cadmium complexation by aspartate. NMR studies and crystal structure of polymeric $Cd(AspH)NO_3$, 935
Gaubeur, I., see Ávila Terra, L.H.S., 2375
Gdaniec, M., see Bocheńska, M., 763
Ge, Q.-C., see Guo, Y.-H., 1005
Ghasemi, J., see Asadi, M., 1255
Ghasemi, J., see Asadi, M., 683
Ghezzi, L., see Galli, A., 1405
Ghosh, A., see Bhattacharya, R., 2561
Ghosh, S., see Rana, A., 1023
Ghosh, A.C., see Azam, K.A., 885
Ghosh, K., see Panda, B.K., 899
Gieck, C., see Bushuev, M.B., 797
Gili, P., see Armas, M.T., 1513
Gillitt, N.D., see Parada, J., 2215
Giorgi, C., see Bencini, A., 1459
Giorgi, C., see Bencini, A., 1329
Giorgi, L., see Formica, M., 1351
Głowiak, T., see Drożdżewski, P., 2819
Głowiak, T., see Szymańska-Buzar, T., 2505
Głowiak, T., see Szłyk, E., 2001
Głowiak, T., see Kurdziel, K., 1857
Głowiak, T., see Szymańska-Buzar, T., 1817
Głowiak, T., see Moncol', J., 365
Głowiak, T., see Szlyk, E., 343
Glueck, D.S., see Pelczar, E.M., 2409
Goeta, A.E., Lawrence, S.E., Meehan, M.M., O'Dowd, A. and Spalding, T.R., Synthesis, crystal and molecular structures of three triphenylsilanol amine adducts, 1689
Goher, M.A.S., Escuer, A., Mautner, F.A. and Al-Salem, N.A., A new series of 1D polymeric nickel(II) complex cations of pyridine derivative ligands with a single μ-1,3 azide bridge and X-ray crystal structure and magnetic properties of polymeric $\{[Ni(4\text{-ethylpyridine})_4(N_3)_n](PF_6)_n\}$, 1871
Gohil, S., see Shcheglov, P., 2317
Gök, Y., see Kantekin, H., 1865
Goldberg, I., see Patra, G.K., 2195
Golzar Hossain, G.M., see Azam, K.A., 381
Gomes, C.A.R., see Skorik, Y.A., 2719
Gómez-Saiz, P., García-Tojal, J., Maestro, M.A., Mahía, J., Arnáiz, F.J. and Rojo, T., Synthesis, crystal structure and spectroscopic properties of copper(II) complexes derived from 2-methylamino-5-pyridin-2-yl-1,3,4-oxadiazole, 2257
González, P.A., see Carriedo, G.A., 2579
González Baró, A.C., see Williams, P.A.M., 1979
González Garmendia, M.J., see Seco, J.M., 457
González-Pérez, J.M., see Choquesillo-Lazarte, D., 1485
Goodwin, S.D., see Vohs, J.K., 531
Gootee, W.A., see Benetollo, F., 425
Gorji, A., see Amirnasr, M., 2733
Görls, H., see Scholz, J., 305
Gornitzka, H., see Bibal, C., 2827
Goswami, S., see Saha, A., 97
Grant, G.J., Galas, D.F. and VanDerveer, D.G., Heteroleptic platinu-

m(II) complexes with crown thioether and phosphine ligands: the crystal structures of $[Pt(9S3)(PPh_3)Cl](PF_6)\cdot CH_3NO_2$ and $[Pt(10S3)(PPh_3)Cl](PF_6)$, 879
Grazina, R., see Amélia Santos, M., 2609
Grüner, B., see Plešek, J., 975
Gubina, K.E., Ovchynnikov, V.A., Swiatek-Kozlowska, J., Amirkhanov, V.M., Sliva, T.Y. and Domasevitch, K.V., Novel tetranuclear cubane-like Co(II) complexes involving chelate phosphoramide ligands, 963
Guekezian, M., see Ávila Terra, L.H.S., 2375
Guerrero, J., see Moya, S.A., 439
Guney, S., see Yilmaz, V.T., 2393
Guo, Y.-H., Ge, Q.-C., Lin, H., Lin, H.-K. and Zhu, S.-R., Thermodynamic studies on supramolecular interactions of metal ions with nucleotides/tripods ligands, 1005
Gupta, A., Sharma, R.K., Bohra, R., Jain, V.K., Drake, J.E., Hursthouse, M.B. and Light, M.E., Synthetic, spectroscopic and structural aspects of triphenylantimony(V) complexes with internally functionalized oximes: crystal and molecular structure of $[Ph_3Sb\{ON{=}C(Me)C_5H_4N\text{-}2\}_2]$, 2387
Gupta, S.K., Hitchcock, P.B. and Kushwah, Y.S., The crystal structure of 4-methyl-2,6-dibenzoylphenol and its conversion into a mononuclear cobalt(III) complex by treatment with cobalt(II) chloride and propane-1,3-diamine, 1787
Gupta, R., Lal, T.K. and Mukherjee, R., Synthesis and properties of $[Cu(L^5)_2][ClO_4]_2\cdot H_2O$ having square planar and pseudo-octahedral geometries in the same unit cell, and anion-bound complexes $[Cu(L^5)_2X][ClO_4]$ ($X = Cl^-$, NCS^-, N_3^-) [L^5 = 2-(3,5-dimethylpyrazol-1-ylmethyl)pyridine], 1245
Gutiérrez-Zorrilla, J.M., see Muga, I., 2631
Gütlich, P., see Bushuev, M.B., 797
Guzei, I.A., see Nelson, K.J., 2017

Halcrow, M.A., see Foster, C.L., 1031
Hall, I.H., see Wang, W., 1991
Haller, I., Renner, P. and Gade, L.H., A C_3-chiral lithium triamidostannate(II) containing a Sn–Li bond, 629
Hameršak, Z., see Višnjevac, A., 2567
Hamon, J.-R., see Galindo, A.M., 2531
Hampel, S., see Ruck, M., 651
Han, J., Huang, M. and Coucouvanis, D., New heteronuclear Mo/Fe/S clusters. The syntheses and structures of $(Cl_4\text{-cat})Mo(PEt_3)Fe_3S_4(SPEt_3)_2Cl$ and $(Cl_4\text{-cat})_2MoFe_2S_2(PEt_3)_2(CO)_4$ clusters, 2523
Han, Y.-K., see Yoo, J., 715
Handel, H., see Bencini, A., 1459
Hanif, K.M., see Azam, K.A., 885
Harms, K., see Uhl, W., 511
Harrison, W.T.A., see Yilmaz, V.T., 2393
Hashimoto, M., see Asaji, T., 2207
Hashimoto, M., see Shen, X., 969
Havel, J., Soto-Guerrero, J. and Lubal, P., Spectrophotometric study of uranyl–oxalate complexation in solution, 1411
Havel, J., Lubal, P. and Farková, M., Evaluation of chemical equilibria with the use of artificial neural networks, 1375
Hazarika, P., see Sarmah, S., 389
He, T., see Field, L.D., 1707
Heatley, F., see Zhang, Y., 81
Heatley, F., see Zhang, Y., 69
Heeg, M.J., see Yu, Z., 1117
Helfrich, B., see Valdés-Martínez, J., 409
Helliwell, M., see Zhang, Y., 81
Helliwell, M., see Zhang, Y., 69
Hendrickson, D.N., see Aromí, G., 1779
Herdtweck, E., see Gamelas, J.A.F., 2537
Herdtweck, E., see Zhang, G., 1737
Heřmánek, S., see Plešek, J., 975
Hernández-Molina, R., see Armas, M.T., 1513
Hernández-Ortega, S., see Valdés-Martínez, J., 409
Herrmann, R., see Delgado, R., 2265
Hey-Hawkins, E., see Koch, T., 2445
Hey-Hawkins, E., see Karasik, A.A., 2251
Hill, N.J., Levason, W., Popham, M.C., Reid, G. and Webster, M., Scandium halide complexes of phosphine- and arsine-oxides: synthesis, structures and ^{45}Sc NMR studies, 1579
Hill, N.J., Levason, W., Popham, M.C., Reid, G. and Webster, M., Yttrium halide complexes of phosphine- and arsine oxides: synthesis, multinuclear NMR and structural studies, 445
Himmel, H.-J., see Downs, A.J., 473
Hitchcock, P.B., see Gupta, S.K., 1787
Hitchcock, P.B., see Cornu, D., 635
Hoffmann, N., see Streubel, R., 119
Hogarth, G., Sarýkahya, F. and Þentürk, O.S., Thermal reactions of dimanganese decacarbonyl with tetraalkyldiphosphine disulfides (R = Me, Et, Pr^n, Bu^n) and crystal structure of $[Mn_2(CO)_8(\mu\text{-}PBu^n_2)_2]$, 791
Holt, E.M., see Bentiss, F., 403
Holub, K., see Plešek, J., 975
Hong, M.-C., see Luo, J.-H., 893
Hu, N.-H., see Li, Y.-G., 2601
Hu, C.-W., see Li, Y.-G., 2601
Hu, X., see Liu, S.-T., 1073
Hu, X., see Cai, J., 817
Hu, S.-M., see Cui, C.-P., 175
Huang, M., see Han, J., 2523
Hubert-Pfalzgraf, L.G., see Daniele, S., 1985
Huffman, J.C., see Aromí, G., 1779
Huffman, J.C., see Martins, M.A.C., 421
Hughes, R.P., Overby, J.S., Lam, K.-C., Incarvito, C.D. and Rheingold, A.L., Oxidative addition reaction of perfluoro-*n*-butyl iodide to (COD)PtMe$_2$ to give (COD)PtMe(^{n}C$_4$F$_9$). The molecular structure of (COD)PtMe$_2$, 2357
Hursthouse, M.B., see Gupta, A., 2387
Hursthouse, M.B., see Bell, N.A., 1845
Hursthouse, M.B., see Singh, A.K., 667
Hyvadi, R., see Beheshti, A., 1547

Ianelli, S., see Matović, Z.D., 2667
Ibarra, C., see Parada, J., 2215
Ikorskii, V.N., see Bushuev, M.B., 797
Illán-Cabeza, N.A., see Acuña-Cueva, E.R., 1961
Illingsworth, M.L., Schwartz, L.J., Jensen, A.J., Zhu, T., Knappenberger, E.J., Sweet, J.E., Wilkinson, P.S., Waltermire, B.E. and Rheingold, A.L., Synthesis, structure, and reactivity of bis(*N*,*N*′-bis(2-hydroxybenzylidene)-2-hydroxyphenylmethanediaminato)zirconium(IV), a Schiff base complex with 6,4,6-membered chelate rings, 211
Imamura, T., see Suzuki, T., 835
Imura, H., see Kameta, N., 805
Incarvito, C.D., see Hughes, R.P., 2357
Incarvito, C.D., see Pelczar, E.M., 2409
Inoue, K., see Itaya, T., 1573
Intini, F.P., see Dolmella, A., 275
Iotti, S., see Cecconi, F., 1481
Isab, A.A., see Ahmad, S., 2099
Isab, A.A., Ahmad, S. and Arab, M., Synthesis of silver(I) complexes of thiones and their characterization by ^{13}C, ^{15}N and ^{107}Ag NMR spectroscopy, 1267
Ishii, Y., see Konno, H., 61
Ishitani, O., see Konno, H., 61
Islam, N.S., see Sarmah, S., 389
Itaya, T. and Inoue, K., Construction of hairy-rod coordination polymers with lamellar structure by self-assembling of hexakis(4-pyridylmethoxy)cyclotriphosphazene and silver alkylsulfonates, 1573

Ivanov, A.V. and Antzutkin, O.N., Isomorphism of bis(diethyldithiocarbamato)zinc(II) adduct with pyridine, $[Zn(Py)(EDtc)_2]$: hysteresis in the reaction of the adduct formation, 2727
Izumi, C.M.S., see Teotonio, E.E.S., 1837

Jain, V.K., see Gupta, A., 2387
Jain, V.K., see Dutta, D.P., 239
Jänchenová, J., see Plešek, J., 975
Janczak, J. and Kubiak, R., Synthesis and characterisation of dipyridinated magnesium phthalocyaninato(2-) complex, 265
Janezak, J., see Oliveira, M.R.L., 2243
Janiak, C., see Craven, E., 553
Janičijević, S.K., see Matović, Z.D., 2667
Jeffery, J.C., Leedham, A.P. and Russell, C.A., Synthesis and X-ray structure of a complex containing the trisimido borate trianion—the imido analogue of the orthoborate trianion, 549
Jeffery Leigh, G., see Luiz, J.B., 2137
Jensen, A.J., see Illingsworth, M.L., 211
Jeong, J.H., see Cho, H.Y., 1211
Jerzykiewicz, L.B., see Dobrzyńska, D., 2381
Jezierska, J., see Dobrzyńska, D., 2381
Jezierska, J., see Kurdziel, K., 1857
Jezierska, J., see Kroczewska, D., 295
Ji, L.-N., see Cai, J., 817
Ji, L.-N., see Zhang, H., 721
Jia, H.-Q., see Li, Y.-G., 2601
Jia, W.-L., see Wang, Z.-H., 873
Jiang, J., see Pan, N., 1905
Jiang, M.-H., see Tian, Y.-P., 1217
Jiang, L. and Mao, X.-A., Conformation of adenosine-5′-triphosphate in the presence of Mg^{2+} at different pH, 435
Jiang, Z.-H., see Gao, E.-Q., 359
Jiménez-Cruz, F., see Nieto-Alvarez, D.A., 417
Jiménez-Pulido, S.B., see Acuña-Cueva, E.R., 1961
Jin, G.-X., see Yu, X.-Y., 1613
Jin, L.-P., see Bian, Z.-Q., 313
John, R.P., Sreekanth, A., Prathapachandra Kurup, M.R. and Mobin, S.M., Synthesis and structural studies of novel Co(III) ternary complexes containing N(4)-substituted thiosemicarbazones of 2-hydroxyacetophenone and heterocyclic bases, 2515
Johns, C.A. and Abdul Malik, K.M., Synthesis and structural studies of the dien complexes of metal saccharinates, $[M(dien)_2]\cdot 2(sac)\cdot H_2O$ [M(II) = Ni(II), Cu(II) and Zn(II); dien = diethylenetriamine, $C_4H_{13}N_3$; sac = saccharinate, $C_7H_4NO_3S^-$], and $[Cd(dien)_2]\cdot 2(sac)$, 2(sac), 395
Jones, C.J., see Charsley, S.M., 849
Jones, P.G., see Streubel, R., 119
Jorík, V., see Baran, P., 1561
Juanatey, P., see López-Torres, M., 2063
Jun, M.-J., see Park, J.S., 1273
Jun, M.-J., see Park, Y.J., 33
Junk, P.C., see Evans, D.J., 2421

Kabir, S.E., see Azam, K.A., 885
Kabir, S.E., see Azam, K.A., 381
Kadarkaraisamy, M., see Singh, A.K., 667
Kafarski, P., see Matczak-Jon, E., 321
Kaim, W., see Dutta, D.P., 239
Kaizaki, S., see Suzuki, T., 835
Kaluderović, G.N. and Sabo, T.J., Synthesis and characterization of the cobalt(III) complexes with ethylenediamine-*N*,*N*′-di-3-propanoate ligand and its esters, 2277
Kamecka, A., see Matczak-Jon, E., 321
Kamenar, B., see Korpar-Čolig, B., 147
Kameníček, J., see Smékal, Z., 1203
Kameta, N., Imura, H., Ohashi, K. and Aoyama, T., Stability constants of inner- and outer-sphere complexes of hydrated tris(1-(2-thienyl)-4,4,4-trifluoro-1,3-butanedionato) lanthanide(III) with tris(2,4-pentanedionato) cobalt(III), 805
Kandaswamy, M., see Sengottuvelan, N., 2767
Kandaz, M., Yılmaz, İ., Keskin, S. and Koca, A., Synthesis, spectroscopy and redox properties of a novel (*E*–*E*) *vic*-dioxime and its mono-, di- and trinuclear complexes bearing an 18-membered $N_2O_2S_2$ macrocyle, 825
Kandaz, M., Yaraşir, M.N.U., Koca, A. and Bekaroğlu, Ö., Synthesis, characterization and electrochemistry of novel differently octasubstituted phthalocyanines, 255
Kannan, S., Usman, A. and Fun, H.K., Synthesis and characterization of [bis(β-diketonato)uranium(VI)]nitrone compounds. The crystal and molecular structure of $[UO_2(TTA)_2\cdot p\text{-}NO_2\text{–}C_5H_4NO]$, 2403
Kano, N., Xing, J.-H., Kawa, S. and Kawashima, T., Cycloaddition reactions of an iminophosphorane bearing the Martin ligand with some double-bond compounds: syntheses, structures and thermolyses of a 1,3,2λ^5-oxazaphosphetidine and a 1,3,2λ^5-diazaphosphetidine-4-thione, 657
Kantekin, H., Ocak, Ü., Gök, Y. and Alp, H., Synthesis and characterization of new (*E*,*E*)-dioxime and its homo and heterotrinuclear complexes containing dioxadithiadiazamacrobicycle moiety, 1865
Karan, N.K., see Datta, A., 2237
Karasik, A.A., Naumov, R.N., Sommer, R., Sinyashin, O.G. and Hey-Hawkins, E., Water-soluble aminomethyl(ferrocenylmethyl)phosphines and their trinuclear transition metal complexes, 2251
Karimivand, V.A., see Asadi, M., 1255
Karmakar, S.R., see Azam, K.A., 885
Karvembu, R. and Natarajan, K., Synthetic, catalytic and biological studies of new binuclear ruthenium(II) complexes containing thiobis(β-diketones) and triphenylphosphine, 1721
Karvembu, R. and Natarajan, K., Synthesis and spectral studies of binuclear ruthenium(II) carbonyl complexes containing bis(β-diketone) and their applications, 219
Kashiwabara, K., see Suzuki, T., 835
Kassel, S., see Reger, D.L., 1795
Kavlakoglu, E., Elmali, A., Elerman, Y. and Svoboda, I., Magnetostructural characterization of tetranuclear copper(II) complex $[Cu_4(pz)_4L_2]\cdot(ClO_4)$ (LH = 1,3-diamino-2-propanol, Hpz = pyrapyrazole), 1539
Kawa, S., see Kano, N., 657
Kawashima, T., see Kano, N., 657
Keheyan, Y., see Cataldo, F., 1825
Kemmitt, R.D.W., see Mentes, A., 2653
Keng, T.-C., see Suen, M.-C., 2705
Kennedy, R., see Benniston, A.C., 333
Keskin, S., see Kandaz, M., 825
Kessler, V.G., see Shcheglov, P., 2317
Kessler, V.G., Turevskaya, E.P., Belokon', A.I. and Turova, N.Y., Interaction of magnesium and niobium methoxides. X-ray single crystal study of $Mg_2Nb_2O_2(OMe)_{10}(MeOH)_4$, 1629
Ketcham, K.A., Garcia, I., Swearingen, J.K., El-Sawaf, A.K., Bermejo, E., Castiñeiras, A. and West, D.X., Spectral studies and X-ray crystal structures of three nickel(II) complexes of 2-pyridineformamide 3-piperidylthiosemicarbazone, 859
Kettunen, M., see Abu-Surrah, A.S., 27
Kharisov, B.I., Blanco, L.M., Burlov, A.S., Kuznetsova, L.I., Elizondo, N.V., Uraev, A.I., Kurbatov, V.P., Bondarenko, G.I. and Garnovskii, A.D., Trinuclear metal chelates of β-aminovinylimines, 2081
Khokhar, A.R., see Ali, M.S., 2659
Khokhar, A.R., see Mukhopadhyay, U., 2369
Khokhar, A.R., see Ali, M.S., 125
Khoo, T.-J., see Tarafder, M.T.H., 2547
Khoo, T.-J., see Tarafder, M.T.H., 2691
Kilner, C.A., see Foster, C.L., 1031
Kim, J., see Choi, K.-Y., 1913
Kim, J., see Torzilli, M.A., 705

Kim, C.-H., Parkin, S., Bharara, M. and Atwood, D., Linear coordination of Hg(II) by cysteamine, 225
Kim, C., see Park, Y.J., 33
Kim, K.M., see Park, Y.J., 33
King, R.B., Chemical bonding topology of superconductors. 5. The similarities between magnesium diboride and cuprate superconductors and the role of subvalent magnesium, 2347
Kishikawa, K., see Tokitoh, N., 563
Kita, M., Abiko, S.-i., Fuyuhiro, A., Yamanari, K., Murata, K. and Yamashita, S., Synthesis and crystal structures of palladium(II) complexes containing benzyl 8-quinolyl sulfide and phenethyl 8-quinolyl sulfide, 843
Kitagawa, S., see Yu, X.-Y., 1613
Kittilstved, K., see Smieja, J.A., 1889
Kivekäs, R., see Lehtonen, A., 1133
Klasová, P., see Smékal, Z., 1203
Klement, R., see Baran, P., 1561
Klinga, M., see Abu-Surrah, A.S., 27
Klinkhammer, K., Dihypersilylstannylene and dihypersilylplumbylene—two Lewis-amphoteric carbene homologues, 587
Kloo, L., Rosdahl, J. and Taylor, M.J., The nature of subvalent gallium and indium in aqueous media, 519
Knappenberger, E.J., see Illingsworth, M.L., 211
Knoedler, A., see Dutta, D.P., 239
Knüfer, A., see Weiß, D., 535
Kobe, J., see Szlyk, E., 2001
Koca, A., see Kandaz, M., 825
Koca, A., see Kandaz, M., 255
Koch, T., Hey-Hawkins, E., Galan-Fereres, M. and Eisen, M.S., PH-functionalised phosphanylalkyl(silyl)cyclopentadienyl ligands: Synthesis and catalytic properties of [{(η^5-C_5H_4)CMe_2PH'-Bu}MCl_3] (M = Ti, Zr) and [{(η^5-C_5H_4)$SiMe_2PHR$}$ZrCl_3$] (R = Ph, Ph, Cy), 2445
Köhnlein, H., see Schnöckel, H., 489
Kojić-Prodić, B., see Višnjevac, A., 2567
Koman, M., see Moncol', J., 365
Kong, Z.-P., see Wei, D.-Y., 1621
Konno, H., Ishii, Y., Sakamoto, K. and Ishitani, O., Synthesis, spectroscopic characterization, electrochemical and photochemical properties of ruthenium(II) polypyridyl complexes with a tertiary amine ligand, 61
Kooijman, H., see Višnjevac, A., 2567
Kopel, P., see Smékal, Z., 1203
Korabik, M., see Sieroń, L., 2473
Korolev, A.V., see Yu, Z., 1117
Korpar-Čolig, B., Cindrić, M., Matković-Čalogović, D., Vrdoljak, V. and Kamenar, B., Synthesis and characterization of some new acetato complexes of molybdenum(IV), (V) and (VI). Crystal structures of $Na_2[Mo_2O_4(OCOCH_3)_6]\cdot NaOCOCH_3\cdot CH_3COOH$ and $K[MoO_2(OCOCH_3)_3]\cdot CH_3COOH$, 147
Koutsodimou, A., see Raţiu, C., 353
Kozerski, L., see Szlyk, E., 343
Kozłowski, H., see Conato, C., 1469
Krannich, L.K., see Styron, E.K., 1747
Kravtsov, V.C., see Bocheńska, M., 763
Kresiński, R.A., see Charsley, S.M., 849
Kroczewska, D., Kurzak, B. and Matczak-Jon, E., Mixed-ligand zinc(II) complexes with diethylenetriamine (or triethylenetetramine) and α-(or β-) alaninehydroxamic acids in water solution. Potentiometric and NMR studies, 2183
Kroczewska, D., Bogusz, K., Kurzak, B. and Jezierska, J., Potentiometric and spectroscopic study of mixed-ligand copper(II) complexes with *N*,*N*′,*N*″,*N*″-pentamethyldiethylenetriamine and α- (or β-) alaninehydroxamic acids in water solution, 295
Kruszynski, R., see Machura, B., 2617
Kubiak, R., see Janczak, J., 265
Kubicki, M., see Maciejewski, H., 1261
Kubicki, M.M., see Boni, G., 371
Kühn, F.E., see Zhang, G., 1737
Kujundžić, N., see Nigović, B., 1661
Kumara Swamy, K.C., see Kumaraswamy, S., 1155
Kumaraswamy, S. and Kumara Swamy, K.C., A spirocyclic tetraoxyphosphorane with an apically located chlorine in a trigonal bipyramid and its hydrolysis product, 1155
Kun Fun, H., see Tian, Y.-P., 1217
Kurbatov, V.P., see Kharisov, B.I., 2081
Kurdziel, K., Głowiak, T. and Jezierska, J., *Trans* hexaco-ordinate complexes of copper(II) and nickel(II) with 4(5)-hydroxymethyl-5(4)-methylimidazole—crystal structure and physico-chemical properties, 1857
Kurtán, T., see Ösz, K., 2149
Kurzak, B., see Kroczewska, D., 2183
Kurzak, B., see Kroczewska, D., 295
Kurzak, B., see Matczak-Jon, E., 321
Kushwah, Y.S., see Gupta, S.K., 1787
Kusz, J., see Machura, B., 2617
Kuznetsova, L.I., see Kharisov, B.I., 2081
Kwiatkowski, E., Romanowski, G. and Suwińska, K., Nickel(II) and palladium(II) complexes with singly condensed diprimary triamines and 2-aminobenzaldehyde, 2071

Labisbal, E., Sousa-Pedrares, A., Castiñeiras, A., Swearingen, J.K. and West, D.X., Structural studies of pyrazineformamide N4-methylthiosemicarbazone and its zinc(II) and cadmium(II) complexes formed by electrochemical oxidation, 1553
Lagrenée, M., see Bentiss, F., 403
Lahiri, G.K., see Chanda, N., 2033
Lai, S., see Villaescusa, I., 1363
Lai, C.-H., Su, M.-D. and Chu, S.-Y., Relative stability of multiple bonds between germanium and arsenic. A theoretical study, 579
Laitinen, R.S., see Pietikäinen, J., 1089
Lake, C.H., see Styron, E.K., 1747
Lakomska, I., see Szlyk, E., 2001
Lakomska, I., see Szlyk, E., 343
Lal, T.K., see Gupta, R., 1245
Lam, K.-C., see Hughes, R.P., 2357
Lam, W.H. and Lin, Z., Understanding the electron counts of aluminum metalloid clusters, 503
Lamare, V., see Thuéry, P., 2497
Lampeka, R.D., see Lysenko, A.B., 769
Lang, E.S., see Fernandes, R.M., 1149
Lappalainen, K., see Abu-Surrah, A.S., 27
Lappert, M.F., see Cornu, D., 635
Larrazabal, G., see Parada, J., 2215
Larsen, E., see Szlyk, E., 2711
Lavrenova, L.G., see Bushuev, M.B., 797
Lawrence, S.E., see Goeta, A.E., 1689
Le Baccon, M., see Bencini, A., 1459
Lee, K.-C., see Choi, K.-Y., 1913
Lee, D.C., see Na, H.G., 917
Lee, Y.S., see Yoo, J., 715
Lee, G.H., see Saha, A., 97
Leedham, A.P., see Jeffery, J.C., 549
Lehtonen, A., Kivekäs, R. and Sillanpää, R., The separation of *cis*- and *trans*-1,3-cyclohexanediol isomers by copper complexation. Crystal structures of *cis*-1,3-cyclohexanediol and copper(II) chloride *cis*-1,3-cyclohexanediol complex, 1133
Lehtonen, A. and Sillanpää, R., Mononuclear tungsten(VI) complexes with bis(phenolato) ligands: syntheses, characterisations and activity in ROMP reaction, 1017
Lehtonen, A. and Sillanpää, R., Preparation and crystal structures of new phenoxide derivatives of tungsten(VI) oxytetrachloride, 349
Leon, V., see Devereux, M., 1063
Leskelä, M., see Abu-Surrah, A.S., 27

Levason, W., see Hill, N.J., 1579
Levason, W., see Hill, N.J., 445
Lhotský, A., see Plešek, J., 975
Li, Y.-F., see Pang, Z., 2675
Li, Y.-G., Lu, Y., Luan, G.-Y., Wang, E.-B., Duan, Y.-B., Hu, C.-W., Hu, N.-H. and Jia, H.-Q., Hydrothermal syntheses and crystal structures of new cage-like mixed-valent polyoxovanadates, 2601
Li, J.-R., see Liu, Q.-D., 1097
Li, X.-Y., see Zhang, H., 721
Liang, S., Derveer, D.V., Qian, S.Y., Sturgeon, B. and Bu, X.R., A chiral salen vanadyl complex with two significantly different configurations in solid state: synthesis, characterization, and molecular structure, 2021
Liang, Y.-C., see Luo, J.-H., 893
Liao, D.-Z., see Gao, E.-Q., 359
Liddle, S.T. and Clegg, W., Synthesis and crystal structures of the 15-crown-5 solvates of potassium- and rubidium-2-trimethylsilylamidopyridine, 2451
Light, M.E., see Gupta, A., 2387
Light, M.E., see Bell, N.A., 1845
Light, M.E., see Singh, A.K., 667
Lim, J.W., see Na, H.G., 917
Lin, Y.-C., see Misra, T.K., 2045
Lin, H.-K., see Guo, Y.-H., 1005
Lin, H., see Guo, Y.-H., 1005
Lin, Z., see Lam, W.H., 503
Lisowski, J. and Mazurek, J., Chiral macrocyclic La(III), Ce(III), Pr(III) and Eu(III) complexes with chloride anions, 811
Liu, Q.-D., Gao, S., Li, J.-R., Ma, B.-Q., Zhou, Q.-Z. and Yu, K.-B., Lanthanide contraction and anions-controlled dimensional diversity in Ln–Cu–NTA (Ln = lanthanide, H_3NTA = nitrilotriacetic acid) coordination polymers: crystal structure and magnetic properties, 1097
Liu, Y.-C., see Liu, S.-T., 1073
Liu, S.-T., Hu, X., Chang, F., Liu, Y.-C., Ding, E.-R., Wu, B.-F. and Zhao, Z.-R., Substituted boat-shaped Co_6 carbonyl cluster derivatives containing a semi-interstitial P atom and both bridging dithiolate and heterocyclic phosphido ligands, 1073
Liu, Y., see Xu, Y.-K., 867
Liu, J.-Z., see Zhang, H., 721
Liu-González, M., see Cejudo, R., 1057
Livens, F.R., see Zhang, Y., 81
Livens, F.R., see Zhang, Y., 69
Lloret, F., see Muga, I., 2631
Lloris, J.M., see Sancenón, F., 1397
Lobana, T.S. and Castineiras, A., Metal–heterocyclic thione interactions. 13. Pyridine-2-thione derivatives of copper(I): crystal structure of dinuclear [bromo(pyridine-2-thione)(tri-*p*-tolylphosphine)copper(I)]$_2$ complex, 1603
Lobana, T.S., Verma, R., Singh, A., Shikha, M. and Castineiras, A., Metal-phosphine chalcogenide interactions. Crystal structures of palladium(II)/mercury(II) complexes with 1,2-bis(diphenylthiophosphinyl)ethane containing seven-membered metallacyclic rings, 205
Lomozik, L., see Gasowska, A., 745
Lomozik, L., see Bartoszak-Adamska, E., 739
López, C., Caubet, A., Pérez, S., Bosque, R., Solans, X. and Font-Bardia, M., Synthesis, X-ray crystal structure and solution behaviour of [Zn{(η^5-C_5H_5)Fe[(η^5-C_5H_4)–CH=N–$(CH_2)_3$–NMe_2]}Cl_2], 2361
López, G., see Santana, M.D., 1935
López, G., see Serrano, J.L., 1589
López, E.M.V., see Fernandes, R.M., 1149
López-Ortiz, F., see Lysenko, A.B., 769
López-Torres, M., see Ares, R., 2309
López-Torres, M., Juanatey, P., Fernández, J.J., Fernández, A., Suárez, A., Vázquez-García, D. and Vila, J.M., Reactivity of cyclometallated palladium(II) compounds derived from *N*-(benzylidene)xylylendiamines, 2063
López-Torres, M., see Fernández, A., 39
Lorenzo, P., see Armas, M.T., 1513
Loureiro, L.H., see Santos, I.C.M.S., 2009
Lovell, T., see Stranger, R., 1969
Low, J.N., see Bomfim, J.A.S., 1667
Lu, Y., see Li, Y.-G., 2601
Lu, T.-H., see Sain, S., 2293
Luan, G.-Y., see Li, Y.-G., 2601
Lubal, P., see Havel, J., 1411
Lubal, P., see Havel, J., 1375
Lubes, V., see Armas, M.T., 1513
Luis García Álvarez, J., see Carriedo, G.A., 2587
Luiz, J.B., Jeffery Leigh, G. and Nunes, F.S., 2-Mercaptobenzoxazole pentacyanoferrate(II/III) complexes—kinetics of formation, substitution and the thermodynamic cycle, 2137
Luks, E., see Bocheńska, M., 763
Lund, G.S., see Nelson, K.J., 2017
Lundberg, D., see Craven, E., 553
Luo, J.-H., Hong, M.-C., Cao, R., Liang, Y.-C., Zhao, Y.-J., Wang, R.-H. and Weng, J.-B., Syntheses and crystal structures of cadmium(II) coordination polymers with end-to-end dicyanamide bridges, 893
Luque, A., Sertucha, J., Castillo, O. and Román, P., Magneto-structural studies and thermal analysis of *n*-ethylpyridinium ($n = 2, 3, 4$) tetrabromocuprate(II) complexes, 19
Lysenko, A.B., Domasevitch, K.V., Peralta-Pérez, E., López-Ortiz, F., Steed, J.W. and Lampeka, R.D., Complexation of 3-(2-pyridyl)substituted *N*-methyl isoxazolidine with Pd(II), Zn(II) and Cu(II): stereochemistry of co-ordination compounds in solution and solid-state, 769

Ma, B.-Q., see Liu, Q.-D., 1097
Maaninen, A., see Pietikäinen, J., 1089
Macías, B., Villa, M.V., Chicote, E., Martín-Velasco, S., Castiñeiras, A. and Borrás, J., Copper complexes with dithiocarbamates derived from natural occurring amino acids. Crystal and molecular structure of [Cu(en)(EtOH)(H_2O)$_3$][Cu(dtc-pro)$_2$], 1899
Macías, B., García, I., Villa, M.V., Borrás, J., Castiñeiras, A. and Sanz, F., Synthesis and characterization of sulfonamides containing 8-aminoquinoline and their Ni(II) complexes. Crystalline structures of the Ni complexes, 1229
Maccarrone, G., Rizzarelli, E. and Vecchio, G., Synthesis and coordination properties of functionalized β-cyclodextrins. Thermodynamic of proton and copper(II) complexes of 3A-deoxy-3A-(2-methylaminopyridine)-2A(*S*),3A(*R*)-β-cyclodextrin in aqueous solution, 1531
Machura, B., Dzięgielewski, J.O., Michalik, S., Bartczak, T.J., Kruszynski, R. and Kusz, J., Reactivity of [$ReOX_3(AsPh_3)_2$] (X = Cl, Cl, Br) complexes towards gaseous nitric oxide. Crystal, molecular and electronic structure of [$ReBr_3(NO)(OAsPh_3)_2$], [$ReCl_3(NO)(AsPh_3)_2$][$ReCl_4(AsPh_3)_2$], [$ReCl_4(OAsPh_3)_2$] and [$ReBr_3(NO)(AsPh_3)_2$], 2617
Maciejewski, H., Kubicki, M., Marciniec, B. and Sydor, A., Phosphine nickel(0) π-complexes with vinylcyclosilazane—synthesis and structure, 1261
Maekawa, M., see Yu, X.-Y., 1613
Maestro, M.A., see Arnáiz, F.J., 2755
Maestro, M.A., see Gómez-Saiz, P., 2257
Maestro, M.A., see Arnáiz, F.J., 1635
Mahía, J., see Arnáiz, F.J., 2755
Mahía, J., see Gómez-Saiz, P., 2257
Mahía, J., see Arnáiz, F.J., 1635
Mahboob, N., Miyashita, Y., Yamada, Y., Fujisawa, K. and Okamoto, K.-i., Characterization and electrochemical properties for rhenium(III) ion incorporated into linear-type S-bridged trinuclear complexes. Crystal structures of ΔΛ- and ΔΔ/ΛΛ-[Re{Ir(aet)$_3$}$_2$]$^{3+}$

(aet = 2-aminoethanethiolate), 1809
Mahjoub, A.R., Morsali, A. and Bagherzadeh, H., Syntheses and characterization of thallium(I) complexes with 3-nitrophenoxide [Tl(3-np)], 4-nitrobenzoate [Tl(4-nb)] and 2,4-dinitrophenoxide [Tl(2,4-dnp)]: X-ray crystal structures of $[Tl(3\text{-np})]_n$ and Tl(2,4-dnp) (two new polymeric compounds), 2555
Mahjoub, A.R. and Morsali, A., Direct synthesis of a dimeric mixed-anion lead(II) complex, crystal structure of $[Pb(phen)(_2OCCH_3)(NCS)]_2$, 1223
Mahjoub, A.R. and Morsali, A., Syntheses and characterization of lead(II) salts with 4,4′-bithiazole ligand: X-ray crystal structures of $[(BTZ)_2Pb(NO_3)_2]$ and $[(BTZ)Pb(SCN)_2]_n$ (a new polymeric compound), 197
Mahmoudkhani, A.H., see Amirnasr, M., 2733
Mahon, M.F., see Barret, M.C., 1761
Maichle-Mössmer, C., see de Figueiredo, A.T., 2351
Majerić-Elenkov, M., see Višnjevac, A., 2567
Maji, T.K., see Sain, S., 2293
Mak, T.C.W., see Song, H.-B., 1043
Malta, O.L., see Teotonio, E.E.S., 1837
Manceron, L., see Downs, A.J., 473
Mancilla, T., see Nieto-Alvarez, D.A., 417
Manessi-Zoupa, E., see Tiliakos, M., 229
Mangayarkarasi, N., Prabhakar, M. and Zacharias, P.S., Synthesis and structural characterization of complexes from the NOS ligating Schiff base of dfp: structurally different molecules in the unit cell of the manganese complex, 925
Manonmani, J., see Sengottuvelan, N., 2767
Mansor, R., see Bell, N.A., 1845
Manzur, C., see Galindo, A.M., 2531
Manzur, J., García, A.M., Córdova, C., Pizarro, O., Acuña, V. and Spodine, E., Oxidation of 3,5-di-*tert*-butylcatechol by molecular oxygen catalysed by a copper(I) complex, $Cu_2(bdpdz)Cl_2$, bdpdz = 3,6-bis-(di-2-pyridilmethyl) pyridazine, 181
Mao, X.-A., see Jiang, L., 435
Marangoni, G., see Pitteri, B., 2283
Marciniec, B., see Maciejewski, H., 1261
Mardones, M., see Galindo, A.M., 2531
Mareček, V., see Plešek, J., 975
Martins, M.A.C., Silva, R.M. and Huffman, J.C., Syntheses and characterization of nickel thiolate complexes: X-ray structure of $[Ni(SCH_2CH_2S)(PPh_2CH{=}CHPPh_2)]$, 421
Martínez-Máñez, R., see Sancenón, F., 1397
Martín-Velasco, S., see Macías, B., 1899
Marzotto, A., see Clemente, D.A., 2161
Masci, B., see Thuéry, P., 1949
Masci, B., Gabrielli, M., Mortera, S.L., Nierlich, M. and Thuéry, P., Hydrogen bonded supramolecular assemblies from uranyl ion complexes of tetrahomodioxacalix[4]arenes with various counterions, 1125
Masters, A.F., see Field, L.D., 1707
Mata, I., see García-Raso, A., 1197
Matczak-Jon, E., see Kroczewska, D., 2183
Matczak-Jon, E., Kurzak, B., Kamecka, A. and Kafarski, P., Interactions of zinc(II), magnesium(II) and calcium(II) with aminomethane-1,1-diphosphonic acids in aqueous solutions, 321
Matković-Čalogović, D., see Korpar-Čolig, B., 147
Matlaba, P. and Nyokong, T., Synthesis, electrochemical and photochemical properties of unsymmetrically substituted zinc phthalocyanine complexes, 2463
Matos, J.R., see Ávila Terra, L.H.S., 2375
Matović, Z.D., Ianelli, S., Pelosi, G., Janićijević, S.K., Ristanović, V.M., Ponticelli, G. and Radanović, D.J., Characterization of the two geometrical isomers of (1,3-propanediamine-*N*,*N*′-diacetato-*N*,*N*′-di-3-propionato)-nickelate(II). X-ray structure of the binuclear complex *trans*(O_5)-$[Ni_2(1,3\text{-pddadp})(H_2O)_4]\cdot 4H_2O$ and octahedral distortion of edta-type chelates, 2667
Matsushita, T., see Asada, H., 1139
Mautner, F.A., see Goher, M.A.S., 1871
Mazières, S., see Bibal, C., 2827
Mazurek, J., see Lisowski, J., 811
McCann, M., see Devereux, M., 1063
McCleverty, J.A., see Charsley, S.M., 849
McGaff, R.W., see Nelson, K.J., 2017
McGrady, J.E., see Stranger, R., 1969
McKee, V., see Devereux, M., 1063
McWhinnie, S.L.W., see Charsley, S.M., 849
Mederos, A., see Armas, M.T., 1513
Meehan, M.M., see Goeta, A.E., 1689
Melník, M., see Moncol', J., 365
Mendoza-Díaz, G., see Gasque, L., 935
Mentes, A. and Kemmitt, R.D.W., Bidentate phosphorus complexes of oxodimethylenemethanepalladium(II), 2653
Merlin, J.C., see Cornard, J.P., 2801
Merz, K., see Weiß, D., 535
Michalík, S., see Machura, B., 2617
Micheloni, M., see Formica, M., 1351
Midollini, S., see Cecconi, F., 1481
Migchielsen, S., Publishing Editor Inorganic Chemistry, Professor Achim Müller awarded 2001 Sir Geoffrey Wilkinson Prize, 905
Mikel, C. and Potvin, P.G., Synthesis and enhanced photosensitization ability of a 4-carboxy-2,2′:6′,2″-terpyridine complex of ruthenium(II), 49
Miller, D.O., see Xu, Z., 1715
Milletti, M.C., see Sonnenberg, J.L., 2699
Mills, R.C., Doufou, P., Abboud, K.A. and Boncella, J.M., Synthesis and characterization of tantalum(V) complexes containing bis-sulfamide ligands: X-ray crystal structure of $Ta[N(Me)_2]_3[SO_2(NCMe_3)_2]$, 1051
Miranda, M.J., see Arnáiz, F.J., 2755
Misra, T.K., Chen, L.-H., Lin, Y.-C. and Chung, C.-S., Synthesis, X-ray structures and ternary complex formation kinetics of (2,2′,2″-triaminotriethylamine)nickel(II) with bidentate ligands, 2045
Mitra, S., see Datta, A., 2237
Mitra, K.N., see Saha, A., 97
Miyamoto, R., Sugai, T. and Sudoh, S., Spectroscopic study of the coordination sphere of Gd(III) in Gd(III)–M(II) complexes with a compartmental ligand, where the local environment around Gd(III) is controlled by (M(II) M(II) = Ni(II), Zn(II) and a vacancy), 2127
Miyashita, Y., see Yamada, Y., 2143
Miyashita, Y., see Mahboob, N., 1809
Miyazaki, Y., see Nakamoto, T., 1299
Młynarz, P., see Conato, C., 1469
Mobin, S.M., see John, R.P., 2515
Mohamed, M.M.A. and Shoukry, M.M., Complex formation equilibria of palladium(II) complexes involving *N*,*N*′-dimethylethylenediamine, DNA constituents and cyclobutane dicarboxylic acid. The catalysis of glycine methyl ester hydrolysis through complex formation, 167
Molins, E., see Serrano, J.L., 1589
Molins, E., see García-Raso, A., 1197
Molloy, K., see Binions, R., 1943
Molloy, K.C., see Barret, M.C., 1761
Moncol', J., Palicová, M., Segl'a, P., Koman, M., Melník, M., Valko, M. and Glowiak, T., Structure and spectral study of copper(II) pyridinecarboxylates: crystal and molecular structure of *trans*-diaqua-bis(*N*,*N*-diethylnicotinamide-*N*)bis(2-chloronicotinate-*O*)copper(II), 365
Mondal, B., see Chanda, N., 2033
Monika, see Saravanabharathi, D., 2433
Moreno-Carretero, M.N., see Acuña-Cueva, E.R., 1961
Morita, T., see Yu, X.-Y., 1613
Moroi, Y., see Fisicaro, E., 1497
Morris, S., see Reglinski, J., 2175

Morris, S., see Reglinski, J., 2167
Morsali, A., see Mahjoub, A.R., 2555
Morsali, A., see Mahjoub, A.R., 1223
Morsali, A., see Mahjoub, A.R., 197
Mortera, S.L., see Masci, B., 1125
Moïse, C., see Boni, G., 371
Mostafa, G., see Sain, S., 2293
Mosteiro, R., see Fernández, A., 39
Mottalib, M.A., see Azam, K.A., 381
Moulton, B., see Deoghoria, S., 2457
Moura, E.M., Siebald, H.G.L. and de Lima, G.M., Synthesis, characterisation and molecular structure of Ru–Sn(II) containing derivatives, 2323
Moya, S.A., Guerrero, J., Pastene, R., Azócar-Guzmán, I. and Pardey, A.J., Metal carbonyl complexes containing heterocyclic nitrogen ligands: Part IX. $MnBr(CO)_3$(3,3′-R-2,2′-biquinoline) compounds, 439
Mroziński, J., see Sieroń, L., 2473
Mu, Y., see Xu, Y.-K., 867
Muga, I., Gutiérrez-Zorrilla, J.M., Vitoria, P., Román, P. and Lloret, F., Binuclear Ni(II) complexes based on bridging oxalate and tetracyanometallates. Synthesis, crystal structure and magnetic properties, 2631
Mukherjee, R., see Gupta, R., 1245
Mukhopadhyay, U., Thurston, J.H., Whitmire, K.H. and Khokhar, A.R., Synthesis and characterization of *cis*-bis-heptamethyleneimine platinum(II) dicarboxylate complexes: crystal structure of *cis*-[Pt(heptamethyleneimine)$_2$(malonate)]·H_2O, 2369
Mukhopadhyay, S., see Bandyopadhyay, P., 1893
Mukhopadhyay, U., see Ali, M.S., 125
Murata, K., see Kita, M., 843
Murphy, C.A., see Cooke, M.W., 1235
Mutikainen, I., see van Albada, G.A., 141
Mutlu, E., see Craven, E., 553

Na, H.G., Lee, D.C., Lim, J.W., Choi, J.H., Byun, J.C. and Park, Y.C., Synthesis of 14-π nickel(II) complexes with disubstituted benzoN_4 macrocycles and electrochemical studies of 14-π nickel(II) complexes with monosubstituted benzoN_4 macrocycles, 917
Nag, K., see Baitalik, S., 2481
Nakamoto, T., Wang, Q., Miyazaki, Y. and Sorai, M., Crystal structure and heat capacity of the mixed-valence trinuclear iron monoiodoacetate complex, $[Fe(III)_2Fe(II)O(O_2CCH_2I)_6(H_2O)_3][Fe(III)_3O(O_2CCH_2I)_6(H_2O)_3]I$, 1299
Nakata, N., see Tokitoh, N., 563
Nartowski, A.M. and Parkin, I.P., Solid state metathesis synthesis of metal silicides: reactions of calcium and magnesium silicide with metal oxides, 187
Natarajan, K., see Karvembu, R., 1721
Natarajan, K., see Karvembu, R., 219
Natile, G., see Dolmella, A., 275
Naumov, R.N., see Karasik, A.A., 2251
Navarro, C.M., see Santana, M.D., 1935
Neaves, B.D., see Charsley, S.M., 849
Neels, A., see Fidalgo, E.G., 1921
Nelson, K.J., Guzei, I.A., Lund, G.S. and McGaff, R.W., Copper(II) methoxide: direct solventothermal synthesis and X-ray crystal structure, 2017
Nethaji, M., see Saravanabharathi, D., 2793
Nethaji, M., see Rath, R.K., 1929
Neudachina, L.K., see Skorik, Y.A., 2719
Ngo, S.C., Banger, K.K., Toscano, P.J. and Welch, J.T., Synthesis and physical and structural characterization of Ag(I) complexes supported by non-fluorinated β-diketonate and related ancillary ligands, 1289
Niclós, J., see Carballo, R., 2811
Niclós-Gutiérrez, J., see Choquesillo-Lazarte, D., 1485
Niclós-Gutiérrez, J., see Serrano-Padial, E., 1451
Nierlich, M., see Thuéry, P., 1949
Nierlich, M., see Masci, B., 1125
Nieto-Alvarez, D.A., Jiménez-Cruz, F. and Mancilla, T., Synthesis and characterization of new di-*n*-butylhydroxytin(IV) derived compounds from 1,3-diketone malonates, 417
Nigović, B. and Kujundžić, N., Electrochemical behavior of iron(III) complexes with aminohydroxamic acids, 1661
Noethig-Laslo, V., Paulić, N., Basosi, R. and Pogni, R., Role of apically bound water molecule on aliphatic–aliphatic side-chain interactions in bis[*N*,*N*-dimethyl-L-α-isoleucinato]copper(II) studied by EPR spectroscopy, 1643
Nogueira, H.I.S., see Quintal, S.M.O., 2783
Norman, N.C., see Pardoe, J.A.J., 543
Novelli, V., see Comuzzi, C., 1337
Nunes, F.S., see Luiz, J.B., 2137
Nurchi, V.M., see Crisponi, G., 1319
Nurchi, V.M., see Villaescusa, I., 1363
Nyokong, T., see Matlaba, P., 2463
Nyokong, T., see Thamae, M., 133
Nytko, E.A., see Pelczar, E.M., 2409

Ocak, Ü., see Kantekin, H., 1865
O'Dowd, A., see Goeta, A.E., 1689
Ohashi, K., see Kameta, N., 805
Oilunkaniemi, R., see Pietikäinen, J., 1089
Okamoto, K.-i., see Yamada, Y., 2143
Okamoto, K.-i., see Mahboob, N., 1809
Okazaki, R., see Tokitoh, N., 563
Oliveira, M.R.L., Vieira, H.P., Perpétuo, G.J., Janezak, J. and De Bellis, V.M., Syntheses, crystal structure and spectroscopic characterization of novel *N*-R-sulfonyldithiocarbimate and triphenylphosphine nickel(II) complexes, 2243
Oliveira, S.F., see Teotonio, E.E.S., 1837
O'Neill, S.A., see Binions, R., 1943
Orabi, A.S., see Bahgat, K., 987
Orpen, A.G., see Serrano, J.L., 1589
Ősz, K., Bóka, B., Várnagy, K., Sóvágó, I., Kurtán, T. and Antus, S., The application of circular dichroism spectroscopy for the determination of metal ion speciation and coordination modes of peptide complexes, 2149
Ovchynnikov, V.A., see Gubina, K.E., 963
Overby, J.S., see Hughes, R.P., 2357
Ozeki, M., see Asada, H., 1139

Pacifico, C., see Dolmella, A., 275
Padovano, G., see Dolmella, A., 275
Pakawatchai, C., see Youngme, S., 1279
Palicová, M., see Moncol', J., 365
Pan, N., Rintoul, L., Arnold, D.P. and Jiang, J., Raman spectroscopic characteristics of phthalocyanine and naphthalocyanine in sandwich-type phthalocyaninato and porphyrinato rare earth complexes. Part 3. The effect of rare earth ionic size on the Raman characteristics of naphthalocyanine in bis(naphthalocyaninato) rare earth complexes, 1905
Panda, B.K., Chattopadhyay, S., Ghosh, K. and Chakravorty, A., Synthesis and structure of pyridine-2-thiolato ruthenium aryls bearing a pendant imine–phenol function, 899
Pang, Z., Zhao, L., Chen, M.-Q., Wang, J.-Y. and Li, Y.-F., Synthesis, crystal structure and optical limiting properties of some W–Se–Cu clusters, 2675
Paoletti, P., see Bencini, A., 1459
Paoletti, P., see Bencini, A., 1329
Papaefstathiou, G.S., Escuer, A., Font-Bardia, M., Perlepes, S.P., Solans, X. and Vicente, R., Benzoate as terminal ligand in the defective double-cubane, tetranuclear cobalt(II) complex $[Co_4(N_3)_2(O_2CPh)_2\{(py)_2C(OH)O\}_4]$·2DMF with simultaneous

$\mu_{1,1}$-azido and μ-O bridges [(py)$_2$C(OH)O = the monoanion of the hydrated, *gem*-diol form of di-2-pyridyl ketone], 2027
Parada, J., Bunel, S., Ibarra, C., Larrazabal, G., Gillitt, N.D. and Bunton, C.A., Sucrose bis(1,10-phenanthroline)cobalt (III). Predicted distortion at the octahedral center, 2215
Pardey, A.J., see Moya, S.A., 439
Pardo, T., see Sancenón, F., 1397
Pardoe, J.A.J., Norman, N.C. and Timms, P.L., Studies on BCl and on the exchange reaction of BCl_3 with polyboron fluorides, 543
Park, J.S., Youm, K.-T. and Jun, M.-J., Copper(II) complexes of 1,3-dithian-2-ylidenemalonate: doubly layered 2D sheet induced by alkali metal ions, 1273
Park, Y.C., see Na, H.G., 917
Park, Y.J., Do, Y., Kim, K.M., Choi, M.-G., Jun, M.-J. and Kim, C., Design and properties of mixed-metal multinuclear molecules. Part II. Novel heterotrinuclear complexes of [Ag(PPh$_3$)$_2$]$_2$[Cu(mtm)$_2$] and [Ag$_2$(dppm)$_2$][Cu(mtm)$_2$] (mtm = [bis(methylthio)methylene]maloo)methylene]malonate and dppm = bis(diphenylphosphi-bis(diphenylphosphino)methane), 33
Parkin, I.P., see Binions, R., 1943
Parkin, G., Polyhedron Symposia-in-Print, number 24: Subvalent and multiply bonded compounds of the p-block elements, 465
Parkin, S., see Kim, C.-H., 225
Parkin, I.P., see Nartowski, A.M., 187
Parvin, S., see Azam, K.A., 885
Pastene, R., see Moya, S.A., 439
Patra, G.K. and Goldberg, I., Mercury(II)–dien complexes (dien ≡ diethylene triamine). First example of dien-bridged Hg(II) dimer. Syntheses, characterization and X-ray crystal structures of [Hg$_2$(dien)$_3$](ClO$_4$)$_4$ and [Hg(dien)(H$_2$O)](PF$_6$)$_2$, 2195
Paulić, N., see Noethig-Laslo, V., 1643
Pawlak, B., see Drożdżewski, P., 2819
Pazderski, L., see Szlyk, E., 343
Peacock, R.D., see Benniston, A.C., 333
Pedrosa, M.R., see Arnáiz, F.J., 1635
Pelczar, E.M., Nytko, E.A., Zhuravel, M.A., Smith, J.M., Glueck, D.S., Sommer, R., Incarvito, C.D. and Rheingold, A.L., Synthesis and structure of platinum and palladium complexes of dimesitylphosphine, 2409
Pelizzi, C., see Ferrari, M.B., 2593
Pelosi, G., see Matović, Z.D., 2667
Pelosi, G., see Ferrari, M.B., 2593
Peng, S.-M., see Saha, A., 97
Peralta-Pérez, E., see Lysenko, A.B., 769
Pereira, E., see Fernández, A., 39
Pérez, S., see López, C., 2361
Pérez, J., see Santana, M.D., 1935
Pérez, E., see Serrano, J.L., 1589
Pérez, J., see Serrano, J.L., 1589
Perlepes, S.P., see Diamantopoulou, E., 2117
Perlepes, S.P., see Papaefstathiou, G.S., 2027
Perpétuo, G.J., see Oliveira, M.R.L., 2243
Perrin, M., see Daniele, S., 1985
Perven, S., see Azam, K.A., 381
Pesavento, M., Biesuz, R., Riva, F.D. and Alberti, G., Investigation of the complexation properties of a natural water towards copper(II), manganese(II) and aluminium(III), based on sorption of metal ions on a complexing resin, 1343
Petraco, N.D.K., see Brown, S.T., 599
Petrie, S. and Stranger, R., Metal–metal bonding trends in mixed-group, face-shared d^3-d^3 bioctahedral dimer systems, M′M″Cl$_9^{n-}$, 1163
Pietikäinen, J., Maaninen, A., Laitinen, R.S., Oilunkaniemi, R. and Valkonen, J., Halogenation of tellurium by SO_2Cl_2. Formation and crystal structures of (H$_3$O)[Te$_3$Cl$_{13}$]·1/2SO$_2$, [(C$_4$H$_8$O)$_2$H][TeCl$_5$]·(C$_4$H$_8$O), [(Me$_2$SO)$_2$H]$_2$[TeCl$_6$], and [Ni(NCCH$_3$)$_6$][Te$_2$Cl$_{10}$], 1089
Piironen, U., see Abu-Surrah, A.S., 27
Pinilla, E., see Seco, J.M., 457
Piro, O.E., see Soria, D.B., 1767
Pitteri, B., Annibale, G., Marangoni, G., Bertolasi, V. and Ferretti, V., Base hydrolysis kinetics and equilibria of [bis(2-pyridylmethyl)amine]chloroplatinum(II) and crystal and molecular structures of [Pt(bpma)Cl]Cl·H$_2$O and [Pt(bpma)(OH$_2$)](ClO$_4$)$_2$·2H$_2$O, 2283
Pivetta, T., see Crisponi, G., 1319
Pizarro, O., see Manzur, J., 181
Platt, A.W.G., see Fawcett, J., 287
Plešek, J., Grüner, B., Heřmánek, S., Báča, J., Mareček, V., Jänchenová, J., Lhotský, A., Holub, K., Selucký, P., Rais, J., Císařová, I. and Čáslavský, J., Synthesis of functionalized cobaltacarboranes based on the *closo*-[(1,2-C$_2$B$_9$H$_{11}$)$_2$-3,3′-Co]$^-$ ion bearing polydentate ligands for separation of M^{3+} cations from nuclear waste solutions. Electrochemical and liquid–liquid extraction study of selective transfer of M^{3+} metal cations to an organic phase. Molecular structure of the *closo*-[(8-(2-CH$_3$O–C$_6$H$_4$–O)-(CH$_2$CH$_2$O)$_2$-1,2-C$_2$B$_9$H$_{10}$)-(1′,2′-C$_2$B$_9$H$_{11}$)-3,3′-Co]Na determined by X-ray diffraction analysis, 975
Pogni, R., see Noethig-Laslo, V., 1643
Pontellini, R., see Formica, M., 1351
Ponticelli, G., see Matović, Z.D., 2667
Popham, M.C., see Hill, N.J., 1579
Popham, M.C., see Hill, N.J., 445
Portanova, R., see Bismondo, A., 1393
Portanova, R., see Comuzzi, C., 1337
Portanova, R., see Comuzzi, C., 1385
Potvin, P.G., see Mikel, C., 49
Poujaud, N., see Boni, G., 371
Powell, D.H., see Styron, E.K., 1747
Powell, A.K., see Zhang, Y., 81
Powell, A.K., see Zhang, Y., 69
Power, P.P., see Stender, M., 525
Prabhakar, M., see Mangayarkarasi, N., 925
Prado, A.G.S., see Sales, J.A.A., 2647
Prathapachandra Kurup, M.R., see John, R.P., 2515
Prött, M., see Uhl, W., 511
Ptaszek, M., see Eilmes, J., 7
Pulidori, F., see Conato, C., 1469
Puranik, V.G., see Chanda, N., 2033

Qian, S.Y., see Liang, S., 2021
Qu, Z.-W., see Xu, Y.-K., 867
Queiroz, S.L., see Von Poelhsitz, G., 2221
Quintal, S.M.O., Nogueira, H.I.S., Félix, V. and Drew, M.G.B., Coordination modes of 2-hydroxynicotinic acid in second- and third-row transition metal complexes, 2783

Radanović, D.J., see Matović, Z.D., 2667
Radecka-Paryzek, W., see Bocheńska, M., 763
Rais, J., see Plešek, J., 975
Rajendiran, N. and Santhanalakshmi, J., Interaction of sulfur dioxide with zinc(II)tetrasulfophthalocyanine in aqueous medium: steady state fluorescence quenching studies, 951
Rana, A., Dinda, R., Sengupta, P., Ghosh, S. and Falvello, L.R., Synthesis, characterisation and crystal structure of *cis*-dioxomolybdenum(VI) complexes of some potentially pentadentate but functionally tridentate (ONS) donor ligands, 1023
Raptis, D., see Tiliakos, M., 229
Raptopoulou, C.P., see Diamantopoulou, E., 2117
Raptopoulou, C.P., see Tiliakos, M., 229
Raspi, G., see Sbrana, E., 1475
Raspi, G., see Galli, A., 1405
Rath, R.K., Nethaji, M. and Chakravarty, A.R., Synthesis, crystal structure and solution properties of a diastereomeric (*p*-cymene)ruthenium(II) chiral Schiff base complex, 1929
Rațiu, C., Tomșa, A.-R., Koutsodimou, A., Falaras, P. and Budiu, T.,

Synthesis and characterization of $K_6[Ti(H_2O)P_2MoW_{16}O_{61}]\cdot 17H_2O$, a Ti(IV) derivative of monolacunary Wells-Dawson 16-tungstomolybdo-2-phosphate, 353
Raudaschl-Sieber, G., see Zhang, G., 1737
Ray, U.S., see Senapoti, S., 753
Reedijk, J., see van Albada, G.A., 141
Reger, D.L., Wright, T.D., Smith, M.D., Rheingold, A.L., Kassel, S., Concolino, T. and Rhagitan, B., Syntheses and structures of monothiocyanate complexes of cadmium(II) and lead(II) containing bulky nitrogen based polydentate ligands, 1795
Reglinski, J., Morris, S. and Stevenson, D.E., Supporting conformational change at metal centres. Part 2: four and five coordinate geometry, 2175
Reglinski, J., Morris, S. and Stevenson, D.E., Supporting conformational change at metal centres. Part 1: octahedral systems, 2167
Reibenspies, J., see de Moura, C.V.R., 2227
Reid, G., see Hill, N.J., 1579
Reid, G., see Hill, N.J., 445
Remelli, M., see Conato, C., 1469
Renner, P., see Haller, I., 629
Rhagitan, B., see Reger, D.L., 1795
Rheingold, A.L., see Hughes, R.P., 2357
Rheingold, A.L., see Pelczar, E.M., 2409
Rheingold, A.L., see Reger, D.L., 1795
Rheingold, A.L., see Illingsworth, M.L., 211
Richeson, D.S., see Foley, S.R., 619
Riggio, I., see van Albada, G.A., 141
Righi, L., see Bhattacharya, R., 2561
Rintoul, L., see Pan, N., 1905
Ristanović, V.M., see Matović, Z.D., 2667
Riva, F.D., see Pesavento, M., 1343
Rizzarelli, E., see Maccarrone, G., 1531
Robinson, G.H., see Vohs, J.K., 531
Robinson, J.K., see Bell, N.A., 115
Rocha, R.C. and Toma, H.E., Benzotriazolate-bridged ruthenium dinuclear and trinuclear complexes, 2089
Roda, A., see Fini, A., 1421
Rodríguez-Argüelles, M.C., see Ferrari, M.B., 2593
Rodriguez, M.A., see Boyle, T.J., 2333
Rodriguez i Zubiri, M., Slawin, A.M.Z., Wainwright, M. and Woollins, J.D., The preparation and coordination chemistry of phosphorus-(III) derivatives of piperazine and homopiperazine, 1729
Rogers, R.D., see Royer, A.C., 155
Roh, S.-G., see Cho, H.Y., 1211
Rojo, T., see Gómez-Saiz, P., 2257
Román, P., see Muga, I., 2631
Román, P., see Luque, A., 19
Romanenko, G.V., see Skorik, Y.A., 2719
Romano, V., see Amorello, D., 1369
Romanowski, G., see Kwiatkowski, E., 2071
Rosales-Hoz, M.J., see Zuno-Cruz, F.J., 1105
Rosdahl, J., see Kloo, L., 519
Rosenberg, E., see Azam, K.A., 885
Rosu, C., Crans, D.C. and Weakley, T.J.R., Rational synthesis and X-ray structure of $[Mn_4^{II}(H_2O)_2(As^VW_9O_{34})_2]^{10-}$ from $[As_4^{III}W_{40}O_{140}]^{28-}$, MnO_4^- and Mn^{2+}, 959
Royer, A.C., Rogers, R.D., Arrington, D.L., Street, S.C. and Vincent, J.B., Spectroscopic studies of the dodecanuclear chromium complex $Cr_{12}O_9(OH)_3(pivalate)_{15}$: confirmation of the presence of twelve Cr(III) centers and the crystal structure of $Cr_{12}O_9(OH)_3(pivalate)_{15}\cdot 2PrOH\cdot 9H_2O$, 155
Ruck, M. and Hampel, S., Stabilization of homonuclear Bi_5^+ and Bi_6^{2+} polycations by cluster anions in the crystal structures of $Bi_{12-x}IrCl_{13-x}$, $Bi_{12-x}RhCl_{13-x}$ and $Bi_{12-x}RhBr_{13-x}$, 651
Ruman, T., Ciunik, Z., Szklanny, E. and Wołowiec, S., Complexes of heteroscorpionate trispyrazolylborate ligands. Part VI. Carboxylate induced conversion of mono-ligand Tp'M(L) into bis-ligand Tp'_2M complexes (M = Co(II) and Cu(II)), 2743
Russell, C.A., see Jeffery, J.C., 549
Russell, D.R., see Fawcett, J., 287
Ruthe, F., see Streubel, R., 119

Sabatini, A., see Cecconi, F., 1481
Sabo, T.J., see Kaluderović, G.N., 2277
Sáez, N.Y., see Carriedo, G.A., 2587
Saha, N., see Saha, N.C., 779
Saha, N.C., Butcher, R.J., Chaudhuri, S. and Saha, N., Synthesis and spectroscopic studies of cobalt(III) complexes with 5-methyl-3-formylpyrazole-N(4)-diethylthiosemicarbazone (HMP_zNEt_2): X-ray crystallography of $[Co(MP_zNEt_2)_2]ClO_4\cdot 2H_2O$ (**I**) and $[Co(MP_z\text{-}NEt_2)_2]BF_4\cdot 2H_2O$ (**II**), 779
Saha, A., Das, C., Mitra, K.N., Peng, S.-M., Lee, G.H. and Goswami, S., Synthesis, structure and redox properties of isomeric $[RuCl_2(L)_2]$ (L = *N*-aryl-1,2-arylenediimine) complexes formed by the oxidative dimerization of coordinated aromatic amines, 97
Saha, N., see Bera, P., 1
Sain, S., see Deoghoria, S., 2457
Sain, S., Maji, T.K., Mostafa, G., Lu, T.-H., Chiang, M.Y. and Chaudhuri, N.R., Self assembly towards the construction of molecular ladder and rectangular grid of cadmium(II)-selenocyanate, 2293
Sakamoto, K., see Konno, H., 61
Sakata, K., see Shen, X., 969
Sakurai, H., see Yamada, Y., 2143
Sales, J.A.A., Prado, A.G.S. and Airoldi, C., The incorporation of propane-1,3-diamine into silylant epoxide group through homogeneous and heterogeneous routes, 2647
Salvadó, V., see Domínguez, M., 1429
Salvin, N.J., see Bell, N.A., 1845
Samaria, K.M., see Benetollo, F., 425
Samuelson, A.G., see Saravanabharathi, D., 2793
Samuelson, A.G., see Saravanabharathi, D., 2433
Sancenón, F., Descalzo, A.B., Lloris, J.M., Martínez-Máñez, R., Pardo, T., Seguí, M.J. and Soto, J., Open-chain polyazaalkanes functionalised with pyrene groups as sensing fluorogenic receptors for metal ions, 1397
Sánchez, G., see Serrano, J.L., 1589
Sánchez, A., see Casas, J.S., 1651
Sang, H.-Y., see Zhang, H., 721
Santana, J.M., see Boyle, T.J., 2333
Santana, M.D., García, G., Navarro, C.M., Abel Lozano, A., Pérez, J., García, L. and López, G., Dithiophosphate and dithiophosphonate complexes of pentacoordinate nickel(II) containing the macrocycle 2,4,4-trimethyl-1,5,9-triazacyclododec-1-ene ([12]aneN$_3$-mc1) or its 9-methyl derivative ([12]aneN$_3$-mc2). Crystal structures of $[Ni([12]aneN_3\text{-}mc1)\{S_2P(OEt)_2\}][PF_6]$ and $[Ni([12]aneN_3\text{-}mc1)\{S_2P(p\text{-}CH_3OPh)(O^iPr)\}][PF_6]$, 1935
Santhanalakshmi, J., see Rajendiran, N., 951
Santos, I.C.M.S., Loureiro, L.H., Silva, M.F.P. and Cavaleiro, A.M.V., Studies on the hydrothermal synthesis of niobium oxides, 2009
Santra, P.K., see Senapoti, S., 753
Sanz, F., see Macías, B., 1229
Sanz-Ruiz, F., see Cejudo, R., 1057
Saravanabharathi, D., Nethaji, M. and Samuelson, A.G., The first bis(phosphine) monoxide (BPMO) complexes of copper(I), 2793
Saravanabharathi, D., Monika, Venugopalan, P. and Samuelson, A.G., Solid state structural and solution studies on the formation of a flexible cavity for anions by copper(I) and 1,2-bis(diphenylphosphino)ethane, 2433
Sarker, N.C., see Azam, K.A., 381
Sarmah, S., Hazarika, P. and Islam, N.S., Reaction of diperoxovanadate with vanadyl sulphate in presence of EDTA as an access to dinuclear peroxovanadates(V), 389
Sarýkahya, F., see Hogarth, G., 791

Sasamori, T., see Tokitoh, N., 563
Sauvageot, P., see Boni, G., 371
Sbrana, E., Spinetti, M., Secco, F. and Raspi, G., Bubble extraction and affinity chromatography techniques for human trypsin inhibitors enrichment and purification, 1475
Scatena, H., Jr., see de Farias, R.F., 1677
Schaefer, H.F., III, see Brown, S.T., 599
Schnöckel, H. and Köhnlein, H., Synthesis and structure of metalloid aluminum clusters—intermediates on the way to the elements, 489
Scholz, J. and Görls, H., 1,4-Diaza-1,3-diene niobium chlorides: syntheses and X-ray crystal structures of (*t*-Bu-DAD)$NbCl_3$(THF), (*t*-Bu-DAD)$_2$NbCl, and [(*t*-Bu-DAD)$NbCl_4$](H_3N*t*-Bu), 305
Schwartz, L.J., see Illingsworth, M.L., 211
Scott, B.L., see Boyle, T.J., 2333
Secco, F., see Sbrana, E., 1475
Secco, F., see Galli, A., 1405
Seco, J.M., González Garmendia, M.J., Pinilla, E. and Torres, M.R., 2-Anilinopyridinate of Cu(I) and adducts of 2-anilinopyridine and metal acetates. Crystal structure of Cu_2(μ-OAc)$_4$(PhNHpy)$_2$, 457
Segl'a, P., see Moncol', J., 365
Segui, M.J., see Sancenón, F., 1397
Seisenbaeva, G.A., see Shcheglov, P., 2317
Selucký, P., see Plešek, J., 975
Senapoti, S., Ray, U.S., Santra, P.K., Sinha, C., Slawin, A.M.Z. and Woollins, J.D., Osmium–azopyrimidine chemistry. Part VII: synthesis, structural characterisation and electrochemistry, 753
Sengottuvelan, N., Manonmani, J. and Kandaswamy, M., Synthesis of unsymmetrical compartmental oxime nickel(II) and copper(II) complexes: spectral, electrochemical and magnetic studies, 2767
Sengupta, P., see Rana, A., 1023
Serrano, J.L., García, L., Pérez, J., Pérez, E., Vives, J., Sánchez, G., López, G., Molins, E. and Orpen, A.G., Synthesis and characterization of new cyclometallated Pd(II) complexes with bridging or terminal imidato ligands. Crystal structures of [{Pd(μ-succinimide)(phpy)}$_2$] and [Pd(azb)(succinimide)(PPh_3)] (phpy = 2-phenylpyridine; azb = azobenzene), 1589
Serrano-Padial, E., Choquesillo-Lazarte, D., Bugella-Altamirano, E., Castiñeiras, A., Carballo, R. and Niclós-Gutiérrez, J., New copper(II) compound having protonated forms of ethylenediaminetetraacetate(4−) ion (EDTA) and adenine (AdeH): synthesis, crystal structure, molecular recognition and physical properties of ($AdeH_2$)[Cu(HEDTA)(H_2O)]·$2H_2O$, 1451
Sertucha, J., see Luque, A., 19
Sevov, S.C., see Bobev, S., 641
Sharma, C.L., see Singhal, S., 2489
Sharma, R.K., see Gupta, A., 2387
Sharp, P.R., see Xia, A., 1305
Shcheglov, P., Seisenbaeva, G.A., Gohil, S., Drobot, D.V. and Kessler, V.G., Preparation of trimetallic alkoxide complexes exploiting the isomorphous substitution approach. Synthesis, X-ray single crystal and mass-spectrometric study of $NbTa(OMe)_8(ReO_4)_2$ and $Nb_2Ta_2O_2(OMe)_{14}(ReO_4)_2$, 2317
Sheludyakova, L.A., see Bushuev, M.B., 797
Shen, X., Sakata, K. and Hashimoto, M., Syntheses and characterization of di- and mono-thiocyanato germanium (**IV**) complexes with 5,14-dihydro-6,8,15,17-tetra-methyldibenzo[*b*,*i*][1,4,8,11]tetraazacyclotetradecine, 969
Shikha, M., see Lobana, T.S., 205
Shirvani, S.M., see Ali, M.S., 125
Shivakumar, M., see Bhattacharyya, I., 2761
Shoukry, M.M., see Mohamed, M.M.A., 167
Siebald, H.G.L., see Moura, E.M., 2323
Sieroń, L., Bukowska-Strzyżewska, M., Korabik, M. and Mroziński, J., X-ray structure of poly[aquabis(benzimidazole-N^3)copper(II)-μ-*trans*-2-butene-1,4-dicarboxylato-O,O′:O″,O‴] (**I**) and magnetic and spectroscopic characterization of **I** and the isostructural copper(II)-μ-adipato complex **II**, 2473
Sillanpää, R., see Lehtonen, A., 1133
Sillanpää, R., see Lehtonen, A., 1017
Sillanpää, R., see Lehtonen, A., 349
Silva, R.M., see de Moura, C.V.R., 2227
Silva, M.F.P., see Santos, I.C.M.S., 2009
Silva, R.M., see Martins, M.A.C., 421
Silvino, A.C., see Aupers, J.H., 2107
Šindelář, Z., see Smékal, Z., 1203
Singh, A.K., Sooriyakumar, J., Kadarkaraisamy, M., Drake, J.E., Hursthouse, M.B., Light, M.E. and Butcher, R.J., *N*-[2-(4-Methoxyphenyltelluro)ethyl]benzamide (**L**^{1}) and *N*-[2-(4-methoxyphenyl telluro)propyl]phthalimide (**L**^{2}): synthesis and ligation with palladium(II), platinum(II) and ruthenium(II). Crystal structures of **L**^{1} and **L**^{2}, the latter as a mixed crystal with **L**$^2H_2$, 667
Singh, A., see Lobana, T.S., 205
Singhal, S., Sharma, C.L., Garg, A.N. and Chandra, K., Mössbauer spectral, magnetic moment and thermal decomposition studies of unsymmetrically substituted (*N*-alkyl,*N*′-hydroxyethyldithiocarbamato) iron(III) complexes, 2489
Sinha, C., see Senapoti, S., 753
Sinha Ray, M., see Bhattacharya, R., 2561
Sinyashin, O.G., see Karasik, A.A., 2251
Sitkowski, J., see Szlyk, E., 2001
Sitkowski, J., see Szlyk, E., 343
Skakle, J.M.S., see Bomfim, J.A.S., 1667
Skorik, Y.A., Romanenko, G.V., Gomes, C.A.R., Neudachina, L.K. and Vshivkov, A.A., Synthesis, XRD structure and properties of diaqua(*p*-toluidine-*N*,*N*-di-3-propionato)copper(II) dihydrate [Cu(*p*-Tdp)(H_2O)$_2$]·$2H_2O$, 2719
Slawin, A.M.Z., see Appleby, T., 2639
Slawin, A.M.Z., see Rodriguez i Zubiri, M., 1729
Slawin, A.M.Z., see Senapoti, S., 753
Sliva, T.Y., see Gubina, K.E., 963
Slota, R., Dyrda, G. and Wacławek, W., Investigation of phthalocyanine crystals exposed to NO_2 ambient gas, 677
Smékal, Z., Kameníček, J., Klasová, P., Wrzeszcz, G., Šindelář, Z., Kopel, P. and Žák, Z., Oxalato complexes of copper(II) with chelating diamines. Crystal structure of [Cu(dmen)ox(H_2O)]$_2$[Cu(dmen)$_2$](ClO_4)$_2$, 1203
Smieja, J.A., Borneman, M., Kittilstved, K., Edwards, D. and Borda, E., Reactivity of Os(TTP)($NC_6H_4NO_2$)$_2$ (TTP = dianion of 5,10,15,20-tetra(*p*-tolyl)porphyrin) including a kinetic study of imido ligand transfer to phosphines, 1889
Smith, J.M., see Pelczar, E.M., 2409
Smith, M.K., see Evans, D.J., 2421
Smith, M.D., see Reger, D.L., 1795
Solans, X., see López, C., 2361
Solans, X., see Papaefstathiou, G.S., 2027
Solans, X., see Crespo, M., 105
Sommer, R., see Pelczar, E.M., 2409
Sommer, R., see Karasik, A.A., 2251
Song, H.-B., Zhang, Z.-Z. and Mak, T.C.W., Synthesis and structural characterization of palladium(II) and platinum(II) complexes containing a chiral *P*,*N*-donor iminophosphine ligand, 1043
Sonnenberg, J.L. and Milletti, M.C., Ab initio investigation of the synthesis of (3-(2,3,4,5-tetramethylcyclopentadienyl)propoxy)titanium dichloride, 2699
Sooriyakumar, J., see Singh, A.K., 667
Sorai, M., see Nakamoto, T., 1299
Sordo, J., see Casas, J.S., 1651
Soria, D.B., Chacón Villalba, M.E., Piro, O.E. and Aymonino, P.J., Crystal and molecular structure and photoisomerization of nitropentaamminecobalt(III) nitroprusside sesquihydrate, [Co(NH_3)$_5NO_2$][Fe(CN)$_5$NO]·$1.5H_2O$, 1767
Soriano, C., see Díaz, P., 1523
Soto, J., see Sancenón, F., 1397
Soto-Guerrero, J., see Havel, J., 1411

Sousa-Pedrares, A., see Labisbal, E., 1553
Sóvágó, I., see Ősz, K., 2149
Spalding, T.R., see Goeta, A.E., 1689
Spinetti, M., see Sbrana, E., 1475
Spinetti, M., see Galli, A., 1405
Spodine, E., see Manzur, J., 181
Spodine, E., see Zolezzi, S., 55
Sreekanth, A., see John, R.P., 2515
Starikova, Z.A., Turevskaya, E.P., Turova, N.Y. and Yanovsky, A.I., On the structure of heterometallic methoxide $Li_2(WO)_2(O\text{-}Me)_{10}\cdot MeOH$, 193
Staszak, Z., see Bronowska, W., 997
Steed, J.W., see Lysenko, A.B., 769
Stender, M. and Power, P.P., Reaction of $\{HC(CMeNAr)_2\}Li$ (Ar = 2,6-*i*-$Pr_2C_6H_3$) with indium monochloride to yield the In–In bonded dimer $[\{HC(CMeNAr)_2\}InCl]_2$ and the hydroxide $[\{HC(CMeNAr)_2\}InCl(\mu\text{-}OH)]_2$, 525
Stergiopoulos, T., see Chryssou, K., 2773
Stevenson, D.E., see Reglinski, J., 2175
Stevenson, D.E., see Reglinski, J., 2167
Stoeckli-Evans, H., see Fidalgo, E.G., 1921
Stoeckli-Evans, H., see Vallina, A.T., 1177
Stranger, R., Lovell, T. and McGrady, J.E., Quantifying the effect of high-spin/low-spin crossover on electron delocalization in d^5d^5 $M_2Cl_9^{3-}$ (M = Fe, Ru, Os) dimers, 1969
Stranger, R., see Petrie, S., 1163
Street, S.C., see Royer, A.C., 155
Streubel, R., Hoffmann, N., Ruthe, F. and Jones, P.G., Determining substrate selectivity and regiochemistry of nitrilium phosphanylid tungsten complexes in cycloaddition reactions with terminal alkynes, 119
Sturgeon, B., see Liang, S., 2021
Styron, E.K., Lake, C.H., Powell, D.H., Watkins, C.L. and Krannich, L.K., A comparison of the NMR, mass spectral, and molecular structure data for $[R_2AlN(CH_2Ph)_2]_2$, where R = Me, Et, Pr^n, Bu^n, and Bu^t, 1747
Su, M.-D., see Lai, C.-H., 579
Suarez, A., see Ares, R., 2309
Suárez, A., see López-Torres, M., 2063
Suárez, A., see Fernández, A., 39
Suárez-Iha, M.E.V., see Ávila Terra, L.H.S., 2375
Sudoh, S., see Miyamoto, R., 2127
Suen, M.-C., Keng, T.-C. and Wang, J.-C., One-dimensional structures of zinc(II) and cobalt(II) coordination complexes $[Zn(NCS)_2(PPz)]_n$ and $[CoCl_2(PPz)]_n$ (PPz = piperazine), 2705
Sugai, T., see Miyamoto, R., 2127
Sun, H., see Xu, Y.-K., 867
Sun, H.-Y., see Gao, E.-Q., 359
Surdykowski, A., see Szlyk, E., 2711
Surdykowski, A., see Szlyk, E., 2001
Surdykowski, A., see Szlyk, E., 343
Süss-Fink, G., see Fidalgo, E.G., 1921
Suwińska, K., see Kwiatkowski, E., 2071
Suzuki, T., Imamura, T., Kaizaki, S. and Kashiwabara, K., Preparation, crystal structures and spectroscopic properties of chloro(pentane-2,4-dionato){1,1,1-tris(dimethylphosphinomethyl)ethane}chromium(III), –cobalt(III) and –rhodium(III) hexafluorophosphate: comparison of the M–P, M–Cl and M–O (M = Cr, Co and Rh) bond lengths among the three M^{III} complexes, 835
Svoboda, I., see Kavlakoglu, E., 1539
Svoboda, I., see Baran, P., 1561
Swearingen, J.K., see Labisbal, E., 1553
Swearingen, J.K., see Ketcham, K.A., 859
Sweet, J.E., see Illingsworth, M.L., 211
Swiatek-Kozlowska, J., see Gubina, K.E., 963
Sydor, A., see Maciejewski, H., 1261
Szklanny, E., see Ruman, T., 2743
Szlyk, E., Surdykowski, A., Barwiolek, M. and Larsen, E., Spectroscopy and stereochemistry of the optically active copper(II), cobalt(II) and nickel(II) complexes with Schiff bases *N*,*N*′-(1*R*,2*R*)-(−)-1,2-cyclohexylenebis(3-methylbenzylideneiminato) and *N*,*N*′-(1*R*,2*R*)-(−)-1,2-cyclohexylenebis(5-methylbenzylideneiminato), 2711
Szlyk, E., Lakomska, I., Kobe, J., Surdykowski, A., Głowiak, T. and Sitkowski, J., The bonding of ribavirin to platinum(II) ion. The X-ray and spectroscopy of Pt(II) complexes with 1-β-D-ribofuranosyl-1,2,4-triazole-3-carboxamide and dimethylsulfoxide, 2001
Szlyk, E., Pazderski, L., Lakomska, I., Surdykowski, A., Głowiak, T., Sitkowski, J. and Kozerski, L., The X-ray structure of bis(5,7-dimethyl-1,2,4-triazolo-[1,5α]-pyrimidinium) hexachloroplatinate(IV) and spectroscopic properties of Pt(II) and Pt(IV) chloride complexes with 1,2,4-triazolo-[1,5α]-pyrimidines, 343
Szymańska-Buzar, T., Głowiak, T. and Czeluśniak, I., Reactivity of $[Mo(\mu\text{-}Cl)(SnCl_3)(CO)_3(NCMe)_2]$ towards norbornadiene. X-ray crystal structure of $[Mo(\mu\text{-}Cl)(SnCl_3)(CO)_2(\eta^4\text{-}C_7H_8)(NCMe)]$, 2505
Szymańska-Buzar, T., Głowiak, T. and Czeluśniak, I., The oxidative addition of $SnCl_4$ to $[W(CO)_4(NCMe)(PPh_3)]$. The X-ray crystal structure of $[WH(CO)_3(NCMe)(PPh_3)_2][SnCl_5\cdot MeOH]$, 1817

Tajima, F., see Asaji, T., 2207
Takeda, N., see Tokitoh, N., 563
Tang, L.-F., see Wang, Z.-H., 873
Tangoulis, V., see Diamantopoulou, E., 2117
Tapia Estévez, M.J., see Crisponi, G., 1319
Tarafder, M.T.H., Chew, K.-B., Crouse, K.A., Ali, A.M., Yamin, B.M. and Fun, H.-K., Synthesis and characterization of Cu(II), Ni(II) and Zn(II) metal complexes of bidentate NS isomeric Schiff bases derived from S-methyldithiocarbazate (SMDTC): bioactivity of the bidentate NS isomeric Schiff bases, some of their Cu(II), Ni(II) and Zn(II) complexes and the X-ray structure of the bis[*S*-methyl-β-*N*-(2-furyl-methyl)methylenedithiocarbazato]zinc(II) complex, 2683
Tarafder, M.T.H., Khoo, T.-J., Crouse, K.A., Ali, A.M., Yamin, B.M. and Fun, H.-K., Coordination chemistry and bioactivity of some metal complexes containing two isomeric bidentate NS Schiff bases derived from *S*-benzyldithiocarbazate and the X-ray crystal structures of *S*-benzyl-β-*N*-(5-methyl-2-furylmethylene)dithiocarbazate and bis[*S*-benzyl-β-*N*-(2-furylmethylketone)dithiocarbazato]cadmium(II), 2691
Tarafder, M.T.H., Khoo, T.-J., Crouse, K.A., Ali, A.M., Yamin, B.M. and Fun, H.-K., Coordination chemistry and bioactivity of Ni^{2+}, Cu^{2+}, Cd^{2+} and Zn^{2+} complexes containing bidentate Schiff bases derived from *S*-benzyldithiocarbazate and the X-ray crystal structure of bis[*S*-benzyl-β-*N*-(5-methyl-2-furylmethylene)dithiocarbazato]cadmium(II), 2547
Taylor, M.J., see Kloo, L., 519
Temizdemir, S., see Craven, E., 553
Teotonio, E.E.S., Espínola, J.G.P., Brito, H.F., Malta, O.L., Oliveira, S.F., de Faria, D.L.A. and Izumi, C.M.S., Influence of the *N*-[methylpyridyl]acetamide ligands on the photoluminescent properties of Eu(III)-perchlorate complexes, 1837
Terzis, A., see Diamantopoulou, E., 2117
Terzis, A., see Tiliakos, M., 229
Thamae, M. and Nyokong, T., Interaction of sulfur dioxide and cyanide with cobalt(II) tetrasulfophthalocyanine in aqueous media, 133
Thompson, L.K., see Xu, Z., 1715
Thornton-Pett, M., see Foster, C.L., 1031
Thorpe, S.C., see Bell, N.A., 115
Thuéry, P., Asfari, Z., Vicens, J., Lamare, V. and Dozol, J.-F., Synthesis and crystal structure of sodium and caesium ion complexes of unsubstituted calix[4]arene. New polymeric chain arrangements, 2497
Thuéry, P., Asfari, Z., Nierlich, M., Vicens, J. and Masci, B., *ortho*-Methylene linked di- and triphenols and their uranyl ion complexes:

a crystallographic investigation, 1949
Thuéry, P., see Masci, B., 1125
Thurston, J.H., see Ali, M.S., 2659
Thurston, J.H., see Mukhopadhyay, U., 2369
Thurston, J., see Ali, M.S., 125
Tian, Y.-P., Yu, W.-T., Zhao, C.-Y., Jiang, M.-H., Cai, Z.-G. and Kun Fun, H., Structural characterization and second-order nonlinear optical properties of zinc halide thiosemicarbazone complexes, 1217
Tiekink, E.R.T., see Datta, A., 2237
Tiliakos, M., Raptis, D., Terzis, A., Raptopoulou, C.P., Cordopatis, P. and Manessi-Zoupa, E., Metal complexes of dipeptides containing the α-aminoisobutyric residue (Aib): preparation, characterization and crystal structures of copper(II) complexes with H–Aib–Aib–OH, 229
Timms, P.L., see Pardoe, J.A.J., 543
Tokitoh, N., Kishikawa, K., Okazaki, R., Sasamori, T., Nakata, N. and Takeda, N., Synthesis and characterization of an extremely hindered tetraaryl-substituted digermene and its unique properties in the solid state and in solution, 563
Tolazzi, M., see Bismondo, A., 1393
Tolazzi, M., see Comuzzi, C., 1337
Tolazzi, M., see Comuzzi, C., 1385
Toma, H.E., see Rocha, R.C., 2089
Tomşa, A.-R., see Raţiu, C., 353
Torrens, F., Calculation of organic solvent–water partition coefficients of iron–sulfur protein models, 1357
Torres, M.R., see Seco, J.M., 457
Torzilli, M.A., Colquhoun, S., Doucet, D. and Beer, R.H., The interconversion of dichlorobis(*N*-*n*-propylsalicylaldimine)zinc(II) and bis(*N*-*n*-propylsalicylaldiminato)zinc(II), 697
Torzilli, M.A., Colquhoun, S., Kim, J. and Beer, R.H., Structural and ^{1}H NMR spectroscopic characterization of bis(*N*-isopropylsalicylaldiminato)iron(II), 705
Toscano, P.J., see Ngo, S.C., 1289
Toscano, R.A., see Valdés-Martínez, J., 409
Tremel, W., see Bushuev, M.B., 797
Turevskaya, E.P., see Kessler, V.G., 1629
Turevskaya, E.P., see Starikova, Z.A., 193
Turner, P., see Field, L.D., 1707
Turova, N.Y., see Kessler, V.G., 1629
Turova, N.Y., see Starikova, Z.A., 193
Turpeinen, U., see van Albada, G.A., 141
Tušek-Božić, L., see Višnjevac, A., 2567

Uhl, W., Cuypers, L., Prött, M. and Harms, K., Molecular self-assembly controlled by gallium–gallium single bonds—facile syntheses of macrocyclic octagallium compounds, 511
Uiterweerd, P.G.H., see Cornu, D., 635
Uraev, A.I., see Kharisov, B.I., 2081
Usman, A., see Kannan, S., 2403

Vacca, A., see Cecconi, F., 1481
Valdés-Martínez, J., Alstrum-Acevedo, J.H., Toscano, R.A., Hernández-Ortega, S., Espinosa-Pérez, G., West, D.X. and Helfrich, B., Tetrachlorocuprate(II) salts of heterocyclic aminoguanidonium (guanylhydrazonium) ions, 409
Valenzuela, C.D., see Carriedo, G.A., 2587
Valenzuela, M.L., see Díaz, C., 909
Valko, M., see Moncol', J., 365
Valkonen, J., see Pietikäinen, J., 1089
Vallarino, L.M., see Benetollo, F., 425
Vallina, A.T. and Stoeckli-Evans, H., Coordination chemistry of a new imine-ether ligand, *N*,*N*′-bis(2-pyridylmethylene)-2,2′-(ethylenedioxy)bis(ethylamine): mono-helical and single-helical-strand coordination modes identified by X-ray crystallography, 1177
Valtancoli, B., see Bencini, A., 1459
Valtancoli, B., see Bencini, A., 1329
Vamvounis, G., see Cooke, M.W., 1235
van Albada, G.A., Mutikainen, I., Riggio, I., Turpeinen, U. and Reedijk, J., X-ray crystal structures, spectroscopic and magnetic measurements of dinuclear alkoxo-bridged copper(II) compounds with substituted bis(2-benzimidazolyl)alkane ligands. First X-ray structure of a copper(II) dinuclear propoxo-bridged compound, 141
VanDerveer, D.G., see Grant, G.J., 879
van Poppel, L.H., Bott, S.G. and Barron, A.R., Molecular structures of $Ga(^{t}Bu)_2(OPh)(pyz)\cdot PhOH$ and $[(^{t}Bu)_2Ga(H_2O)(\mu\text{-}OH)Ga(^{t}Bu)_2]_2(\mu\text{-}OC_6H_4O)\cdot 4(2\text{-Mepy})$: intra- and inter-molecular hydrogen bonding to gallium aryloxides, 1877
Várnagy, K., see Ősz, K., 2149
Vaz-Júnior, S., see Armas, M.T., 1513
Vázquez-García, D., see López-Torres, M., 2063
Vecchio, G., see Maccarrone, G., 1531
Vega, A., see Galindo, A.M., 2531
Venugopalan, P., see Saravanabharathi, D., 2433
Verma, R., see Lobana, T.S., 205
Vicens, J., see Thuéry, P., 2497
Vicens, J., see Thuéry, P., 1949
Vicente, R., see Papaefstathiou, G.S., 2027
Vieira, H.P., see Oliveira, M.R.L., 2243
Vila, J.M., see Ares, R., 2309
Vila, J.M., see López-Torres, M., 2063
Vila, J.M., see Fernández, A., 39
Villa, M.V., see Macías, B., 1899
Villa, M.V., see Macías, B., 1229
Villaescusa, I., Fiol, N., Cristiani, F., Floris, C., Lai, S. and Nurchi, V.M., Copper(II) and nickel(II) uptake from aqueous solutions by cork wastes: a NMR and potentiometric study, 1363
Vincent, J.B., see Royer, A.C., 155
Virovets, A.V., see Bushuev, M.B., 797
Višnjevac, A., Tušek-Božić, L., Majerić-Elenkov, M., Hameršak, Z., Kooijman, H., De Clercq, E. and Kojić-Prodić, B., Synthesis, structural characterisation and biological activity of Zn(II) and Pd(II) complexes of 3-substituted 5-(2′-pyridyl)-1,4-benzodiazepin-2-one derivatives, 2567
Vitoria, P., see Muga, I., 2631
Vittal, J.J., see Wang, W., 1991
Vives, J., see Serrano, J.L., 1589
Vohs, J.K., Downs, L.E., Barfield, M.E., Goodwin, S.D. and Robinson, G.H., Synthesis and molecular structure of tris(pentamethylphenyl)gallium, 531
Von Poelhsitz, G., de Araujo, M.P., de Oliveira, L.A.A., Queiroz, S.L., Ellena, J., Castellano, E.E., Ferreira, A.G. and Batista, A.A., *fac*-$[RuCl_3(NO)(dppb)]$ (**I**) and *mer*-$[RuCl_3(NO)(diop)]$ (**II**) complexes: syntheses, characterization and X-ray structures, 2221
Vrdoljak, V., see Korpar-Čolig, B., 147
Vshivkov, A.A., see Skorik, Y.A., 2719

Waclawek, W., see Slota, R., 677
Wainwright, M., see Rodriguez i Zubiri, M., 1729
Walker, S., see Benniston, A.C., 333
Waltermire, B.E., see Illingsworth, M.L., 211
Wan, H.-L., see Zhou, Z.-H., 787
Wang, J.-C., see Suen, M.-C., 2705
Wang, J.-Y., see Pang, Z., 2675
Wang, E.-B., see Li, Y.-G., 2601
Wang, W., Yan, Y.K., Andy Hor, T.S., Vittal, J.J., Wheaton, J.R. and Hall, I.H., Synthesis, X-ray structures, and cytotoxicity of rhenium(I) carbonyl 2-(dimethylamino)ethoxide complexes, 1991
Wang, Q., see Nakamoto, T., 1299
Wang, R.-H., see Luo, J.-H., 893
Wang, H.-G., see Wang, Z.-H., 873
Wang, J.-T., see Wang, Z.-H., 873
Wang, Z.-H., Tang, L.-F., Jia, W.-L., Wang, J.-T. and Wang, H.-G., Synthesis and characterization of bidentate organotin Lewis acid

derivatives containing bis(pyrazol-1-yl)alkanes: X-ray crystal structure of $PhBr_2(L)SnCH_2SnPhBr_2$ (L = bis(4-chloropyrazol-1-yl)-methane), 873
Wang, G., see Zhou, Z.-H., 787
Wang, K.-Z., see Bian, Z.-Q., 313
Wardell, S.M.S.V., see Aupers, J.H., 2107
Wardell, J.L., see Aupers, J.H., 2107
Wardell, S.M.S.V., see Bomfim, J.A.S., 1667
Wardell, J.L., see Bomfim, J.A.S., 1667
Watkins, C.L., see Styron, E.K., 1747
Weakley, T.J.R., see Rosu, C., 959
Webster, M., see Hill, N.J., 1579
Webster, M., see Hill, N.J., 445
Wei, D.-Y., Kong, Z.-P. and Zheng, Y.-Q., Sebacato-bridged Cu(II) phen complexes: syntheses and crystal structures of $^2_\infty[Cu_2(phen)_2L_{4/2}](H_2O)_6$ and $[(phen)_2Cu(\mu\text{-}L)Cu(phen)_2](HL)_2(H_2L)(H_2O)_4$ (H_2L = sebacic acid; phen = 1,10-phenanthroline), 1621
Weiß, D., Winter, M., Merz, K., Knüfer, A., Fischer, R.A., Fröhlich, N. and Frenking, G., Synthesis, structure and bonding situation of [(dcpe)Pt(InCp*)$_2$] and {(dcpe)Pt[GaC(SiMe$_3$)$_3$]$_2$}—two novel examples of platinum complexes of low valent Group 13 metal species, 535
Welch, J.T., see Ngo, S.C., 1289
Weng, J.-B., see Luo, J.-H., 893
West, D.X., see Labisbal, E., 1553
West, D.X., see Ketcham, K.A., 859
West, D.X., see García, I., 729
West, R., Multiple bonds to silicon: 20 years later, 467
West, D.X., see Valdés-Martínez, J., 409
Wheaton, J.R., see Wang, W., 1991
Whitmire, K.H., see Ali, M.S., 2659
Whitmire, K.H., see Mukhopadhyay, U., 2369
Whitmire, K.H., see Ali, M.S., 125
Wignacourt, J.P., see Bentiss, F., 403
Wilkinson, P.S., see Illingsworth, M.L., 211
Williams, P.A.M., González Baró, A.C. and Ferrer, E.G., Study of the interaction of oxovanadium(IV) with a plant component (caffeic acid). Synthesis and characterization of a solid compound, 1979
Winter, C.H., see Yu, Z., 1117
Winter, M., see Weiß, D., 535
Wocadlo, S., see Zhang, Y., 81
Wocadlo, S., see Zhang, Y., 69
Wojciechowska, A., see Bronowska, W., 997
Wolowiec, S., see Ruman, T., 2743
Woollins, J.D., see Rodriguez i Zubiri, M., 1729
Woollins, J.D., see Senapoti, S., 753
Wozniak, K., see Eilmes, J., 7
Wright, T.D., see Reger, D.L., 1795
Wright, P., see Barret, M.C., 1761
Wrzeszcz, G., see Smékal, Z., 1203
Wu, B.-F., see Liu, S.-T., 1073
Wu, X.-T., see Cui, C.-P., 175
Wu, L.-M., see Cui, C.-P., 175

Xia, A. and Sharp, P.R., Diphosphazane supported platinum(II) triflate, amine, and amido complexes: synthesis and X-ray crystal structures, 1305
Xing, J.-H., see Kano, N., 657
Xu, Z., Thompson, L.K. and Miller, D.O., A non-homoleptic Cu_9 [3 × 3] mixed ligand grid—structural and magnetic properties, 1715
Xu, Y.-K., Mu, Y., Sun, H., Qu, Z.-W., Zhang, F., Zhang, Y.-T. and Liu, Y., Synthesis, crystal structure and catalysis for polyethylene of a paramagnetic chromium complex $[(\eta^5\text{-}Cp^{Si})Cr(\mu\text{-}Cl)Cl]_2$ [$Cp^{Si} = (C_5H_4)Si(CH_3)_2(C_6H_5)$], 867

Yamada, Y., Sakurai, H., Miyashita, Y., Fujisawa, K. and Okamoto, K.-i., Crystal structures, electronic absorption and reflectance spectral behaviors, and electrochemical properties of five-coordinated chlorocopper(II) complexes with 5,6-disubstituted-1,10-phenanthroline, 2143
Yamada, Y., see Mahboob, N., 1809
Yamaguchi, Y., see Brown, S.T., 599
Yamanari, K., see Kita, M., 843
Yamashita, S., see Kita, M., 843
Yamin, B.M., see Tarafder, M.T.H., 2683
Yamin, B.M., see Tarafder, M.T.H., 2691
Yamin, B.M., see Tarafder, M.T.H., 2547
Yan, Y.K., see Wang, W., 1991
Yan, S.-P., see Gao, E.-Q., 359
Yanovsky, A.I., see Starikova, Z.A., 193
Yap, G.P.A., see Foley, S.R., 619
Yaraşir, M.N.U., see Kandaz, M., 255
Ye, J.-J., see Zhou, Z.-H., 787
Yellowlees, L.J., see Charsley, S.M., 849
Yilmaz, V.T., Guney, S., Andac, O. and Harrison, W.T.A., Different coordination modes of saccharin in the metal complexes with 2-pyridylmethanol: synthesis, spectroscopic, thermal and structural characterization, 2393
Yılmaz, İ., see Kandaz, M., 825
Yoo, J., Han, Y.-K., Lee, Y.S. and Do, Y., Cocrystallization of a dinuclear platinum complex as a monomer and a one-dimensional polymer, 715
Youm, K.-T., see Park, J.S., 1273
Youngme, S., Chaichit, N., Pakawatchai, C. and Booncoon, S., The coordination chemistry of mono and bis(di-2-pyridylamine)copper(II) complexes: preparation, characterization and crystal structures of $[Cu(L)(NO_2)_2]$, $[Cu(L)(H_2O)_2(SO_4)]$, $[Cu(L)_2(NCS)](SCN)\cdot 0.5DMSO$ and $[Cu(L)_2(SCN)_2]$, 1279
Youngme, S., Chaichit, N. and Damnatara, K., The coordination chemistry of dinitrato-di-2-pyridylamine copper(II). Crystal structures of *catena*-poly[[(di-2-pyridylamine)(nitrato-*O*,*O*′)copper(II)]-μ-nitrato-*O*:*O*′] and bis(nitrato-*O*,*O*′)(di-2-pyridylamine)copper(II) dihydrate, 943
Youngme, S. and Chaichit, N., Coordination geometries in bis(di-2-pyridylamine)copper(II) complexes. Crystal structures and spectroscopic properties of $[CuL_2(H_2O)_2](S_4O_6)$, $[CuL_2(CF_3SO_3)_2]$ and $[CuL_2(SO_4)]_2[CuL_2(H_2O)_2](PF_6)_2\cdot 2H_2O$ (L = Di-2-pyridylamine), 247
Yu, X.-Y., Maekawa, M., Morita, T., Chang, H.-C., Kitagawa, S. and Jin, G.-X., Syntheses and crystal structures of mononuclear rhodium hydrido complexes from the reactions of $[Rh(H)_2(PPh_3)_2(EtOH)_2]ClO_4$ with various nitrogen ligands, 1613
Yu, W.-T., see Tian, Y.-P., 1217
Yu, Z., Korolev, A.V., Heeg, M.J. and Winter, C.H., Synthesis and structural characterization of complexes derived from treatment of gallium trichloride with 3,5-diphenylpyrazole, 1117
Yu, K.-B., see Liu, Q.-D., 1097
Yutronic Sáez, N., see Carriedo, G.A., 2579

Zabardasti, A., see Asadi, M., 1255
Zabardasti, A., see Asadi, M., 683
Zacharias, P.S., see Mangayarkarasi, N., 925
Žák, Z., see Smékal, Z., 1203
Zanonato, P.L., see Bismondo, A., 1393
Zanonato, P., see Comuzzi, C., 1385
Zaworotko, M.J., see Deoghoria, S., 2457
Zeng, W.F., Chen, Y.S., Chiang, M.Y., Chern, S.S. and Cheng, C.P., Preparation and structures of complexes of titanium(IV) and 8-hydroxyquinoline: $TiQ_2(OPr^i)_2$ and $[TiQ_2(\mu\text{-}O)]_4\cdot 6H_2O$, 1081
Zhang, A., see Delgado, R., 2265
Zhang, G., Zhao, J., Raudaschl-Sieber, G., Herdtweck, E. and Kühn, F.E., Syntheses and characterization of dimolybdenum and dirhodium complexes containing 2-pyridylphosphine ligands, 1737
Zhang, Z.-Z., see Song, H.-B., 1043

Zhang, Y.-T., see Xu, Y.-K., 867
Zhang, F., see Xu, Y.-K., 867
Zhang, H., Cai, J., Feng, X.-L., Sang, H.-Y., Liu, J.-Z., Li, X.-Y. and Ji, L.-N., Assembly chemistry of a cadmium(II) complex with cyanometalate anions $[Fe(CN)_5NO]^{2-}$, $[Pd(CN)_4]^{2-}$ and $[Pt(CN)_6]^{2-}$, 721
Zhang, Y., Collison, D., Livens, F.R., Helliwell, M., Heatley, F., Powell, A.K., Wocadlo, S. and Eccles, H., Synthesis and characterisation of uranyl substituted malonato complexes: Part II: ^{13}C CPMAS NMR spectroscopy related to structural diversity, 81
Zhang, Y., Livens, F.R., Collison, D., Helliwell, M., Heatley, F., Powell, A.K., Wocadlo, S. and Eccles, H., Synthesis and characterisation of uranyl substituted malonato complexes: Part I. Structural diversity with dimethylmalonate and different counter-cations, 69
Zhao, L., see Pang, Z., 2675
Zhao, J., see Zhang, G., 1737
Zhao, C.-Y., see Tian, Y.-P., 1217
Zhao, Z.-R., see Liu, S.-T., 1073
Zhao, Y.-J., see Luo, J.-H., 893
Zheng, Y.-Q., see Wei, D.-Y., 1621
Zhou, Q.-Z., see Liu, Q.-D., 1097
Zhou, Z.-H., Ye, J.-J., Deng, Y.-F., Wang, G., Gao, J.-X. and Wan, H.-L., Monomeric and polymeric nickel complexes of malate: X-ray crystal structure of polymeric homochiral *S*-malato nickel(II), $[\Delta\text{-Ni}(S\text{-Hmal})(H_2O)_2]_n \cdot nH_2O$, 787
Zhu, S.-R., see Guo, Y.-H., 1005
Zhu, T., see Illingsworth, M.L., 211
Zhuravel, M.A., see Pelczar, E.M., 2409
Zielińska, A., see Bocheńska, M., 763
Ziemkowska, W., Alkylaluminium derivatives of 2,2′-di(hydroxymethyl)biphenyl: structural characterization of trinuclear complexes, 281
Ziller, J.W., see Evans, W.J., 1683
Zingales, R., see Amorello, D., 1369
Zolezzi, S., Spodine, E. and Decinti, A., Electrochemical studies of copper(II) complexes with Schiff-base ligands, 55
Zuno-Cruz, F.J., Carrasco, A.L. and Rosales-Hoz, M.J., ^1H, ^{13}C and ^{29}Si NMR study of acetylide and parallel alkyne substituted Ru_3 and Os_3 clusters derived from $HC{\equiv}CR$ ($R = SiMe_3$, $SiPh_3$ and CMe_3). X-ray crystallographic study of $[(\mu\text{-H})M_3(CO)_9(CCR)]$ ($M = Ru$, $R = SiMe_3$, $SiPh_3$; $M = Os$, $R = SiPh_3$, CMe_3) and $[Ru_3(\mu\text{-CO})(CO)_9(HCCR)]$ ($R = CMe_3$), 1105

Available online at www.sciencedirect.com
SCIENCE DIRECT®
Polyhedron 21 (2002) 2855–2885
POLYHEDRON
www.elsevier.com/locate/poly

Subject Index to Volume 21

Ab initio
Molecular orbital, Mechanism, Intermolecular nucleophilic attack, Titanium, Ylid, 2699
Absolute configuration
Arene ruthenium, Crystal structures, CH–π interaction, 2D NMR, 1929
Absorption and EPR spectra
2-(3,5-Dimethylpyrazol-1-ylmethyl)pyridine, Bis-ligand and anion-bound copper(II) complexes, X-ray structure, Cyclic voltammetry, 1245
Acetate
Organotin, Crystal structures, Halides, *N*-Thiocyanate, Azide, 1667
Acetates
Molybdenum, Crystal structures, Cluster complexes, Reduction, 147
Acetylacetonate complexes
1-Hydroxybenzotriazolate complexes, Magnetic properties, Nickel(II), 2117
Acetylacetonate complexes
Trans influence, Crystal structures, Ligand-field strength, Tripodal tridentate phosphine, Chromium(III) complexes, 835
Acetylide
Iron, Vinylidene, Propadienylidene, 1755
Acetylide
Ruthenium, Osmium, Alkyne, Clusters, 1105
Acidity parameter
Aqueous solution, Hydroxy groups, Glycine-conjugated bile acids, 1421
Acridine
Hydrogen-bonding, Silanol, Amine, Adducts, 4,4′-bipyridine, Phenylpyridine, 1689
Actinides
Dioxouranium(VI) polyhalides, Uranyl polyhalides, Polybromides, Polyiodides, 2755
Acyclic
Binuclear, Pyrazole bridged, Asymmetric unit, Pentagonal bipyramidal, 925
Adduct compounds
N-oxides, Uranyl bis(β-diketonates), X-ray structures, 2403
Adduct
Copper, Hinokitiol, X-ray, 1761
Adduct formation
Thermodynamics, Tin compounds, Porphyrins, Equilibrium constant, Spectral method, 683
Adducts
Hydrogen-bonding, Silanol, Amine, Acridine, 4,4′-bipyridine, Phenylpyridine, 1689
Adeninium
Copper(II) complex, Crystal structures, EDTA, Ion pair, Molecular recognition, 1451
Adenosine 5′-monophosphate
Ni(II), Co(II), Tetramines, Mixed-ligand complexes, 745
Adenosine-5′-triphosphate (ATP)
Mg(II), NOESY, Torsion angle (χ), 435
Affinity chromatography
Urinary trypsin inhibitors, Bubble extraction, RP-HPLC, 1475
Ag–Ag interaction
Silver(I), Nicotinamide, Nicotinic acid, Sulfonate, Hydrogen bond, Assembly chemistry, 689
Al(III) complexes
Isoquercitrin, Stoichiometry, UV–Vis Spectroscopy, DFT calculations, FT Raman, 2801
Alkali metal ions
Doubly layered 2D sheet, Copper(II) complexes, 1273
Alkali metal ions
Sodium ion, Caesium ion, Calix[4]arene, Crystal structures, 2497
Alkoxides
Crystal structures, Lithium, Tungsten, Methoxide, 193
Alkoxides
Magnesium, Niobium, Oxoalkoxides, Mass-spectra, Crystal structures, 1629
Alkoxo-bridged
Copper(II), Magnetism, Benzimidazoles, Crystal structures, 141
Alkylaluminium diolates
Aluminium, Diols, Trinuclear complexes, 2,2′-Di(hydroxymethyl)biphenyl, Crystal structures, 281
Alkyne
Ruthenium, Osmium, Acetylide, Clusters, 1105
π-Allyl molybdenum
Organometallic phosphine, Multimetallic, Iron carbonyl complexes, Cyclopentadienyl iron complexes, 2301
Aluminium
Diols, Trinuclear complexes, 2,2′-Di(hydroxymethyl)biphenyl, Crystal structures, Alkylaluminium diolates, 281
Aluminum
Electron counts, Metalloid clusters, 503
Aluminum(I) halides
Metalloid clusters, Nanosized clusters, Intermediates, Metal lattice, X-ray structural analysis, 489
Amidate bridging ligands
Platinum(III) compounds, Lantern-type complexes, X-ray structure, 275
Amide ligands
Potassium, Rubidium, 15-Crown-5, Crystal structures, 2451
Amides
C_3-chiral triamidostannate, Tin, Lithium, 629
Amide
tert-Butylcalix[4]arenes, Sodium complexes, Yttrium(III) complexes, Lanthanide(III) complexes, X-ray structures, 763
Amide
Yttrium, Salen, Aryloxide, Organometallic, 1683
Amido
Amine, Triflate, Platinum, Diphosphazane, Cyclometalation, 1305
2-Amidothiophenolato complexes
Rhenium complexes, Trigonal prismatic geometry, 1597
Amine
Amido, Triflate, Platinum, Diphosphazane, Cyclometalation, 1305
Amine
Hydrogen-bonding, Silanol, Adducts, Acridine, 4,4′-bipyridine, Phenylpyridine, 1689
Amino acid
Nickel(II), Coordination chemistry, Hydrogen bond, Chiral recognition, 817
Amino acids
Electron paramagnetic resonance (EPR) spectroscopy, Copper(II) complexes, *N*,*N*-dimethyl-L-α-isoleucine, 1643
Aminoalane
Trialkylaluminum, Dibenzylamine, NMR, Mass spectrometry, Molecular structure, 1747
Aminoalcohol
Rhenium(I), Carbonyl, Cytotoxicity, Oxidative-alkoxylation, Hydrogen-bonding, 1991
Aminoguanidonium
Copper(II) halides, Crystal structures, Tetrachlorocuprate(II), 409
Aminohydroxamate complexes
Iron complexes, Electrochemical reduction, Cyclic voltammetry, EC mechanism, 1661
Aminohydroxamic acids
Copper(II) complexes, Mixed-ligand com-

Elsevier Science Ltd.
PII: S0277-5387(02)01351-7

plexes, Five-coordinate complexes, EPR spectra, Vis spectra, 295
Aminohydroxamic acids
Zinc(II) complexes, Mixed-ligand complexes, Polyamines, NMR spectra, Potentiometry, 2183
α-Aminoisobutyryl-α-aminoisobutyric acid (H–Aib–Aib–OH)
Copper(II) peptide complexes, Spectroscopic characterization, X-ray crystal structures, 229
Aminomethane-1,1-diphosphonic acids
Zinc(II) complexes, Magnesium(II) complexes, Calcium(II) complexes, Potentiometry, NMR, 321
2-(Aminomethyl)pyridine
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
2-Aminophenol
Cd(II) and Hg(II) complexes, Spectroscopic properties, Normal coordinate, Force constant, 2-Phenylenediamine, 987
8-Aminoquinoline
Nickel complexes, Sulfonamide complexes, X-ray crystal structures, 1229
Aminotroponimine
Azide, Germanium, Tin, Silver, Tris(pyrazolyl)borate, 611
β-Aminovinylimines
Trinuclear metal chelates, Chemical and electrochemical synthesis, 2081
Analogous multiple bonded systems
Electronic states, Linear disilaketenylidene (SiSiO), Renner effect, 599
Ancillary functions
Ruthenium monoterpyridine complexes, Crystal structures, 2033
2-Anilinopyridine
Crystal structures, Antiferromagnetic dimers, Dinuclear acetates, Copper(I), 457
Anion controlled assembly
Lanthanide contraction, Crystal structures, Magnetic properties, 1097
Anions
Copper(I), Dppe, Coordination mode, Solid state structures, 2433
Antibacterial activity
Binuclear, Ruthenium(II) complexes, Thiobis(β-diketone), Syntheses, Catalytic oxidation, 1721
Antibacterial activity
Ruthenium(II), Binuclear, Bis(β-diketone), Triphenylarsine, Syntheses, Catalytic study, 219
Antiferromagnetic
Copper, Formato, Dinuclear complexes, EPR, 1057
Antiferromagnetic coupling
Density functional theory, Face-shared dimers, Metal–metal bonding, High spin/low spin crossover, Electron delocalization, Broken-symmetry, 1969
Antiferromagnetic coupling
Tetranuclear copper(II) complexes, Crystal structures, Magnetism, Molecular orbital calculation, 1539
Antiferromagnetic dimers
2-Anilinopyridine, Crystal structures, Dinuclear acetates, Copper(I), 457
Antimony(III)
1,3-Dithiole-2-thione-4,5-dithiolates, 1,3-Dithiole-2-one-4,5-dithiolates, Crystal structures, 2107
APCVD
Tin phosphide, Thin film, 1943
Apparent molar enthalpies of
Potassium *p*-*n*-hexylbenzoate, Potassium *p*-*n*-heptylbenzoate, Potassium *p*-*n*-octylbenzoate, Partial molar enthalpies of, Micellization enthalpy, Methylene group contribution, 1497
Aqueous solution
Acidity parameter, Hydroxy groups, Glycine-conjugated bile acids, 1421
Aqueous solutions
Uranyl oxalates, Oxalic acid, UV–Vis spectrophotometry, Speciation, Stability constants, 1411
Arene ruthenium
Absolute configuration, Crystal structures, CH–π interaction, 2D NMR, 1929
Aromatic pendant arms
Azamacrocycles, Coordination compounds, Metallic polymer, 333
Aromatic π,π-staking interactions
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
Arsenic
B3LYP, CCSD(T), Germanium, 579
Arsenic
Heteropolyoxometalate, Tungstate, Lacunary, Synthesis, Redox chemistry, 959
Arsine oxide
Scandium, Phosphine oxide, X-ray structures, ^{45}Sc NMR, 1579
Arsine oxide
Yttrium, Phosphine oxide, X-ray structures, 445
Artificial neural networks
Experimental design, Stability constants, Metal complexes, Ion selective electrodes, Metal–ligand equilibria, 1375
Arylazopyrimidines
Osmium(II) complexes, Geometrical isomers, X-ray structures, MLCT transitions, Redox property, 753
Arylmetal complexes
Mercury(II), Boron, The 2,6-bis(dimethylamino)phenyl ligand, 635
Aryloxide
Gallium, Hydrogen bonding, Hydrolysis, 1877
Aryloxide
Yttrium, Salen, Amide, Organometallic, 1683
Aspartate
Cadmium(II), Structures, ^{111}Cd NMR, 935
Assembly chemistry
Silver(I), Nicotinamide, Nicotinic acid, Sulfonate, Hydrogen bond, Ag–Ag interaction, 689
Association constants
Zinc(II)tetrasulfophthalocyanine, Sulfur dioxide, Fluorescence quenching, 951
Asymmetric catalysis
Nickel, Malic acid, Malate, Coordination polymer, Crystal structures, Electroplating, 787
Asymmetric 14-π nickel(II) tetraazaannulene
Synthesis and electrochemistry, Hammett plot, Electrocatalysis, 917
Asymmetric unit
Acyclic, Binuclear, Pyrazole bridged, Pentagonal bipyramidal, 925
Autoxidation
Copper(I) complexes, Kinetic data, Catalytic activity, 181
Azamacrocycles
Aromatic pendant arms, Coordination compounds, Metallic polymer, 333
Aza-Wittig reaction
Iminophosphorane, Cycloaddition, Four-membered ring compounds, Thermolysis, X-ray analysis, 657
Azide
Germanium, Tin, Silver, Tris(pyrazolyl)borate, Aminotroponimine, 611
Azide
Organotin, Crystal structures, Halides, *N*-Thiocyanate, Acetate, 1667

Backscatter Mössbauer spectroscopy
Iron(II) phthalocyanine, Gas sensing, 115
Base hydrolysis kinetics
Equilibria, Crystal and molecular structures, 2283
bdmpp
Ru(II) complexes, dcbpy, Thiocyanato ligands, Sensitizing ability, 2773
Benzimidazoles
Copper(II), Alkoxo-bridged, Magnetism, Crystal structures, 141
Benzimidazolium
Thermochromism, Crystal structures, Tetrachlorocuprate, 2561
Benzoate ligands
Cobalt(II) complexes, Di-2-pyridyl ketone complexes, End-on azide ligands, Magnetic properties, 2027
Benzohydroximate anion
Boron complexes, Synthesis, Crystal structures, 2351
Benzotriazole
Ruthenium-ammine, Polynuclear complexes, Mixed-valence, Electron transfer, Molecular wires, 2089
Benzyl 8-quinolyl sulfide
Palladium(II) complexes, Phenethyl 8-qui-

nolyl, Crystal structures, 843
BF_2^+-capped complexes
Nickel(II) complexes, Heterotrinuclear complexes, Dioxadithiadiazamacrobicycle, Template effect, *vic*-Dioxime, 1865
Bidentate ligands
Cobalt(III) complexes, Tetradentate ligands, Eddp, 2277
Bidentate nitrogen ligands
Palladium, Nickel, Chirality, Crystal structures, 27
Bifunctional ligand
Hydroxypyridinones, Hydroxypyridinonate complexes, Chelating agents, 2609
Bimetallics
Tantalum, Metallocenes, Hydrides, Metallophosphines, X-ray structures, 371
Binuclear
Acyclic, Pyrazole bridged, Asymmetric unit, Pentagonal bipyramidal, 925
Binuclear complexes
Lanthanide(III) chelate, Cobalt(III) chelate, Inner-sphere coordination, Outer-sphere coordination, Stability constant, 805
Binuclear complexes
Macrocyclic compound, Magnetic properties, 359
Binuclear complexes
Synthesis, Equilibria, Polyamines, 1351
Binuclear nickel(II) complexes
Crystal structures, Magnetic properties, Terminal thiocyanato ion complexes, Terminal cyanato ion complexes, Pentadentate ligands, 2457
Binuclear
Ruthenium(II), Bis(β-diketone), Triphenylarsine, Syntheses, Antibacterial activity, Catalytic study, 219
Binuclear
Ruthenium(II) complexes, Thiobis(β-diketone), Syntheses, Catalytic oxidation, Antibacterial activity, 1721
Binucleating ligand
Copper(II) complexes, Nickel(II) complexes, Electrochemistry, Magnetic properties, 2767
Bioactivity of metal complexes
Metal complexes, *S*-Benzyldithiocarbazate, Bioactivity of Schiff bases, Crystal structure of Cd(II) complexes, 2547
Bioactivity of Schiff bases
Metal complexes, *S*-Benzyldithiocarbazate, Bioactivity of metal complexes, Crystal structure of Cd(II) complexes, 2547
Bioactivity
Schiff base ligands, Cadmium(II) complexes, Crystal structures, Dithiocarbazate Schiff base crystal structures, Metal complexes, 2691
Bioligands
Palladium(II) complexes, Glycine methyl ester hydrolysis, 167
2,2′-Bipyridine complexes
Mixed-ligand complexes, Copper(II) complexes, Lactic acid, 2-Methyllactic acid, Mandelic acid, Crystal structures, 2811
4,4′-bipyridine
Hydrogen-bonding, Silanol, Amine, Adducts, Acridine, Phenylpyridine, 1689
Bis(β-diketone)
Ruthenium(II), Binuclear, Triphenylarsine, Syntheses, Antibacterial activity, Catalytic study, 219
bis(diphenylthiophosphinyl)ethane
Phosphine chalcogenide, Seven-membered, Palladium(II), Mercury(II), Metallacyclic rings, 205
Bis-ligand and anion-bound copper(II) complexes
2-(3,5-Dimethylpyrazol-1-ylmethyl)pyridine, X-ray structure, Absorption and EPR spectra, Cyclic voltammetry, 1245
Bismuth
Polycations, Cluster compounds, Crystal structures, Iridium, Rhodium, 651
Bis(phosphine) monoxides
Cu(I), Chelates, NMR, Electrochemistry, Hard–soft acids and bases, 2793
Bis(pyrazol-1-yl)alkane
Organotin(IV), X-ray structures, 873
Bis-sulfamide
Tantalum(V), Diamide, Crystal structures, 1051
Bithiophene
Polyamine, Coordination, Cu(II)-electrochemical pattern, Potentiometry, 1523
B3LYP
CCSD(T), Germanium, Arsenic, 579
Bond dissociation energy
Digermene, Germylene, X-ray crystallographic analysis, Dissociation, Equilibrium, Dioxadigermetane, Terminal tungsten complexes, 563
Boron
Arylmetal complexes, Mercury(II), The 2,6-bis(dimethylamino)phenyl ligand, 635
Boron complexes
Benzohydroximate anion, Synthesis, Crystal structures, 2351
Boron
Lithium, Imido, Complexes, X-ray, 549
Boron monochloride
Halogen exchange, Polyboron halides, 543
BPTI
Capillary electrophoresis, Hydrophobic interaction chromatography, Heterologous protein, *Saccharomyces cerevisiae*, 1405
Broken-symmetry
Density functional theory, Face-shared dimers, Metal–metal bonding, High spin/low spin crossover, Electron delocalization, Antiferromagnetic coupling, 1969
BTZ ligands
X-ray crystallography, Pb(II) salts, π–π stacking interaction, 197
Bubble extraction
Urinary trypsin inhibitors, Affinity chromatography, RP-HPLC, 1475
Buffer capacity
Partition function, Equilibria in solution, Cooperativity, Site affinity, Heat capacity, 1439
Bulky ligands
β-Diketiminate, Low valent indium, Metal–metal bonds, 525

Cadmium complexes
Dca ligand, Double end-to-end, Zigzag chain, π–π interaction, 893
Cadmium(II)
Aspartate, Structures, ^{111}Cd NMR, 935
Cadmium(II) complexes
Coordination polymers, Crystal structures, Symbiosis, 2293
Cadmium(II) complexes
Cyanometalate, Coordination polymers, Crystal structures, 721
Cadmium(II) complexes
Polyamines, X-ray structures, 739
Cadmium(II) complexes
Schiff base ligands, Crystal structures, Dithiocarbazate Schiff base crystal structures, Metal complexes, Bioactivity, 2691
Cadmium(II)
2-Pyridineformamide, Thiosemicarbazone, Nickel(II), Zinc(II), Crystal structures, 729
Cadmium(II)
Tris(pyrazolyl)borate and 2,6-pyridyl-diimine ligands, Thiocyanate, Lead(II), 1795
Cadmium
Macrocycles, Polyamines, Dipyridine, Phenanthroline, 1329
Cadmium
Nickel, Copper, Zinc, Saccharinate, X-ray structures, 395
Cadmium
Pyrazineformamide, Thiosemicarbazone, Zinc, Crystal structures, Electrochemical synthesis, 1553
Caesium ion
Alkali metal ions, Sodium ion, Calix[4]arene, Crystal structures, 2497
Caffeic acid complexes
Vanadium complexes, IR spectra, UV–Vis spectra, Potentiometric titrations, Catecholate-like ligand, 1979
Cage-like structure
Polyoxovanadates, Organic–inorganic hybrid, Mixed-valence, Hydrothermal synthesis, 2601
Calcium(II) complexes
Aminomethane-1,1-diphosphonic acids, Zinc(II) complexes, Magnesium(II) complexes, Potentiometry, NMR, 321
Calix[4]arene
Alkali metal ions, Sodium ion, Caesium ion, Crystal structures, 2497
Calixarenes
Uranyl ion, Homooxacalixarenes, Supramolecular assembly, Crystal structures, 1125
Calorimetry
Zinc adducts, Emprirical correlations, Infrared spectroscopy, 1677
^{13}C and ^{15}N NMR spectroscopy
Synthesis, Cyano(selenone)gold(I) complexes, 2099
Capillary electrophoresis

Hydrophobic interaction chromatography, Heterologous protein, BPTI, *Saccharomyces cerevisiae*, 1405
Carbacylamidophosphates
Cobalt(II), Cubane complexes, X-ray data, 963
Carba metallaboranes
Carboranes, Dicarbollides, Cyclic voltammetry, Liquid–liquid extraction, Lanthanide and actinide extaction, 975
Carbohydrates
Cobalt complexes, Circular dichroism, Sucrose complexes, ^{1}H NMR, Semi-empirical calculations, 2215
Carbonyl
Rhenium(I), Aminoalcohol, Cytotoxicity, Oxidative-alkoxylation, Hydrogen-bonding, 1991
Carbonyls
Cyclophosphazenes, Polyphosphazenes, Phenolic phosphine, Macromolecular complexes, Spectroscopic characterization, 2579
Carboranes
Carba metallaboranes, Dicarbollides, Cyclic voltammetry, Liquid–liquid extraction, Lanthanide and actinide extaction, 975
Carboxylate
Trinuclear complexes, Single crystal structures, Copper(II), Silver(I), Thioether, 33
Carnosine
Oxovanadium(IV) complexes, Potentiometric and spectrophotometric studies, Stability constants, 1513
Catalase resistance
Diperoxovanadate, Vanadyl, EDTA inhibition, EDTA bridged heteroligand peroxovanadates, Oxo-bridged peroxovanadates containing sulphate, 389
Catalysis
Organometallics, Heterobimetallics, Organoruthenium, Mössbauer, NMR, 2323
Catalysis
Silver, Hydroxylamine, Kinetics, Mechanism, Redox, 1893
Catalysis
Triflates, Triphenylphosphine oxide complexes, Single crystal X-ray diffraction, Scandium and lanthanide, 287
Catalytic activity
Copper(I) complexes, Autoxidation, Kinetic data, 181
Catalytic disproportionation
Manganese(II) complexes, 2-Pyrazine carboxylic acid, 2,6-Pyridinedicarboxylic acid, Chelidamic acid, Crystal structures, Hydrogen peroxide, 1063
Catalytic oxidation
Binuclear, Ruthenium(II) complexes, Thiobis(β-diketone), Syntheses, Antibacterial activity, 1721
Catalytic study
Ruthenium(II), Binuclear, Bis(β-diketone), Triphenylarsine, Syntheses, Antibacterial activity, 219
Catecholate ligands
Lanthanide, Polyaza ligands, Stability constants, Potentiometry, 1393
Catecholate-like ligand
Vanadium complexes, Caffeic acid complexes, IR spectra, UV–Vis spectra, Potentiometric titrations, 1979
Cation–π interaction
Thallium(I) complexes, Scorpionate ligands, Crystal packing, π-Stacking, 553
Cations
Solutions, Equilibria, Hydrolysis, Titration, Masking, 1369
C_3-chiral triamidostannate
Amides, Tin, Lithium, 629
CCSD(T)
B3LYP, Germanium, Arsenic, 579
Cd(II) and Hg(II) complexes
Spectroscopic properties, Normal coordinate, Force constant, 2-Phenylenediamine, 2-Aminophenol, 987
^{111}Cd NMR
Cadmium(II), Aspartate, Structures, 935
CD spectra
Optically active Schiff bases, Co(II), Cu(II) and Ni(II) complexes, Co(II) paramagnetic ^{1}H NMR, 2711
CD spectroscopy
Copper(II), Nickel(II), Palladium(II), Peptides, Methionine, 2149
Cerium
Fluoroalkoxides, Structures, Complexes, MOCVD, Films, 1985
C–H activation
Cyclometallation, Phosphorus ligands, Schiff bases, Palladium, 39
Chain complex
Crystal structures, Nickel(II) complexes, Hexaazamacrocycle, Organic ligands, 1913
Charge transfer
Polyoxometalates, Keggin, Photochromism, 2537
Chelate complexes
$Ph_2P(CH_2)_nNHP^iPr_2$, Diphosphine ligands, 2639
Chelates
Bis(phosphine) monoxides, Cu(I), NMR, Electrochemistry, Hard–soft acids and bases, 2793
Chelate
Titanium, Coordination chemistry, Structure elucidation, 8-Hydroxyquinolinate, 1081
Chelating agents
Hydroxypyridinones, Hydroxypyridinonate complexes, Bifunctional ligand, 2609
Chelex 100
Natural metal complexes, Natural ligands, Resin titration, Ligand titration, 1343
Chelidamic acid
Manganese(II) complexes, 2-Pyrazine carboxylic acid, 2,6-Pyridinedicarboxylic acid, Crystal structures, Catalytic disproportionation, Hydrogen peroxide, 1063
Chemical and electrochemical synthesis
Trinuclear metal chelates, β-Aminovinylimines, 2081
Chemical bonding
Polyoxometalates, Transition metals, Molecular orbitals, Density–functional theory, 2201
Chemical bonding topology
Superconductors, Magnesium diboride, Cuprate superconductors, 2347
Chemical vapor deposition
Silver(I) complexes, Non-fluorinated β-diketonate ligands, Monothio-β-ketonate, β-Ketoiminate, Crystal structures, 1289
Chemosensors
Polyazaalkanes ligand, Fluorogenic receptors, 1397
CH–π interaction
Arene ruthenium, Absolute configuration, Crystal structures, 2D NMR, 1929
Chiral benzodiazepine ligands
Zinc complexes, Palladium complexes, Spectroscopy, X-ray structure analysis, Cytostatic and antiviral activity, 2567
Chiral complexes
Macrocycles, Lanthanide complexes, Crystal structures, NMR of paramagnetic compounds, 811
Chiral complexes
Vanadyl complexes, Schiff bases, EPR, X-ray structures, 2021
Chiral iminophosphine ligand
Palladium complexes, Platinum complexes, 1043
Chirality
Palladium, Nickel, Bidentate nitrogen ligands, Crystal structures, 27
Chiral recognition
Nickel(II), Amino acid, Coordination chemistry, Hydrogen bond, 817
Chloride ligands
Oxo ligands, Phenolates, Tungsten, 349
Chloridotellurate anions
Tellurium dichloride, X-ray crystallography, NMR spectroscopy, 1089
Chloro-bridged complexes
Cyclometallated palladium(II) compounds, *N*-(Benzylidene)xylylendiamines, 2063
$C_{10}H_{20}N_2S_4Zn \cdot C_5H_5N$
Isomorphism, Structures, ^{15}N CP/MAS NMR spectroscopy, 2727
Chromium
Crystal structures, Homogeneous catalyst, Electron spin resonance, Polyethylene, 867
Chromium(III) complexes
Trans influence, Crystal structures, Ligand-field strength, Tripodal tridentate phosphine, Acetylacetonate complexes, 835
Chromium
Pivalate, Mass spectrometry, Paramagnetic, NMR, X-ray photoelectron spectroscopy, 155
Circular dichroism
Carbohydrates, Cobalt complexes, Sucrose complexes, ^{1}H NMR, Semi-empirical calculations, 2215
cis-1,2-Bis(diphenylphosphino)ethene
Nickel, Thiolate, X-ray structures, 421
Cluster complexes
Molybdenum, Crystal structures, Acetates,

Reduction, 147
Cluster compounds
Polycations, Crystal structures, Bismuth, Iridium, Rhodium, 651
Cluster
Optical limiting properties, Crystal structures, 2675
Clusters
Crystal structures, Intermetallic compounds, Lead, Zintl phases, 641
Clusters
Ruthenium, Osmium, Acetylide, Alkyne, 1105
^{13}C NMR spectra
Dimethylthallium(III), Thiosemicarbazones, Crystal structures, IR spectra, ^{1}H, 1651
^{13}C NMR spectroscopy
Sulfur dicyanide $S_x(CN)_2$, Polythiocyanogens, Paracyanogen $(CN)_x$, 1825
Cobalt complexes
Carbohydrates, Circular dichroism, Sucrose complexes, ^{1}H NMR, Semi-empirical calculations, 2215
Cobalt complexes
Isopolyoxomolybdates, Heteropolyoxomolybdates, Hydrothermal synthesis, 1921
Cobalt(I) clusters
Crystal structures, Interstitial phosphorus atom, Heterocyclic phosphide, Semi-bridging carbonyl, Substituted site, 1073
Cobalt(II) complexes
Benzoate ligands, Di-2-pyridyl ketone complexes, End-on azide ligands, Magnetic properties, 2027
Cobalt(II)
Cubane complexes, Carbacylamidophosphates, X-ray data, 963
Cobalt(III) chelate
Lanthanide(III) chelate, Binuclear complexes, Inner-sphere coordination, Outer-sphere coordination, Stability constant, 805
Cobalt(III) complexes
Synthesis, 4-Methyl-2,6-dibenzoylphenol, NMR, TGA, Cyclic voltammetry, X-ray structures, 1787
Cobalt(III) complexes
Tetradentate ligands, Bidentate ligands, Eddp, 2277
Cobalt(III)
Pyrazolylthiosemicarbazone, ^{1}H NMR, X-ray crystallography, 779
Cobalt(III)
Thiosemicarbazone, X-ray crystal studies, ^{1}H NMR, IR, Electronic spectra, 2515
Cobalt(II)
One-dimensional structures, Zinc(II), Coordination complexes, 2705
Cobalt(II)
Schiff base complexes, Nickel(II), Zinc(II), Tetrahedral, Crystal structures, 2733
Cobalt
Phthalocyanine, Cyanide, Sulfur dioxide, Kinetics, Equilibria, 133
Cobalt
Phthalocyanines, Phthalonitrile derivatives, Electrochemistry, Nickel, Zinc, 255
Cocrystallization
Dinuclear platinum complexes, One-dimensional polymers, 715
Co(II), Cu(II) and Ni(II) complexes
Optically active Schiff bases, CD spectra, Co(II) paramagnetic ^{1}H NMR, 2711
Co(III) complexes
Pyrazole, Dithiocarbazate, Synthesis, Spectroscopy, X-ray crystal structures, 1
Co(II)
Ni(II), Tetramines, Adenosine 5′-monophosphate, Mixed-ligand complexes, 745
Co(II) paramagnetic ^{1}H NMR
Optically active Schiff bases, Co(II), Cu(II) and Ni(II) complexes, CD spectra, 2711
Complexes
Boron, Lithium, Imido, X-ray, 549
Complexes
Cerium, Fluoroalkoxides, Structures, MOCVD, Films, 1985
Complexes
Lanthanides(III), Oxygen donors, 2,2′-Oxydiethylamine, Dimethylsulfoxide, Thermodynamics, 1385
Complexes
N-[2-(4-Methoxyphenyltelluro)ethyl]benzamide, *N*-[2-(4-Methoxyphenyl telluro)-propyl]phthalimide, Palladium(II), Platinum(II), Ruthenium(II), Crystal structures, 667
Complexes
Silver(I), *N*-methylated polyamines, Dimethylsulfoxide, Thermodynamics, 1337
Complex-formation equilibria
Copper complexes, Nickel complexes, Lysyl–glycyl–histidyl–lysine, 1469
Complex history
Complex pioneers, Thermodynamics group, Coordination chemistry, 1313
Complex pioneers
Complex history, Thermodynamics group, Coordination chemistry, 1313
Cone angle
Dimesitylphosphine, Secondary phosphine, X-ray crystallography, NMR, Fluxional, 2409
Conformational change
Four or five coordinate geometry, Metal centre, Transition metals, 2175
Conformational change
Schiff's base ligands, Octahedral systems, Transition metals, 2167
Cooperativity effect
Statistical thermodynamic model, Site constant, Cooperativity potential, Polyamines, 1503
Cooperativity
Partition function, Equilibria in solution, Site affinity, Buffer capacity, Heat capacity, 1439
Cooperativity potential
Statistical thermodynamic model, Cooperativity effect, Site constant, Polyamines, 1503
Coordination bonding
Cyclophosphazene, Supramolecular polymer, Hairy-rod structure, Lamellar packing, 1573
Coordination chemistry
Complex history, Complex pioneers, Thermodynamics group, 1313
Coordination chemistry
Crystal structures, Piperazine, Homopiperazine, 1729
Coordination chemistry
Mono-helical, Single-helical-strand, Mono-bridged species, Transition metals, X-ray crystallography, 1177
Coordination chemistry
Nickel(II), Amino acid, Hydrogen bond, Chiral recognition, 817
Coordination chemistry
Titanium, Chelate, Structure elucidation, 8-Hydroxyquinolinate, 1081
Coordination complexes
One-dimensional structures, Zinc(II), Cobalt(II), 2705
Coordination compounds
Azamacrocycles, Aromatic pendant arms, Metallic polymer, 333
Coordination mode
Copper(I), Anions, Dppe, Solid state structures, 2433
Co-ordination number asymmetry
Crystal structures, Zinc(II) complexes, 1957
Coordination
Polyamine, Bithiophene, Cu(II)-electrochemical pattern, Potentiometry, 1523
Coordination polymer
Nickel, Malic acid, Malate, Asymmetric catalysis, Crystal structures, Electroplating, 787
Coordination polymers
Cadmium(II) complexes, Crystal structures, Symbiosis, 2293
Coordination polymers
Cyanometalate, Crystal structures, Cadmium(II) complexes, 721
Coordination polymers
Solventothermal synthesis, Crystal structures, Copper methoxide, Single crystals, 2017
Coordination structures
EPR spectroscopy, Rare earth complexes, 4f-Electron, 2127
Copper complexes
Crystal structures, Di-2-pyridylamine complexes, Tetrathionate complexes, Trifluoromethanesulfonate complexes, Sulfate complexes, Hexafluorophosphate complexes, 247
Copper complexes
Crystal structures, Lumazine complexes, Zinc complexes, 1961
Copper complexes
Crystal structures, Nitrate complexes, Di-2-pyridylamine complexes, 943
Copper complexes
Crystal structures, Tungsten complexes, Pyrazole, 1547
Copper complexes

Nickel complexes, Complex-formation equilibria, Lysyl–glycyl–histidyl–lysine, 1469
Copper complexes
Stereochemistry, X-ray structures, Steric properties, 1031
Copper complexes
Structures, Spectroscopic properties, Oxadiazole complexes, 2257
Copper
Cork, Solid state ^{13}C MAS and CP-MAS NMR, Nickel, Potentiometric titration, Metal uptake, 1363
Copper
Formato, Dinuclear complexes, Antiferromagnetic, EPR, 1057
Copper
Hinokitiol, X-ray, Adduct, 1761
Copper(I)
2-Anilinopyridine, Crystal structures, Antiferromagnetic dimers, Dinuclear acetates, 457
Copper(I)
Anions, Dppe, Coordination mode, Solid state structures, 2433
Copper(I) complexes
Autoxidation, Kinetic data, Catalytic activity, 181
Copper(I) complexes
Pyridine-2-thione, Tri-*p*-tolylphosphine, Triphenylphosphine, Sulfur-bridged dimer, 1603
Copper(II)
Alkoxo-bridged, Magnetism, Benzimidazoles, Crystal structures, 141
Copper(II)
CD spectroscopy, Nickel(II), Palladium(II), Peptides, Methionine, 2149
Copper(II) complex
Crystal structures, EDTA, Adeninium, Ion pair, Molecular recognition, 1451
Copper(II) complexes
Alkali metal ions, Doubly layered 2D sheet, 1273
Copper(II) complexes
Binucleating ligand, Nickel(II) complexes, Electrochemistry, Magnetic properties, 2767
Copper(II) complexes
Crystal structures, Cyclohexanediols, Separation of isomers, 1133
Copper(II) complexes
Crystal structures, Nitrite complexes, Sulfate complexes, di-2-Pyridylamine complexes, Thiocyanato complexes, 1279
Copper(II) complexes
Cyclodextrins, 2-Methylaminopyridine, 1531
Copper(II) complexes
Electron paramagnetic resonance (EPR) spectroscopy, Amino acids, *N*,*N*-dimethyl-L-α-isoleucine, 1643
Copper(II) complexes
Imidazole, 9,10-dihydro-9-oxo-10-acridineacetate, Crystal structures, Spectra, Magnetic measurements, 2381
Copper(II) complexes
Mixed-ligand complexes, 2,2′-Bipyridine complexes, Lactic acid, 2-Methyllactic acid, Mandelic acid, Crystal structures, 2811
Copper(II) complexes
Mixed-ligand complexes, Five-coordinate complexes, Aminohydroxamic acids, EPR spectra, Vis spectra, 295
Copper(II) complexes
Oxalato complexes, Oxalato-bridged complexes, Magnetic properties, Crystal structures, 1203
Copper(II) complexes
Spectral properties, Crystal structures, Pyridinecarboxylate complexes, Mononuclear complexes, 365
Copper(II) halides
Aminoguanidonium, Crystal structures, Tetrachlorocuprate(II), 409
Copper(II)
N-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
Copper(II) peptide complexes
α-Aminoisobutyryl-α-aminoisobutyric acid (H–Aib–Aib–OH), Spectroscopic characterization, X-ray crystal structures, 229
Copper(II)
Trinuclear complexes, Single crystal structures, Silver(I), Carboxylate, Thioether, 33
Copper methoxide
Solventothermal synthesis, Crystal structures, Coordination polymers, Single crystals, 2017
Copper
Nickel, Zinc, Cadmium, Saccharinate, X-ray structures, 395
Copper
Self-assembly, Supramolecules, X-ray structures, 1621
Cork
Solid state ^{13}C MAS and CP-MAS NMR, Copper, Nickel, Potentiometric titration, Metal uptake, 1363
CO
Synthesis, Mo/Fe/S cluster, Structures, S=PEt_3 ligand, 2523
Counter-cation
Uranyl, Dimethylmelonate, CPMAS ^{13}C NMR, X-ray crystallography, 69
CPMAS ^{13}C NMR
Uranyl, Dimethylmelonate, Counter-cation, X-ray crystallography, 69
CPMAS ^{13}C NMR
Uranyl, Malonato complexes, X-ray crystallography, 81
15-Crown-5
Potassium, Rubidium, Amide ligands, Crystal structures, 2451
Crown thioethers
Thioether complexes, Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Phosphine complexes, 879
Crystal and molecular structure
N-Benzoylthiourea derivatives, Gold, Palladium, Solvent extraction, Ion selective electrode, 1429
Crystal and molecular structures
Base hydrolysis kinetics, Equilibria, 2283
Crystal packing
Thallium(I) complexes, Scorpionate ligands, π-Stacking, Cation–π interaction, 553
Crystal structure
Nickel(0), Vinylcyclosilazane complexes, 1261
Crystal structure of Cd(II) complexes
Metal complexes, *S*-Benzyldithiocarbazate, Bioactivity of Schiff bases, Bioactivity of metal complexes, 2547
Crystal structure
Platinum, Hexamethyleneimine, 1,1-Cyclobutanedicarboxylato, Synthesis, 2659
Crystal structure
Platinum(II), Homopiperazines, Disubstituted sulfides, Synthesis, 125
Crystal structures
Alkali metal ions, Sodium ion, Caesium ion, Calix[4]arene, 2497
Crystal structures
Alkoxides, Lithium, Tungsten, Methoxide, 193
Crystal structures
Aluminium, Diols, Trinuclear complexes, 2,2′-Di(hydroxymethyl)biphenyl, Alkylaluminium diolates, 281
Crystal structures
Aminoguanidonium, Copper(II) halides, Tetrachlorocuprate(II), 409
Crystal structures
2-Anilinopyridine, Antiferromagnetic dimers, Dinuclear acetates, Copper(I), 457
Crystal structures
Arene ruthenium, Absolute configuration, CH–π interaction, 2D NMR, 1929
Crystal structures
Binuclear nickel(II) complexes, Magnetic properties, Terminal thiocyanato ion complexes, Terminal cyanato ion complexes, Pentadentate ligands, 2457
Crystal structures
Bis-sulfamide, Tantalum(V), Diamide, 1051
Crystal structures
Boron complexes, Benzohydroximate anion, Synthesis, 2351
Crystal structures
Cadmium(II) complexes, Coordination polymers, Symbiosis, 2293
Crystal structures
Chromium, Homogeneous catalyst, Electron spin resonance, Polyethylene, 867
Crystal structures
Clusters, Intermetallic compounds, Lead, Zintl phases, 641
Crystal structures
Cobalt(I) clusters, Interstitial phosphorus

atom, Heterocyclic phosphide, Semi-bridging carbonyl, Substituted site, 1073
Crystal structures
Coordination chemistry, Piperazine, Homopiperazine, 1729
Crystal structures
Copper complexes, Di-2-pyridylamine complexes, Tetrathionate complexes, Trifluoromethanesulfonate complexes, Sulfate complexes, Hexafluorophosphate complexes, 247
Crystal structures
Copper complexes, Lumazine complexes, Zinc complexes, 1961
Crystal structures
Copper complexes, Nitrate complexes, Di-2-pyridylamine complexes, 943
Crystal structures
Copper(II), Alkoxo-bridged, Magnetism, Benzimidazoles, 141
Crystal structures
Copper(II) complex, EDTA, Adeninium, Ion pair, Molecular recognition, 1451
Crystal structures
Copper(II) complexes, Cyclohexanediols, Separation of isomers, 1133
Crystal structures
Copper(II) complexes, Imidazole, 9,10-dihydro-9-oxo-10-acridineacetate, Spectra, Magnetic measurements, 2381
Crystal structures
Copper(II) complexes, Nitrite complexes, Sulfate complexes, di-2-Pyridylamine complexes, Thiocyanato complexes, 1279
Crystal structures
Copper(II) complexes, Oxalato complexes, Oxalato-bridged complexes, Magnetic properties, 1203
Crystal structures
Copper(II) complexes, Spectral properties, Pyridinecarboxylate complexes, Mononuclear complexes, 365
Crystal structures
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
Crystal structures
Cyanometalate, Coordination polymers, Cadmium(II) complexes, 721
Crystal structures
Dibenzotetraaza[14]annulenes, Macrocyclic Ni(II) complexes, Succinyl dichloride, Solid state supramolecular complexes, 7
Crystal structures
Dimethylthallium(III), Thiosemicarbazones, IR spectra, ^{1}H, ^{13}C NMR spectra, 1651
Crystal structures
Diruthenium carboxylates, Urea and thiourea derivatives, Infrared spectroscopy, 1235
Crystal structures
Dithiocarbamates, Cu(II) complexes, Ethylenediamine, Mixed-ligands Cu(II) chelates, 1899
Crystal structures
Dithiocarbimates, Triphenylphosphine, Nickel complexes, 2243
Crystal structures
1,3-Dithiole-2-thione-4,5-dithiolates, 1,3-Dithiole-2-one-4,5-dithiolates, Antimony(III), 2107
Crystal structures
Dithiophosphate complexes, Dithiophosphonate complexes, Macrocycle complexes, Pentacoordinate nickel(II) complexes, 1935
Crystal structures
1D nickel(II) azido complexes, Pyridine derivative complexes, Preparation, Magnetic data, Spectra, 1871
Crystal structures
Hemidirected, Lead(II) complexes, Thiocyanate ligands, 1223
Crystal structures
Idp-type ligand, *N*,*N*-Di(2-carboxyethyl)-*p*-toluidine, *p*-Toluidine-*N*,*N*-di-3-propionic acid, Square pyramidal copper(II) complexes, 2719
Crystal structures
Imidato complexes, Cyclometallated palladium(II) complexes, 1589
Crystal structures
Imidazole-4-acetic acid, Polymeric zinc(II) complexes, Vibrational spectra, Density functional calculations, 2819
Crystal structures
Iron(II) complexes, Hydrogen-bonded network, Hydrogen maleate, 1189
Crystal structures
Isotope effect, Hydrogen bond, Dimer, NQR, Tetrachloroaurate(III), 2207
Crystal structures
Lanthanide contraction, Anion controlled assembly, Magnetic properties, 1097
Crystal structures
Macrocycles, Germanium(IV) tmtaa complexes, Six-coordinate geometry, *Trans*-positions, 969
Crystal structures
Macrocycles, Lanthanide complexes, Chiral complexes, NMR of paramagnetic compounds, 811
Crystal structures
Magnesium, Niobium, Alkoxides, Oxoalkoxides, Mass-spectra, 1629
Crystal structures
Magnesium phthalocyanines, Magnesium complexes, IR spectroscopy, Raman spectroscopy, UV–Vis spectroscopy, 265
Crystal structures
Magnetic properties, Thermal properties, Tetrabromocuprate(II), *n*-Ethylpyridinium, 19
Crystal structures
Manganese(II) complexes, 2-Pyrazine carboxylic acid, 2,6-Pyridinedicarboxylic acid, Chelidamic acid, Catalytic disproportionation, Hydrogen peroxide, 1063
Crystal structures
Mercury(II) halides, Phosphine complexes, 1845
Crystal structures
Metal-organic frameworks (MOF), Synthesis, TGA–DTA, 175
Crystal structures
Mixed-ligand complexes, Copper(II) complexes, 2,2′-Bipyridine complexes, Lactic acid, 2-Methyllactic acid, Mandelic acid, 2811
Crystal structures
Molybdenum, Cluster complexes, Acetates, Reduction, 147
Crystal structures
Molybdenum, Tin, Metathesis, Polymerisation, Norbornadiene, NMR spectra, 2505
Crystal structures
Mononuclear complexes, Rhodium complexes, Hydrido complexes, Nitrogen ligands, 1613
Crystal structures
Mononuclear complexes, Triazole derivatives, 797
Crystal structures
Nickel complexes, Palladium complexes, 2071
Crystal structures
Nickel(II) chromate and dichromate complexes of phenanthroline, Monodentate coordination of CrO_4^{2-}, IR and UV–Vis–NIR band analysis, 997
Crystal structures
Nickel(II) complexes, Hexaazamacrocycle, Organic ligands, Chain complex, 1913
Crystal structures
Nickel, Malic acid, Malate, Coordination polymer, Asymmetric catalysis, Electroplating, 787
Crystal structures
Nickel, Palladium, Platinum, Oxalate, Magnetic properties, DFT calculations, 2631
Crystal structures
Nitrogenase, Hydrazido(2-), Molybdenum, Spectroelectrochemistry, 849
Crystal structures
N-[2-(4-Methoxyphenyltelluro)ethyl]benzamide, *N*-[2-(4-Methoxyphenyl telluro)propyl]phthalimide, Palladium(II), Platinum(II), Ruthenium(II), Complexes, 667
Crystal structures of Zn(II) complexes
S-methyldithiocarbazate (SMDTC), NS Schiff base, Cu(II), Ni(II), Zn(II) complexes, 2683
Crystal structures
Optical limiting properties, Cluster, 2675
Crystal structures
Organotin, Halides, *N*-Thiocyanate, Azide, Acetate, 1667
Crystal structures
Organotin(IV) complexes, Dimethylpyrimidinethione, 1149
Crystal structures
Palladium(II) complexes, Benzyl 8-quino-

lyl sulfide, Phenethyl 8-quinolyl, 843
Crystal structures
Palladium, Nickel, Chirality, Bidentate nitrogen ligands, 27
Crystal structures
Physico-chemical properties, Spectroscopy, X-ray diffraction, Imidiazole complexes, 1857
Crystal structures
3-Piperidine, Thiosemicarbazone, 2-Pyridineformamide, Nickel(II), Spectra, 859
Crystal structures
Platinum, Cyclometallation, Imine, Fluorine, Phosphine, 105
Crystal structures
Platinum(II) complexes, Heptamethyleneimine, Synthesis, 2369
Crystal structures
Polycations, Cluster compounds, Bismuth, Iridium, Rhodium, 651
Crystal structures
Polydentate Ni(II) edta-type complexes, 2667
Crystal structures
Potassium, Rubidium, Amide ligands, 15-Crown-5, 2451
Crystal structures
Pyrazineformamide, Thiosemicarbazone, Zinc, Cadmium, Electrochemical synthesis, 1553
Crystal structures
2-Pyridineformamide, Thiosemicarbazone, Nickel(II), Zinc(II), Cadmium(II), 729
Crystal structures
Rhenium(III) complexes, Iridium(III) complexes, S-bridged polynuclear complexes, UV–Vis absorption spectra, Cyclic voltammetry, 1809
Crystal structures
Ruthenium monoterpyridine complexes, Ancillary functions, 2033
Crystal structures
Schiff base complexes, Cobalt(II), Nickel(II), Zinc(II), Tetrahedral, 2733
Crystal structures
Schiff base ligands, Cadmium(II) complexes, Dithiocarbazate Schiff base crystal structures, Metal complexes, Bioactivity, 2691
Crystal structures
Silver(I) complexes, Non-fluorinated β-diketonate ligands, Monothio-β-ketonate, β-Ketoiminate, Chemical vapor deposition, 1289
Crystal structures
Solventothermal synthesis, Coordination polymers, Copper methoxide, Single crystals, 2017
Crystal structures
Synthesis, X-ray diffraction, 1883
Crystal structures
Ternary complexes, Kinetic studies, 2045
Crystal structures
Tetranuclear copper(II) complexes, Magnetism, Antiferromagnetic coupling, Molecular orbital calculation, 1539
Crystal structures
Thermochromism, Benzimidazolium, Tetrachlorocuprate, 2561
Crystal structures
Thiadiazole, M = Co, M = Ni, M = Cu, Monomeric complexes, 403
Crystal structures
Trans influence, Ligand-field strength, Tripodal tridentate phosphine, Acetylacetonate complexes, Chromium(III) complexes, 835
Crystal structures
Trinuclear complexes, Cyano-bridge, Spectroscopic study, 2237
Crystal structures
Tungsten complexes, Pyrazole, Copper complexes, 1547
Crystal structures
Tungsten, Tin, Oxidative addition, Hydride, NMR, 1817
Crystal structures
Uranyl ion, Calixarenes, Homooxacalixarenes, Supramolecular assembly, 1125
Crystal structures
Uranyl ion, Polyphenols, Oligophenols, 1949
Crystal structures
Zinc(II) complexes, Co-ordination number asymmetry, 1957
Crystal structures
Zn(II)–N bonds, Zn(II) complexes, Piperazine and piperazin-1-ium ligands, 2161
Crystal structure
Thallium(I) complexes, Nitrophenoxide complexes, 2555
Cubane complexes
Cobalt(II), Carbacylamidophosphates, X-ray data, 963
Cu(I)
Bis(phosphine) monoxides, Chelates, NMR, Electrochemistry, Hard–soft acids and bases, 2793
Cu(II) complexes
Dithiocarbamates, Ethylenediamine, Mixed-ligands Cu(II) chelates, Crystal structures, 1899
Cu(II) complexes
Ternary complexes, Peptide–Cu(II)–isocytosine complexes, Isocytosine complexes, 1197
Cu(II)-electrochemical pattern
Polyamine, Bithiophene, Coordination, Potentiometry, 1523
Cu(II), Ni(II), Zn(II) complexes
S-methyldithiocarbazate (SMDTC), NS Schiff base, Crystal structures of Zn(II) complexes, 2683
Cu(II) stereochemistry
X-ray structures, Magnetism, EPR spectra, 2473
Cuprate superconductors
Chemical bonding topology, Superconductors, Magnesium diboride, 2347
Cyanide
Cobalt, Phthalocyanine, Sulfur dioxide, Kinetics, Equilibria, 133
Cyano-bridge
Trinuclear complexes, Crystal structures, Spectroscopic study, 2237
Cyanometalate
Coordination polymers, Crystal structures, Cadmium(II) complexes, 721
Cyano
Rhodium, Dioxygen, Enhanced reactivity, Structures, 1775
Cyano(selenone)gold(I) complexes
Synthesis, ^{13}C and ^{15}N NMR spectroscopy, 2099
Cyclic voltammetry
Carboranes, Carba metallaboranes, Dicarbollides, Liquid–liquid extraction, Lanthanide and actinide extaction, 975
Cyclic voltammetry
2-(3,5-Dimethylpyrazol-1-ylmethyl)pyridine, Bis-ligand and anion-bound copper(II) complexes, X-ray structure, Absorption and EPR spectra, 1245
Cyclic voltammetry
Five-coordinated chlorocopper(II) complexes, 1,10-Phenanthroline and its 5,6-disubstituted derivatives, X-ray structures, Electronic absorption and diffuse reflectance spectra, 2143
Cyclic voltammetry
Iron complexes, Aminohydroxamate complexes, Electrochemical reduction, EC mechanism, 1661
Cyclic voltammetry
Photoinduced electron transfer, Supramolecular pre-association, Ruthenium(II) complexes, 2,2′:6′,2″-Terpyridine, 4′-*p*-Tolyl-2,2′:6′,2″-terpyridine-4-carboxylic acid, 49
Cyclic voltammetry
Rhenium(III) complexes, Iridium(III) complexes, S-bridged polynuclear complexes, Crystal structures, UV–Vis absorption spectra, 1809
Cyclic voltammetry
Salen Cu(II) complexes, Schiff-base ligands, Hammett substituent constants, 55
Cyclic voltammetry
Synthesis, Cobalt(III) complexes, 4-Methyl-2,6-dibenzoylphenol, NMR, TGA, X-ray structures, 1787
Cyclisation
P-Ligands, 2*H*-Azaphosphirene complexes, 2*H*-1,2-Azaphosphole complexes, 1,3-Dipoles, 119
Cycloaddition
Iminophosphorane, Four-membered ring compounds, Thermolysis, Aza-Wittig reaction, X-ray analysis, 657
Cyclo-addition
Metallacycles, oxo ligands, P ligands, Palladium, Structure elucidation, 2653
1,1-Cyclobutanedicarboxylato
Platinum, Hexamethyleneimine, Synthesis, Crystal structure, 2659
Cyclodextrins
Copper(II) complexes, 2-Methylaminopyridine, 1531
Cyclohexanediols
Crystal structures, Copper(II) complexes,

Separation of isomers, 1133
Cyclometalation
Amido, Amine, Triflate, Platinum, Diphosphazane, 1305
Cyclometallated paladium(II) complexes
Imidato complexes, Crystal structures, 1589
Cyclometallated palladium(II) compounds
N-(Benzylidene)xylylendiamines, Chloro-bridged complexes, 2063
Cyclometallation
C–H activation, Phosphorus ligands, Schiff bases, Palladium, 39
Cyclometallation
Platinum, Imine, Fluorine, Phosphine, Crystal structures, 105
1,5-Cyclooctadiene
Oxidative addition reaction, Perfluoro-*n*-butyl iodide, Fluoroalkyls, 2357
Cyclopentadienyl iron complexes
Organometallic phosphine, Multimetallic, π-Allyl molybdenum, Iron carbonyl complexes, 2301
Cyclophosphazene
Dendrimers, Metal–nitrile complexes, 909
Cyclophosphazenes
Polyphosphazenes, Phenolic phosphine, Macromolecular complexes, Carbonyls, Spectroscopic characterization, 2579
Cyclophosphazene
Supramolecular polymer, Coordination bonding, Hairy-rod structure, Lamellar packing, 1573
Cysteamine
Cysteine, Sulfur, Hydrogen bonding, 225
Cysteine
Cysteamine, Sulfur, Hydrogen bonding, 225
Cysteine ligand
Solvation parameter model, Partition coefficient, Hydrophobic moment, Iron–sulfur protein, Mixed-valence non-integer oxidation number, 1357
Cytostatic and antiviral activity
Chiral benzodiazepine ligands, Zinc complexes, Palladium complexes, Spectroscopy, X-ray structure analysis, 2567
Cytotoxicity
Rhenium(I), Carbonyl, Aminoalcohol, Oxidative-alkoxylation, Hydrogen-bonding, 1991

Dca ligand
Cadmium complexes, Double end-to-end, Zigzag chain, π–π interaction, 893
dcbpy
Ru(II) complexes, bdmpp, Thiocyanato ligands, Sensitizing ability, 2773
Dendrimers
Cyclophosphazene, Metal–nitrile complexes, 909
Density functional calculations
Imidazole-4-acetic acid, Polymeric zinc(II) complexes, Crystal structures, Vibrational spectra, 2819
Density functional theory
Face-shared dimers, Metal–metal bonding, High spin/low spin crossover, Electron delocalization, Broken-symmetry, Antiferromagnetic coupling, 1969
Density–functional theory
Polyoxometalates, Transition metals, Chemical bonding, Molecular orbitals, 2201
Desulfurization
Triosmium cluster, Tetramethylthiourea, Sulfido, X-ray structures, 381
DFT calculations
Dinuclear transition metal complexes, Electron transfer, Magnetic coupling, Metal–metal bonding, Spin polarization, 1163
DFT calculations
Ferrocenyl Schiff bases, Isomerism, 2361
DFT calculations
Isoquercitrin, Al(III) complexes, Stoichiometry, UV–Vis Spectroscopy, FT Raman, 2801
DFT calculations
Nickel, Palladium, Platinum, Oxalate, Crystal structures, Magnetic properties, 2631
2,6-Diacetylpyridine
Lanthanide(III) complexes, Macrocyclic ligands, 3-Substituted-1,2-diaminopropanes, 425
Dialkyldithiophosphates
Gallium, Indium, Dithiocarbamates, ^{71}Ga NMR, Structures, 239
Diamide
Bis-sulfamide, Tantalum(V), Crystal structures, 1051
Diarylchlorogermanes
Halogermylenes, Donor side-chain, Intramolecular coordination, 2827
1,4-Diaza-1,3-diene
Niobium complexes, Heterodiene, X-ray crystal structures, 305
1,5-Diaza-3,7-diphosphacyclooctane
Ferrocenylmethylphosphine, Phosphino amino acids, 1,3-Diaza-5-phosphacyclohexane, Water-soluble complexes, Trinuclear complexes, 2251
1,3-Diaza-5-phosphacyclohexane
Ferrocenylmethylphosphine, Phosphino amino acids, 1,5-Diaza-3,7-diphosphacyclooctane, Water-soluble complexes, Trinuclear complexes, 2251
Dibenzotetraaza[14]annulenes
Macrocyclic Ni(II) complexes, Succinyl dichloride, Crystal structures, Solid state supramolecular complexes, 7
Dibenzoylmethane
Europium complexes, X-ray crystallography, Luminescence property, 2-(4′-Dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline, 3-Ethyl-2-(4′-dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline, 313
Dibenzylamine
Trialkylaluminum, Aminoalane, NMR, Mass spectrometry, Molecular structure, 1747
Dicarbollides
Carboranes, Carba metallaboranes, Cyclic voltammetry, Liquid–liquid extraction, Lanthanide and actinide extaction, 975
Diethylene triamine
Hg(II) complexes, Dimer, X-ray crystal structures, 2195
Digermene
Germylene, X-ray crystallographic analysis, Dissociation, Equilibrium, Bond dissociation energy, Dioxadigermetane, Terminal tungsten complexes, 563
2,2′-Di(hydroxymethyl)biphenyl
Aluminium, Diols, Trinuclear complexes, Crystal structures, Alkylaluminium diolates, 281
Diimine
Molybdenum complexes, oxo-Hydrazido complexes, Methyl-molybdenum complexes, Phenyl-molybdenum complexes, X-ray structures, 2531
1,2-Diimine
Ruthenium promoted reactions, Dimerization of aromatic amines, Structures, Redox, 97
β-Diketiminate
Low valent indium, Bulky ligands, Metal–metal bonds, 525
Dimanganese decacarbonyl
Diphosphine disulfide, Phosphido, Phosphidosulfide, 791
Dimer
Hg(II) complexes, Diethylene triamine, X-ray crystal structures, 2195
Dimer
Isotope effect, Hydrogen bond, Crystal structures, NQR, Tetrachloroaurate(III), 2207
Dimerization of aromatic amines
Ruthenium promoted reactions, 1,2-Diimine, Structures, Redox, 97
Dimesitylphosphine
Secondary phosphine, X-ray crystallography, NMR, Cone angle, Fluxional, 2409
2-(4′-Dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline
Europium complexes, X-ray crystallography, Luminescence property, Dibenzoylmethane, 3-Ethyl-2-(4′-dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline, 313
Dimethylmelonate
Uranyl, Counter-cation, CPMAS ^{13}C NMR, X-ray crystallography, 69
2-(3,5-Dimethylpyrazol-1-ylmethyl)pyridine
Bis-ligand and anion-bound copper(II) complexes, X-ray structure, Absorption and EPR spectra, Cyclic voltammetry, 1245
Dimethylpyrimidinethione
Organotin(IV) complexes, Crystal structures, 1149
Dimethylsulfoxide
Lanthanides(III), Oxygen donors, 2,2′-Oxydiethylamine, Complexes, Thermodynamics, 1385
Dimethylsulfoxide
Silver(I), *N*-methylated polyamines, Complexes, Thermodynamics, 1337

Dimethylthallium(III)
Thiosemicarbazones, Crystal structures, IR spectra, ^{1}H, ^{13}C NMR spectra, 1651
Di-*n*-butylhydroxytin(IV)
Tin enolates, Diorganohydroxytin, Diorganotin, Sn(IV) complexes, Malonates, 417
Dinuclear acetates
2-Anilinopyridine, Crystal structures, Antiferromagnetic dimers, Copper(I), 457
Dinuclear complexes
Copper, Formato, Antiferromagnetic, EPR, 1057
Dinuclear
Guanidinate, 1,3,4,6,7,8-Hexahydro-2*H*-pyramido[1,2-*a*]pyramidinate, Tin, Mononuclear, 619
Dinuclear platinum complexes
Cocrystallization, One-dimensional polymers, 715
Dinuclear transition metal complexes
DFT calculations, Electron transfer, Magnetic coupling, Metal–metal bonding, Spin polarization, 1163
Diols
Aluminium, Trinuclear complexes, 2,2′-Di(hydroxymethyl)biphenyl, Crystal structures, Alkylaluminium diolates, 281
Diop
Nitrosyl complexes, Ruthenium(II), NMR spectra, X-ray structures, Dppb, 2221
Diorganohydroxytin
Tin enolates, Diorganotin, Sn(IV) complexes, Malonates, Di-*n*-butylhydroxytin(IV), 417
Diorganotin
Tin enolates, Diorganohydroxytin, Sn(IV) complexes, Malonates, Di-*n*-butylhydroxytin(IV), 417
Dioxadigermetane
Digermene, Germylene, X-ray crystallographic analysis, Dissociation, Equilibrium, Bond dissociation energy, Terminal tungsten complexes, 563
Dioxadithiadiazamacrobicycle
Nickel(II) complexes, Heterotrinuclear complexes, BF_2^+-capped complexes, Template effect, *vic*-Dioxime, 1865
Dioxomolybdenum(VI) bromides
Oxotransfer catalysts, Thiol oxidation, 1635
Dioxomolybdenum(VI) complexes
Thiocarbodihydrazone Schiff base, X-ray structures, 1023
Dioxouranium(VI) polyhalides
Actinides, Uranyl polyhalides, Polybromides, Polyiodides, 2755
Dioxygen reactivity
Iron(II), Zinc(II), Schiff base, X-ray crystal structures, ^{1}H NMR spectroscopy, 705
Dioxygen
Rhodium, Cyano, Enhanced reactivity, Structures, 1775
Diperoxovanadate
Vanadyl, EDTA inhibition, EDTA bridged heteroligand peroxovanadates, Catalase resistance, Oxo-bridged peroxovanadates containing sulphate, 389
3,5-diphenylpyrazole
Gallium pyrazole complexes, Tetrachlorogallate salt, Gallium trichloride, 1117
Diphosphazane
Amido, Amine, Triflate, Platinum, Cyclometalation, 1305
Diphosphine disulfide
Dimanganese decacarbonyl, Phosphido, Phosphidosulfide, 791
Diphosphine ligands
$Ph_2P(CH_2)_nNHP^iPr_2$, Chelate complexes, 2639
Diplumbenes
Stannylenes, Plumbylenes, Distannenes, Lewis-amphoteric behavior, 587
1,3-Dipoles
P-Ligands, 2*H*-Azaphosphirene complexes, 2*H*-1,2-Azaphosphole complexes, Cyclisation, 119
Dipyridine
Macrocycles, Cadmium, Polyamines, Phenanthroline, 1329
Di-2-pyridylamine complexes
Crystal structures, Copper complexes, Tetrathionate complexes, Trifluoromethanesulfonate complexes, Sulfate complexes, Hexafluorophosphate complexes, 247
di-2-Pyridylamine complexes
Crystal structures, Copper(II) complexes, Nitrite complexes, Sulfate complexes, Thiocyanato complexes, 1279
Di-2-pyridyl ketone benzoylhydrazone
Nickel(II) complexes, Spectroscopy, Thermal analyses, 2375
Di-2-pyridyl ketone complexes
Benzoate ligands, Cobalt(II) complexes, End-on azide ligands, Magnetic properties, 2027
Diruthenium carboxylates
Urea and thiourea derivatives, Crystal structures, Infrared spectroscopy, 1235
Disilenes
Silenes, Silanones, Matrix isolation, Photolysis, 467
Dissociation
Digermene, Germylene, X-ray crystallographic analysis, Equilibrium, Bond dissociation energy, Dioxadigermetane, Terminal tungsten complexes, 563
Distannenes
Stannylenes, Plumbylenes, Diplumbenes, Lewis-amphoteric behavior, 587
Disubstituted sulfides
Platinum(II), Homopiperazines, Synthesis, Crystal structure, 125
Dithiocarbamates
Cu(II) complexes, Ethylenediamine, Mixed-ligands Cu(II) chelates, Crystal structures, 1899
Dithiocarbamates
Gallium, Indium, Dialkyldithiophosphates, ^{71}Ga NMR, Structures, 239
Dithiocarbazate
Co(III) complexes, Pyrazole, Synthesis, Spectroscopy, X-ray crystal structures, 1
Dithiocarbazate Schiff base crystal structures
Schiff base ligands, Cadmium(II) complexes, Crystal structures, Metal complexes, Bioactivity, 2691
Dithiocarbimates
Triphenylphosphine, Nickel complexes, Crystal structures, 2243
1,3-Dithiole-2-one-4,5-dithiolates
1,3-Dithiole-2-thione-4,5-dithiolates, Antimony(III), Crystal structures, 2107
1,3-Dithiole-2-thione-4,5-dithiolates
1,3-Dithiole-2-one-4,5-dithiolates, Antimony(III), Crystal structures, 2107
Dithiophosphate complexes
Dithiophosphonate complexes, Macrocycle complexes, Pentacoordinate nickel(II) complexes, Crystal structures, 1935
Dithiophosphonate complexes
Dithiophosphate complexes, Macrocycle complexes, Pentacoordinate nickel(II) complexes, Crystal structures, 1935
1D nickel(II) azido complexes
Pyridine derivative complexes, Preparation, Crystal structures, Magnetic data, Spectra, 1871
2D NMR
Arene ruthenium, Absolute configuration, Crystal structures, CH–π interaction, 1929
Donor side-chain
Halogermylenes, Intramolecular coordination, Diarylchlorogermanes, 2827
Double end-to-end
Cadmium complexes, Dca ligand, Zigzag chain, π–π interaction, 893
Doubly layered 2D sheet
Alkali metal ions, Copper(II) complexes, 1273
Dppb
Nitrosyl complexes, Ruthenium(II), NMR spectra, X-ray structures, Diop, 2221
Dppe
Copper(I), Anions, Coordination mode, Solid state structures, 2433
DTA
Pentacyaninotrosylferrate(2−) ion, Metastable excited states, X-ray diffraction, FIRRS, TGA, 1767

EC mechanism
Iron complexes, Aminohydroxamate complexes, Electrochemical reduction, Cyclic voltammetry, 1661
Eddp
Cobalt(III) complexes, Tetradentate ligands, Bidentate ligands, 2277
EDTA bridged heteroligand peroxovanadates
Diperoxovanadate, Vanadyl, EDTA inhibition, Catalase resistance, Oxo-bridged peroxovanadates containing sulphate, 389
EDTA
Copper(II) complex, Crystal structures, Adeninium, Ion pair, Molecular recognition, 1451
Edta-derived macrocycles
Macrocyclic ether bis(lactones), Stability constants, EPR of Cu(II) complexes, EPR of dinuclear Cu–Cu complexes, Hydro-

lysis of macrocycles, 2265
EDTA inhibition
Diperoxovanadate, Vanadyl, EDTA bridged heteroligand peroxovanadates, Catalase resistance, Oxo-bridged peroxovanadates containing sulphate, 389
Eight-coordinate
Schiff base, Zirconium complexes, X-ray crystal structure, Synthon, Heteroleptic, 211
Electrocatalysis
Synthesis and electrochemistry, Asymmetric 14-π nickel(II) tetraazaannulene, Hammett plot, 917
Electrochemical reduction
Iron complexes, Aminohydroxamate complexes, Cyclic voltammetry, EC mechanism, 1661
Electrochemical synthesis
Pyrazineformamide, Thiosemicarbazone, Zinc, Cadmium, Crystal structures, 1553
Electrochemistry
Binucleating ligand, Copper(II) complexes, Nickel(II) complexes, Magnetic properties, 2767
Electrochemistry
Bis(phosphine) monoxides, Cu(I), Chelates, NMR, Hard–soft acids and bases, 2793
Electrochemistry
2-Mercaptobenzoxazole, Pentacyanoferrate, Kinetics, Equilibrium constants, 2137
Electrochemistry
Phthalocyanines, Phthalonitrile derivatives, Nickel, Zinc, Cobalt, 255
Electrochemistry
Tertiary amines, Ruthenium complexes, Photochemistry, 61
Electron counts
Aluminum, Metalloid clusters, 503
Electron delocalization
Density functional theory, Face-shared dimers, Metal–metal bonding, High spin/low spin crossover, Broken-symmetry, Antiferromagnetic coupling, 1969
Electronic absorption and diffuse reflectance spectra
Five-coordinated chlorocopper(II) complexes, 1,10-Phenanthroline and its 5,6-disubstituted derivatives, X-ray structures, Cyclic voltammetry, 2143
Electronic spectra
Cobalt(III), Thiosemicarbazone, X-ray crystal studies, ^{1}H NMR, IR, 2515
Electronic states
Linear disilaketenylidene (SiSiO), Renner effect, Analogous multiple bonded systems, 599
Electronic structures
Rhenium, Nitrosyl, X-ray structures, Nitric oxide, 2617
Electron paramagnetic resonance (EPR) spectroscopy
Copper(II) complexes, Amino acids, *N*,*N*-dimethyl-L-α-isoleucine, 1643
Electron spin resonance
Chromium, Crystal structures, Homogeneous catalyst, Polyethylene, 867
Electron transfer
DFT calculations, Dinuclear transition metal complexes, Magnetic coupling, Metal–metal bonding, Spin polarization, 1163
Electron transfer
Mixed-valence compound, Iron, Trinuclear, Iodoacetate, Heat capacity, 1299
Electron transfer
Ruthenium-ammine, Benzotriazole, Polynuclear complexes, Mixed-valence, Molecular wires, 2089
Electroplating
Nickel, Malic acid, Malate, Coordination polymer, Asymmetric catalysis, Crystal structures, 787
Elemental analyses
Tris(pentamethylphenyl)gallium, Pentamethylphenylmagnesium bromide, Single crystal X-ray diffraction, 531
Emprirical correlations
Zinc adducts, Calorimetry, Infrared spectroscopy, 1677
End-on azide ligands
Benzoate ligands, Cobalt(II) complexes, Di-2-pyridyl ketone complexes, Magnetic properties, 2027
Enhanced reactivity
Rhodium, Cyano, Dioxygen, Structures, 1775
Epoxide
Silica gel, Immobilization, Propane-1,3-diamine, 2647
EPR
Copper, Formato, Dinuclear complexes, Antiferromagnetic, 1057
EPR of Cu(II) complexes
Edta-derived macrocycles, Macrocyclic ether bis(lactones), Stability constants, EPR of dinuclear Cu–Cu complexes, Hydrolysis of macrocycles, 2265
EPR of dinuclear Cu–Cu complexes
Edta-derived macrocycles, Macrocyclic ether bis(lactones), Stability constants, EPR of Cu(II) complexes, Hydrolysis of macrocycles, 2265
EPR
Salen ligands, Ni(I) complexes, Nickel(II) complexes, 1695
EPR spectra
Copper(II) complexes, Mixed-ligand complexes, Five-coordinate complexes, Aminohydroxamic acids, Vis spectra, 295
EPR spectra
Cu(II) stereochemistry, X-ray structures, Magnetism, 2473
EPR spectroscopy
Rare earth complexes, Coordination structures, 4f-Electron, 2127
EPR
Vanadyl complexes, Schiff bases, Chiral complexes, X-ray structures, 2021
Equilibria
Base hydrolysis kinetics, Crystal and molecular structures, 2283
Equilibria
Cobalt, Phthalocyanine, Cyanide, Sulfur dioxide, Kinetics, 133
Equilibria in solution
Partition function, Cooperativity, Site affinity, Buffer capacity, Heat capacity, 1439
Equilibria
Solutions, Cations, Hydrolysis, Titration, Masking, 1369
Equilibria
Synthesis, Binuclear complexes, Polyamines, 1351
Equilibrium constant
Adduct formation, Thermodynamics, Tin compounds, Porphyrins, Spectral method, 683
Equilibrium constants
2-Mercaptobenzoxazole, Pentacyanoferrate, Kinetics, Electrochemistry, 2137
Equilibrium
Digermene, Germylene, X-ray crystallographic analysis, Dissociation, Bond dissociation energy, Dioxadigermetane, Terminal tungsten complexes, 563
Esterification
Metal alkoxides, Single-crystal X-ray, Group V, Tantalum, Niobium, 2333
3-Ethyl-2-(4′-dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline
Europium complexes, X-ray crystallography, Luminescence property, Dibenzoylmethane, 2-(4′-Dimethylaminophenyl)-imidazo[4,5-f]1,10-phenanthroline, 313
Ethylenediamine
Dithiocarbamates, Cu(II) complexes, Mixed-ligands Cu(II) chelates, Crystal structures, 1899
Europium complexes
X-ray crystallography, Luminescence property, Dibenzoylmethane, 2-(4′-Dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline, 3-Ethyl-2-(4′-dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline, 313
Europium
Photoluminescence, Perchlorate, Methylpyridylacetamide, Intensity parameters, 1837
Experimental design
Artificial neural networks, Stability constants, Metal complexes, Ion selective electrodes, Metal–ligand equilibria, 1375

Face-shared dimers
Density functional theory, Metal–metal bonding, High spin/low spin crossover, Electron delocalization, Broken-symmetry, Antiferromagnetic coupling, 1969
4f-Electron
EPR spectroscopy, Rare earth complexes, Coordination structures, 2127
Ferrocenylmethylphosphine
Phosphino amino acids, 1,3-Diaza-5-phosphacyclohexane, 1,5-Diaza-3,7-diphosphacyclooctane, Water-soluble complexes, Trinuclear complexes, 2251
Ferrocenyl Schiff bases

Isomerism, DFT calculations, 2361
Films
Cerium, Fluoroalkoxides, Structures, Complexes, MOCVD, 1985
FIRRS
Pentacyaninotrosylferrate(2−) ion, Metastable excited states, X-ray diffraction, TGA, DTA, 1767
Five-coordinate complexes
Copper(II) complexes, Mixed-ligand complexes, Aminohydroxamic acids, EPR spectra, Vis spectra, 295
Five-coordinated chlorocopper(II) complexes
1,10-Phenanthroline and its 5,6-disubstituted derivatives, X-ray structures, Electronic absorption and diffuse reflectance spectra, Cyclic voltammetry, 2143
Fluorescence quenching
Zinc(II)tetrasulfophthalocyanine, Sulfur dioxide, Association constants, 951
Fluorine
Platinum, Cyclometallation, Imine, Phosphine, Crystal structures, 105
Fluoroalkoxides
Cerium, Structures, Complexes, MOCVD, Films, 1985
Fluoroalkyls
Oxidative addition reaction, Perfluoro-*n*-butyl iodide, 1,5-Cyclooctadiene, 2357
Fluorogenic receptors
Polyazaalkanes ligand, Chemosensors, 1397
Fluxional
Dimesitylphosphine, Secondary phosphine, X-ray crystallography, NMR, Cone angle, 2409
Force constant
Cd(II) and Hg(II) complexes, Spectroscopic properties, Normal coordinate, 2-Phenylenediamine, 2-Aminophenol, 987
Formation constants
Mercapto-carboxylic acid, Potentiometry, IR, Ionisation constants, 1319
Formato
Copper, Dinuclear complexes, Antiferromagnetic, EPR, 1057
Four-membered ring compounds
Iminophosphorane, Cycloaddition, Thermolysis, Aza-Wittig reaction, X-ray analysis, 657
Four or five coordinate geometry
Conformational change, Metal centre, Transition metals, 2175
FT Raman
Isoquercitrin, Al(III) complexes, Stoichiometry, UV–Vis Spectroscopy, DFT calculations, 2801

Gallium
Aryloxide, Hydrogen bonding, Hydrolysis, 1877
Gallium–gallium bonds
Macrocycles, Supramolecular chemistry, 511
Gallium(II)
Subvalent indium and gallium, Indium(I), Indium(II), Halide complexes, Raman spectra, 519
Gallium
Indium, Dithiocarbamates, Dialkyldithiophosphates, ^{71}Ga NMR, Structures, 239
Gallium
Indium, Platinum, Heterobimetallic complexes, X-ray structure analysis, Quantum chemical calculations, 535
Gallium pyrazole complexes
Tetrachlorogallate salt, Gallium trichloride, 3,5-diphenylpyrazole, 1117
Gallium trichloride
Gallium pyrazole complexes, Tetrachlorogallate salt, 3,5-diphenylpyrazole, 1117
^{71}Ga NMR
Gallium, Indium, Dithiocarbamates, Dialkyldithiophosphates, Structures, 239
Gas sensing
Iron(II) phthalocyanine, Backscatter Mössbauer spectroscopy, 115
Geometrical isomers
Arylazopyrimidines, Osmium(II) complexes, X-ray structures, MLCT transitions, Redox property, 753
Germanium
Azide, Tin, Silver, Tris(pyrazolyl)borate, Aminotroponimine, 611
Germanium
B3LYP, CCSD(T), Arsenic, 579
Germanium(IV) tmtaa complexes
Macrocycles, Crystal structures, Six-coordinate geometry, *Trans*-positions, 969
Germylene
Digermene, X-ray crystallographic analysis, Dissociation, Equilibrium, Bond dissociation energy, Dioxadigermetane, Terminal tungsten complexes, 563
Glycine-conjugated bile acids
Acidity parameter, Aqueous solution, Hydroxy groups, 1421
Glycine methyl ester hydrolysis
Palladium(II) complexes, Bioligands, 167
Gold
N-Benzoylthiourea derivatives, Palladium, Solvent extraction, Ion selective electrode, Crystal and molecular structure, 1429
Group 13 metals
Low valent, Multiply bonded derivatives, Matrix isolation, 473
Group V
Metal alkoxides, Esterification, Single-crystal X-ray, Tantalum, Niobium, 2333
Guanidinate
1,3,4,6,7,8-Hexahydro-2*H*-pyramido[1,2-*a*]pyramidinate, Tin, Mononuclear, Dinuclear, 619

Hairy-rod structure
Cyclophosphazene, Supramolecular polymer, Coordination bonding, Lamellar packing, 1573
Halide complexes
Subvalent indium and gallium, Gallium(II), Indium(I), Indium(II), Raman spectra, 519
Halide complexes
Zinc, Thiosemicarbazones, Ligand, 1217
Halides
Organotin, Crystal structures, *N*-Thiocyanate, Azide, Acetate, 1667
Halogen exchange
Boron monochloride, Polyboron halides, 543
Halogermylenes
Donor side-chain, Intramolecular coordination, Diarylchlorogermanes, 2827
Hammett plot
Synthesis and electrochemistry, Asymmetric 14-π nickel(II) tetraazaannulene, Electrocatalysis, 917
Hammett substituent constants
Salen Cu(II) complexes, Schiff-base ligands, Cyclic voltammetry, 55
Hard–soft acids and bases
Bis(phosphine) monoxides, Cu(I), Chelates, NMR, Electrochemistry, 2793
2*H*-Azaphosphirene complexes
P-Ligands, 2*H*-1,2-Azaphosphole complexes, Cyclisation, 1,3-Dipoles, 119
2*H*-1,2-Azaphosphole complexes
P-Ligands, 2*H*-Azaphosphirene complexes, Cyclisation, 1,3-Dipoles, 119
^{1}H
Dimethylthallium(III), Thiosemicarbazones, Crystal structures, IR spectra, ^{13}C NMR spectra, 1651
Heat capacity
Mixed-valence compound, Electron transfer, Iron, Trinuclear, Iodoacetate, 1299
Heat capacity
Partition function, Equilibria in solution, Cooperativity, Site affinity, Buffer capacity, 1439
Hemidirected
Lead(II) complexes, Thiocyanate ligands, Crystal structures, 1223
Heptamethyleneimine
Platinum(II) complexes, Synthesis, Crystal structures, 2369
Heterobimetallic complexes
Gallium, Indium, Platinum, X-ray structure analysis, Quantum chemical calculations, 535
Heterobimetallics
Organometallics, Organoruthenium, Catalysis, Mössbauer, NMR, 2323
Heterocyclic nitrogen ligands
Metallic carbonyl complexes, Manganese, 439
Heterocyclic phosphide
Crystal structures, Cobalt(I) clusters, Interstitial phosphorus atom, Semi-bridging carbonyl, Substituted site, 1073
Heterocyclic thioamides
Osmium, Ruthenium, 2-Mercapto-1-methylimidazole, X-ray structures, 885
Heterodiene
Niobium complexes, 1,4-Diaza-1,3-diene, X-ray crystal structures, 305
Heteroleptic
Eight-coordinate, Schiff base, Zirconium complexes, X-ray crystal structure, Synthon, 211

Heteroleptic
X-ray, Mononuclear tungsten(VI) complexes, Ligand, 1017
Heterologous protein
Capillary electrophoresis, Hydrophobic interaction chromatography, BPTI, *Saccharomyces cerevisiae*, 1405
Heteropolyanions
Polyoxometalates, Ti(IV) complex, Wells-Dawson structure, 353
Heteropolyoxometalate
Arsenic, Tungstate, Lacunary, Synthesis, Redox chemistry, 959
Heteropolyoxomolybdates
Isopolyoxomolybdates, Hydrothermal synthesis, Cobalt complexes, 1921
Heterotrinuclear complexes
Nickel(II) complexes, BF_2^+-capped complexes, Dioxadithiadiazamacrobicycle, Template effect, *vic*-Dioxime, 1865
Hexaazamacrocycle
Crystal structures, Nickel(II) complexes, Organic ligands, Chain complex, 1913
Hexafluorophosphate complexes
Crystal structures, Copper complexes, Di-2-pyridylamine complexes, Tetrathionate complexes, Trifluoromethanesulfonate complexes, Sulfate complexes, 247
1,3,4,6,7,8-Hexahydro-2*H*-pyramido[1,2-*a*]pyramidinate
Guanidinate, Tin, Mononuclear, Dinuclear, 619
Hexamethyleneimine
Platinum, 1,1-Cyclobutanedicarboxylato, Synthesis, Crystal structure, 2659
Hexaniobate
Niobates, Hydrothermal synthesis, $NaNbO_3$, 2009
HF/ECP calculations
Niobium sulphide metallacycles, X-ray structures, 2227
Hg(II) complexes
Dimer, Diethylene triamine, X-ray crystal structures, 2195
High spin/low spin crossover
Density functional theory, Face-shared dimers, Metal–metal bonding, Electron delocalization, Broken-symmetry, Antiferromagnetic coupling, 1969
Hinokitiol
Copper, X-ray, Adduct, 1761
^{1}H NMR
Carbohydrates, Cobalt complexes, Circular dichroism, Sucrose complexes, Semiempirical calculations, 2215
^{1}H NMR
Cobalt(III), Pyrazolylthiosemicarbazone, X-ray crystallography, 779
^{1}H NMR
Cobalt(III), Thiosemicarbazone, X-ray crystal studies, IR, Electronic spectra, 2515
^{1}H NMR spectroscopy
Iron(II), Zinc(II), Schiff base, X-ray crystal structures, Dioxygen reactivity, 705
Homogeneous catalyst
Chromium, Crystal structures, Electron spin resonance, Polyethylene, 867
Homolytic hydride cleavage
Ruthenium(II) complexes, Semiquinone monochelates, 2761
Homooxacalixarenes
Uranyl ion, Calixarenes, Supramolecular assembly, Crystal structures, 1125
Homopiperazine
Coordination chemistry, Crystal structures, Piperazine, 1729
Homopiperazines
Platinum(II), Disubstituted sulfides, Synthesis, Crystal structure, 125
Hydrazido(2-)
Nitrogenase, Molybdenum, Crystal structures, Spectroelectrochemistry, 849
Hydrides
Tantalum, Metallocenes, Metallophosphines, Bimetallics, X-ray structures, 371
Hydride
Tungsten, Tin, Oxidative addition, Crystal structures, NMR, 1817
Hydrido complexes
Mononuclear complexes, Rhodium complexes, Nitrogen ligands, Crystal structures, 1613
Hydrogen-bonded network
Crystal structures, Iron(II) complexes, Hydrogen maleate, 1189
Hydrogen bonding
Aryloxide, Gallium, Hydrolysis, 1877
Hydrogen bonding
Cysteamine, Cysteine, Sulfur, 225
Hydrogen bonding
Phosphoranes, Pentacoordinated, X-ray structures, 1155
Hydrogen bonding
Pyridine N-oxide ligands, copper(II) complexes, X-ray structures, Magnetism, 1561
Hydrogen-bonding
Rhenium(I), Carbonyl, Aminoalcohol, Cytotoxicity, Oxidative-alkoxylation, 1991
Hydrogen-bonding
Silanol, Amine, Adducts, Acridine, 4,4′-bipyridine, Phenylpyridine, 1689
Hydrogen bond
Isotope effect, Dimer, Crystal structures, NQR, Tetrachloroaurate(III), 2207
Hydrogen bond
Nickel(II), Amino acid, Coordination chemistry, Chiral recognition, 817
Hydrogen bond
Silver(I), Nicotinamide, Nicotinic acid, Sulfonate, Ag–Ag interaction, Assembly chemistry, 689
Hydrogen maleate
Crystal structures, Iron(II) complexes, Hydrogen-bonded network, 1189
Hydrogen peroxide
Manganese(II) complexes, 2-Pyrazine carboxylic acid, 2,6-Pyridinedicarboxylic acid, Chelidamic acid, Crystal structures, Catalytic disproportionation, 1063
Hydrolysis
Aryloxide, Gallium, Hydrogen bonding, 1877
Hydrolysis of macrocycles
Edta-derived macrocycles, Macrocyclic ether bis(lactones), Stability constants, EPR of Cu(II) complexes, EPR of dinuclear Cu–Cu complexes, 2265
Hydrolysis
Solutions, Equilibria, Cations, Titration, Masking, 1369
Hydrophobic interaction chromatography
Capillary electrophoresis, Heterologous protein, BPTI, *Saccharomyces cerevisiae*, 1405
Hydrophobic moment
Solvation parameter model, Partition coefficient, Iron–sulfur protein, Mixed-valence non-integer oxidation number, Cysteine ligand, 1357
Hydrothermal synthesis
Isopolyoxomolybdates, Heteropolyoxomolybdates, Cobalt complexes, 1921
Hydrothermal synthesis
Niobates, $NaNbO_3$, Hexaniobate, 2009
Hydrothermal synthesis
Polyoxovanadates, Organic–inorganic hybrid, Mixed-valence, Cage-like structure, 2601
1-Hydroxybenzotriazolate complexes
Acetylacetonate complexes, Magnetic properties, Nickel(II), 2117
Hydroxy groups
Acidity parameter, Aqueous solution, Glycine-conjugated bile acids, 1421
Hydroxylamine
Silver, Kinetics, Mechanism, Redox, Catalysis, 1893
2-Hydroxynicotinic acid
Palladium, Platinum, X-ray crystal structures, Raman spectra, 2783
Hydroxypyridinonate complexes
Hydroxypyridinones, Chelating agents, Bifunctional ligand, 2609
Hydroxypyridinones
Hydroxypyridinonate complexes, Chelating agents, Bifunctional ligand, 2609
8-Hydroxyquinolinate
Titanium, Chelate, Coordination chemistry, Structure elucidation, 1081

Idp-type ligand
N,*N*-Di(2-carboxyethyl)-*p*-toluidine, *p*-Toluidine-*N*,*N*-di-3-propionic acid, Square pyramidal copper(II) complexes, Crystal structures, 2719
Imidato complexes
Cyclometallated paladium(II) complexes, Crystal structures, 1589
Imidazole-4-acetic acid
Polymeric zinc(II) complexes, Crystal structures, Vibrational spectra, Density functional calculations, 2819
Imidazole, 9,10-dihydro-9-oxo-10-acridineacetate
Copper(II) complexes, Crystal structures, Spectra, Magnetic measurements, 2381
Imidiazole complexes
Crystal structures, Physico-chemical properties, Spectroscopy, X-ray diffraction, 1857

Imido
Boron, Lithium, Complexes, X-ray, 549
Imido transfer
Osmium porphyrin, Phosphines, Kinetics, 1889
Imine–phenol function
Ruthenium aryls, Pyridine-2-thiolates of ruthenium, 899
Imine
Platinum, Cyclometallation, Fluorine, Phosphine, Crystal structures, 105
Iminophosphorane
Cycloaddition, Four-membered ring compounds, Thermolysis, Aza-Wittig reaction, X-ray analysis, 657
Immobilization
Silica gel, Epoxide, Propane-1,3-diamine, 2647
Indium
Gallium, Dithiocarbamates, Dialkyldithiophosphates, ^{71}Ga NMR, Structures, 239
Indium
Gallium, Platinum, Heterobimetallic complexes, X-ray structure analysis, Quantum chemical calculations, 535
Indium(II)
Subvalent indium and gallium, Gallium(II), Indium(I), Halide complexes, Raman spectra, 519
Indium(I)
Subvalent indium and gallium, Gallium(II), Indium(II), Halide complexes, Raman spectra, 519
Infrared spectroscopy
Diruthenium carboxylates, Urea and thiourea derivatives, Crystal structures, 1235
Infrared spectroscopy
Zinc adducts, Emprirical correlations, Calorimetry, 1677
Inner-sphere coordination
Lanthanide(III) chelate, Cobalt(III) chelate, Binuclear complexes, Outer-sphere coordination, Stability constant, 805
Inorganic polymer
Polyphosphazene, Metal–polymer complexes, 2587
Intensity parameters
Europium, Photoluminescence, Perchlorate, Methylpyridylacetamide, 1837
π–π interaction
Cadmium complexes, Dca ligand, Double end-to-end, Zigzag chain, 893
Interconversion
Schiff bases, Salicylaldimine adducts, X-ray crystal structures, Zinc complexes, Zwitterion, 697
Intermediates
Aluminum(I) halides, Metalloid clusters, Nanosized clusters, Metal lattice, X-ray structural analysis, 489
Intermetallic compounds
Clusters, Crystal structures, Lead, Zintl phases, 641
Intermolecular nucleophilic attack
Molecular orbital, Ab initio, Mechanism, Titanium, Ylid, 2699
Interstitial phosphorus atom
Crystal structures, Cobalt(I) clusters, Heterocyclic phosphide, Semi-bridging carbonyl, Substituted site, 1073
Intramolecular coordination
Halogermylenes, Donor side-chain, Diarylchlorogermanes, 2827
Iodoacetate
Mixed-valence compound, Electron transfer, Iron, Trinuclear, Heat capacity, 1299
Ionisation constants
Mercapto-carboxylic acid, Potentiometry, IR, Formation constants, 1319
Ion pair
Copper(II) complex, Crystal structures, EDTA, Adeninium, Molecular recognition, 1451
Ion selective electrode
N-Benzoylthiourea derivatives, Gold, Palladium, Solvent extraction, Crystal and molecular structure, 1429
Ion selective electrodes
Artificial neural networks, Experimental design, Stability constants, Metal complexes, Metal–ligand equilibria, 1375
IR and UV–Vis–NIR band analysis
Nickel(II) chromate and dichromate complexes of phenanthroline, Monodentate coordination of CrO_4^{2-}, Crystal structures, 997
IR
Cobalt(III), Thiosemicarbazone, X-ray crystal studies, ^{1}H NMR, Electronic spectra, 2515
Iridium(III) complexes
Rhenium(III) complexes, S-bridged polynuclear complexes, Crystal structures, UV–Vis absorption spectra, Cyclic voltammetry, 1809
Iridium
Polycations, Cluster compounds, Crystal structures, Bismuth, Rhodium, 651
IR
Mercapto-carboxylic acid, Potentiometry, Formation constants, Ionisation constants, 1319
Iron
Acetylide, Vinylidene, Propadienylidene, 1755
Iron carbonyl complexes
Organometallic phosphine, Multimetallic, π-Allyl molybdenum, Cyclopentadienyl iron complexes, 2301
Iron complexes
Aminohydroxamate complexes, Electrochemical reduction, Cyclic voltammetry, EC mechanism, 1661
Iron(II) complexes
Crystal structures, Hydrogen-bonded network, Hydrogen maleate, 1189
Iron(III) dialkyldithiocarbamates
Mössbauer spectra, Magnetic moment, Thermal decomposition, Spin crossover, 2489
Iron(III)
Single-crystal X-ray, N-donor, Terpyridyl, 2055
Iron(II) phthalocyanine
Backscatter Mössbauer spectroscopy, Gas sensing, 115
Iron(II)
Zinc(II), Schiff base, X-ray crystal structures, ^{1}H NMR spectroscopy, Dioxygen reactivity, 705
Iron
Mixed-valence compound, Electron transfer, Trinuclear, Iodoacetate, Heat capacity, 1299
Iron–sulfur protein
Solvation parameter model, Partition coefficient, Hydrophobic moment, Mixed-valence non-integer oxidation number, Cysteine ligand, 1357
IR spectra
Dimethylthallium(III), Thiosemicarbazones, Crystal structures, ^{1}H, ^{13}C NMR spectra, 1651
IR spectra
Vanadium complexes, Caffeic acid complexes, UV–Vis spectra, Potentiometric titrations, Catecholate-like ligand, 1979
IR spectroscopy
Magnesium phthalocyanines, Magnesium complexes, Crystal structures, Raman spectroscopy, UV–Vis spectroscopy, 265
Isatin
X-ray, Thiosemicarbazone, Metal complexes, 2593
Isocytosine complexes
Cu(II) complexes, Ternary complexes, Peptide–Cu(II)–isocytosine complexes, 1197
Isomerism
Ferrocenyl Schiff bases, DFT calculations, 2361
Isomorphism
$C_{10}H_{20}N_2S_4Zn \cdot C_5H_5N$, Structures, ^{15}N CP/MAS NMR spectroscopy, 2727
Isopolyoxomolybdates
Heteropolyoxomolybdates, Hydrothermal synthesis, Cobalt complexes, 1921
Isoquercitrin
Al(III) complexes, Stoichiometry, UV–Vis Spectroscopy, DFT calculations, FT Raman, 2801
Isotope effect
Hydrogen bond, Dimer, Crystal structures, NQR, Tetrachloroaurate(III), 2207
Isoxazolidines
Pd-, Zn-, Cu-complexes, Syntheses, X-ray, NMR, 769

Keggin
Polyoxometalates, Charge transfer, Photochromism, 2537
β-Ketoiminate
Silver(I) complexes, Non-fluorinated β-diketonate ligands, Monothio-β-ketonate, Chemical vapor deposition, Crystal structures, 1289
Kinetic data
Copper(I) complexes, Autoxidation, Catalytic activity, 181

Kinetics
Cobalt, Phthalocyanine, Cyanide, Sulfur dioxide, Equilibria, 133
Kinetics
2-Mercaptobenzoxazole, Pentacyanoferrate, Equilibrium constants, Electrochemistry, 2137
Kinetics
Osmium porphyrin, Imido transfer, Phosphines, 1889
Kinetics
Silver, Hydroxylamine, Mechanism, Redox, Catalysis, 1893
Kinetic studies
Ternary complexes, Crystal structures, 2045

Lactic acid
Mixed-ligand complexes, Copper(II) complexes, 2,2′-Bipyridine complexes, 2-Methyllactic acid, Mandelic acid, Crystal structures, 2811
Lacunary
Heteropolyoxometalate, Arsenic, Tungstate, Synthesis, Redox chemistry, 959
Lamellar packing
Cyclophosphazene, Supramolecular polymer, Coordination bonding, Hairy-rod structure, 1573
Lantern-type complexes
Platinum(III) compounds, Amidate bridging ligands, X-ray structure, 275
Lanthanide and actinide extaction
Carboranes, Carba metallaboranes, Dicarbollides, Cyclic voltammetry, Liquid–liquid extraction, 975
Lanthanide complexes
Macrocycles, Crystal structures, Chiral complexes, NMR of paramagnetic compounds, 811
Lanthanide contraction
Anion controlled assembly, Crystal structures, Magnetic properties, 1097
Lanthanide(III) chelate
Cobalt(III) chelate, Binuclear complexes, Inner-sphere coordination, Outer-sphere coordination, Stability constant, 805
Lanthanide(III) complexes
Macrocyclic ligands, 2,6-Diacetylpyridine, 3-Substituted-1,2-diaminopropanes, 425
Lanthanide(III) complexes
tert-Butylcalix[4]arenes, Amide, Sodium complexes, Yttrium(III) complexes, X-ray structures, 763
Lanthanide
Polyaza ligands, Catecholate ligands, Stability constants, Potentiometry, 1393
Lanthanides(III)
Oxygen donors, 2,2′-Oxydiethylamine, Dimethylsulfoxide, Complexes, Thermodynamics, 1385
Lead
Clusters, Crystal structures, Intermetallic compounds, Zintl phases, 641
Lead(II) complexes
Hemidirected, Thiocyanate ligands, Crystal structures, 1223
Lead(II)
Tris(pyrazolyl)borate and 2,6-pyridyl-diimine ligands, Thiocyanate, Cadmium(II), 1795
Lewis-amphoteric behavior
Stannylenes, Plumbylenes, Distannenes, Diplumbenes, 587
LH_4
vic-Dioxime, Nickel(II), Cobalt(II), Copper(II), Iron(II), Uranyl(IV), Electrochemistry, $N_2O_2S_2$ macrocyle, 825
Ligand-field strength
Trans influence, Crystal structures, Tripodal tridentate phosphine, Acetylacetonate complexes, Chromium(III) complexes, 835
Ligand titration
Natural metal complexes, Natural ligands, Resin titration, Chelex 100, 1343
Ligand
X-ray, Mononuclear tungsten(VI) complexes, Heteroleptic, 1017
Ligand
Zinc, Halide complexes, Thiosemicarbazones, 1217
Linear disilaketenylidene (SiSiO)
Electronic states, Renner effect, Analogous multiple bonded systems, 599
Linear polyamines
Metal complexes, Polyamine complexes, 1459
Liquid–liquid extraction
Carboranes, Carba metallaboranes, Dicarbollides, Cyclic voltammetry, Lanthanide and actinide extaction, 975
Lithium
Alkoxides, Crystal structures, Tungsten, Methoxide, 193
Lithium
Boron, Imido, Complexes, X-ray, 549
Lithium
C_3-chiral triamidostannate, Amides, Tin, 629
Low valent indium
β-Diketiminate, Bulky ligands, Metal–metal bonds, 525
Low valent
Multiply bonded derivatives, Group 13 metals, Matrix isolation, 473
Lumazine complexes
Crystal structures, Copper complexes, Zinc complexes, 1961
Luminescence property
Europium complexes, X-ray crystallography, Dibenzoylmethane, 2-(4′-Dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline, 3-Ethyl-2-(4′-dimethylaminophenyl)imidazo[4,5-f]1,10-phenanthroline, 313
Lysyl–glycyl–histidyl–lysine
Copper complexes, Nickel complexes, Complex-formation equilibria, 1469

Macrocycle complexes
Dithiophosphate complexes, Dithiophosphonate complexes, Pentacoordinate nickel(II) complexes, Crystal structures, 1935
Macrocycles
Cadmium, Polyamines, Dipyridine, Phenanthroline, 1329
Macrocycles
Gallium–gallium bonds, Supramolecular chemistry, 511
Macrocycles
Germanium(IV) tmtaa complexes, Crystal structures, Six-coordinate geometry, *Trans*-positions, 969
Macrocycles
Lanthanide complexes, Crystal structures, Chiral complexes, NMR of paramagnetic compounds, 811
Macrocyclic compound
Binuclear complexes, Magnetic properties, 359
Macrocyclic ether bis(lactones)
Edta-derived macrocycles, Stability constants, EPR of Cu(II) complexes, EPR of dinuclear Cu–Cu complexes, Hydrolysis of macrocycles, 2265
Macrocyclic ligands
Lanthanide(III) complexes, 2,6-Diacetylpyridine, 3-Substituted-1,2-diaminopropanes, 425
Macrocyclic Ni(II) complexes
Dibenzotetraaza[14]annulenes, Succinyl dichloride, Crystal structures, Solid state supramolecular complexes, 7
Macromolecular complexes
Cyclophosphazenes, Polyphosphazenes, Phenolic phosphine, Carbonyls, Spectroscopic characterization, 2579
Magnesium complexes
Magnesium phthalocyanines, Crystal structures, IR spectroscopy, Raman spectroscopy, UV–Vis spectroscopy, 265
Magnesium complexes
Phoshocreatine, ^{31}P NMR spectroscopy, Sodium complexes, Potassium complexes, 1481
Magnesium diboride
Chemical bonding topology, Superconductors, Cuprate superconductors, 2347
Magnesium(II) complexes
Aminomethane-1,1-diphosphonic acids, Zinc(II) complexes, Calcium(II) complexes, Potentiometry, NMR, 321
Magnesium
Niobium, Alkoxides, Oxoalkoxides, Mass-spectra, Crystal structures, 1629
Magnesium phthalocyanines
Magnesium complexes, Crystal structures, IR spectroscopy, Raman spectroscopy, UV–Vis spectroscopy, 265
Magnetic coupling
DFT calculations, Dinuclear transition metal complexes, Electron transfer, Metal–metal bonding, Spin polarization, 1163
Magnetic data
1D nickel(II) azido complexes, Pyridine derivative complexes, Preparation, Crystal structures, Spectra, 1871
Magnetic measurements

Copper(II) complexes, Imidazole, 9,10-dihydro-9-oxo-10-acridineacetate, Crystal structures, Spectra, 2381
Magnetic moment
Iron(III) dialkyldithiocarbamates, Mössbauer spectra, Thermal decomposition, Spin crossover, 2489
Magnetic properties
Acetylacetonate complexes, 1-Hydroxybenzotriazolate complexes, Nickel(II), 2117
Magnetic properties
Benzoate ligands, Cobalt(II) complexes, Di-2-pyridyl ketone complexes, End-on azide ligands, 2027
Magnetic properties
Binuclear nickel(II) complexes, Crystal structures, Terminal thiocyanato ion complexes, Terminal cyanato ion complexes, Pentadentate ligands, 2457
Magnetic properties
Binucleating ligand, Copper(II) complexes, Nickel(II) complexes, Electrochemistry, 2767
Magnetic properties
Copper(II) complexes, Oxalato complexes, Oxalato-bridged complexes, Crystal structures, 1203
Magnetic properties
Crystal structures, Thermal properties, Tetrabromocuprate(II), *n*-Ethylpyridinium, 19
Magnetic properties
Lanthanide contraction, Anion controlled assembly, Crystal structures, 1097
Magnetic properties
Macrocyclic compound, Binuclear complexes, 359
Magnetic properties
Nickel, Palladium, Platinum, Oxalate, Crystal structures, DFT calculations, 2631
Magnetism
Copper(II), Alkoxo-bridged, Benzimidazoles, Crystal structures, 141
Magnetism
Cu(II) stereochemistry, X-ray structures, EPR spectra, 2473
Magnetism
Pyridine N-oxide ligands, copper(II) complexes, X-ray structures, Hydrogen bonding, 1561
Magnetism
Tetranuclear copper(II) complexes, Crystal structures, Antiferromagnetic coupling, Molecular orbital calculation, 1539
Magnetochemical studies
X-ray crystallography, Manganese oxide clusters, 1779
Malate
Nickel, Malic acid, Coordination polymer, Asymmetric catalysis, Crystal structures, Electroplating, 787
Malic acid
Nickel, Malate, Coordination polymer, Asymmetric catalysis, Crystal structures, Electroplating, 787
Malonates
Tin enolates, Diorganohydroxytin, Diorganotin, Sn(IV) complexes, Di-*n*-butylhydroxytin(IV), 417
Malonato complexes
Uranyl, CPMAS ^{13}C NMR, X-ray crystallography, 81
Mandelic acid
Mixed-ligand complexes, Copper(II) complexes, 2,2′-Bipyridine complexes, Lactic acid, 2-Methyllactic acid, Crystal structures, 2811
Manganese(II) complexes
2-Pyrazine carboxylic acid, 2,6-Pyridinedicarboxylic acid, Chelidamic acid, Crystal structures, Catalytic disproportionation, Hydrogen peroxide, 1063
Manganese
Metallic carbonyl complexes, Heterocyclic nitrogen ligands, 439
Manganese oxide clusters
X-ray crystallography, Magnetochemical studies, 1779
Masking
Solutions, Equilibria, Cations, Hydrolysis, Titration, 1369
Mass-spectra
Magnesium, Niobium, Alkoxides, Oxoalkoxides, Crystal structures, 1629
Mass-spectrometric study
Trimetallic alkoxides, Molecular structure, X-ray study, Rhenium methoxides, Niobium methoxide, Tantalum methoxide, 2317
Mass spectrometry
Chromium, Pivalate, Paramagnetic, NMR, X-ray photoelectron spectroscopy, 155
Mass spectrometry
Trialkylaluminum, Aminoalane, Dibenzylamine, NMR, Molecular structure, 1747
Matrix isolation
Disilenes, Silenes, Silanones, Photolysis, 467
Matrix isolation
Low valent, Multiply bonded derivatives, Group 13 metals, 473
M = Co
Thiadiazole, M = Ni, M = Cu, Crystal structures, Monomeric complexes, 403
M = Cu
Thiadiazole, M = Co, M = Ni, Crystal structures, Monomeric complexes, 403
Mechanism
Molecular orbital, Ab initio, Intermolecular nucleophilic attack, Titanium, Ylid, 2699
Mechanism
Silver, Hydroxylamine, Kinetics, Redox, Catalysis, 1893
2-Mercaptobenzoxazole
Pentacyanoferrate, Kinetics, Equilibrium constants, Electrochemistry, 2137
Mercapto-carboxylic acid
Potentiometry, IR, Formation constants, Ionisation constants, 1319
2-Mercapto-1-methylimidazole
Heterocyclic thioamides, Osmium, Ruthenium, X-ray structures, 885
Mercury(II)
Arylmetal complexes, Boron, The 2,6-bis(dimethylamino)phenyl ligand, 635
Mercury(II) halides
Phosphine complexes, Crystal structures, 1845
Mercury(II)
Phosphine chalcogenide, Seven-membered, Palladium(II), Metallacyclic rings, bis(diphenylthiophosphinyl)ethane, 205
Metal alkoxides
Esterification, Single-crystal X-ray, Group V, Tantalum, Niobium, 2333
Metal centre
Conformational change, Four or five coordinate geometry, Transition metals, 2175
Metal complexes
Artificial neural networks, Experimental design, Stability constants, Ion selective electrodes, Metal–ligand equilibria, 1375
Metal complexes
Linear polyamines, Polyamine complexes, 1459
Metal complexes
S-Benzyldithiocarbazate, Bioactivity of Schiff bases, Bioactivity of metal complexes, Crystal structure of Cd(II) complexes, 2547
Metal complexes
Schiff base ligands, Cadmium(II) complexes, Crystal structures, Dithiocarbazate Schiff base crystal structures, Bioactivity, 2691
Metal complexes
X-ray, Thiosemicarbazone, Isatin, 2593
Metallacycles, oxo ligands
Cyclo-addition, P ligands, Palladium, Structure elucidation, 2653
Metallacyclic rings
Phosphine chalcogenide, Seven-membered, Palladium(II), Mercury(II), bis(diphenylthiophosphinyl)ethane, 205
Metallation
Palladium, Schiff base, Phosphorus ligands, X-ray diffraction, 2309
Metal lattice
Aluminum(I) halides, Metalloid clusters, Nanosized clusters, Intermediates, X-ray structural analysis, 489
Metallic carbonyl complexes
Manganese, Heterocyclic nitrogen ligands, 439
Metallic polymer
Azamacrocycles, Aromatic pendant arms, Coordination compounds, 333
Metal–ligand equilibria
Artificial neural networks, Experimental design, Stability constants, Metal complexes, Ion selective electrodes, 1375
Metallocene
Molybdenum, Metallocenium, Pentaphenylcyclopentadienyl, 1707
Metallocenes
Tantalum, Hydrides, Metallophosphines, Bimetallics, X-ray structures, 371

Metallocenium
Molybdenum, Metallocene, Pentaphenylcyclopentadienyl, 1707
Metalloid clusters
Aluminum(I) halides, Nanosized clusters, Intermediates, Metal lattice, X-ray structural analysis, 489
Metalloid clusters
Electron counts, Aluminum, 503
Metallophosphines
Tantalum, Metallocenes, Hydrides, Bimetallics, X-ray structures, 371
Metal–metal bonding
Density functional theory, Face-shared dimers, High spin/low spin crossover, Electron delocalization, Broken-symmetry, Antiferromagnetic coupling, 1969
Metal–metal bonding
DFT calculations, Dinuclear transition metal complexes, Electron transfer, Magnetic coupling, Spin polarization, 1163
Metal–metal bonds
β-Diketiminate, Low valent indium, Bulky ligands, 525
Metal–metal interactions
Molybdenum, Pyridylphosphines, Rhodium, 1737
Metal–nitrile complexes
Dendrimers, Cyclophosphazene, 909
Metal-organic frameworks (MOF)
Synthesis, Crystal structures, TGA–DTA, 175
Metal–polymer complexes
Inorganic polymer, Polyphosphazene, 2587
Metal uptake
Cork, Solid state ^{13}C MAS and CP-MAS NMR, Copper, Nickel, Potentiometric titration, 1363
Metastable excited states
Pentacyaninotrosylferrate(2−) ion, X-ray diffraction, FIRRS, TGA, DTA, 1767
Metathesis
Molybdenum, Tin, Crystal structures, Polymerisation, Norbornadiene, NMR spectra, 2505
Methionine
CD spectroscopy, Copper(II), Nickel(II), Palladium(II), Peptides, 2149
Methoxide
Alkoxides, Crystal structures, Lithium, Tungsten, 193
2-Methylaminopyridine
Cyclodextrins, Copper(II) complexes, 1531
4-Methyl-2,6-dibenzoylphenol
Synthesis, Cobalt(III) complexes, NMR, TGA, Cyclic voltammetry, X-ray structures, 1787
Methylene group contribution
Potassium *p*-*n*-hexylbenzoate, Potassium *p*-*n*-heptylbenzoate, Potassium *p*-*n*-octylbenzoate, Apparent molar enthalpies of, Partial molar enthalpies of, Micellization enthalpy, 1497
2-Methyllactic acid
Mixed-ligand complexes, Copper(II) complexes, 2,2′-Bipyridine complexes, Lactic acid, Mandelic acid, Crystal structures, 2811
Methyl-molybdenum complexes
Molybdenum complexes, oxo-Hydrazido complexes, Phenyl-molybdenum complexes, Diimine, X-ray structures, 2531
Methylpyridylacetamide
Europium, Photoluminescence, Perchlorate, Intensity parameters, 1837
Methyltin(IV) tribromide
Porphyrins, Sitting–Atop complexes, Organotin(IV) halide adducts, Tin compounds, Spectral method, 1255
Mg(II)
Adenosine-5′-triphosphate (ATP), NOESY, Torsion angle (χ), 435
Micellization enthalpy
Potassium *p*-*n*-hexylbenzoate, Potassium *p*-*n*-heptylbenzoate, Potassium *p*-*n*-octylbenzoate, Apparent molar enthalpies of, Partial molar enthalpies of, Methylene group contribution, 1497
Mixed-ligand complexes
Copper(II) complexes, 2,2′-Bipyridine complexes, Lactic acid, 2-Methyllactic acid, Mandelic acid, Crystal structures, 2811
Mixed-ligand complexes
Copper(II) complexes, Five-coordinate complexes, Aminohydroxamic acids, EPR spectra, Vis spectra, 295
Mixed-ligand complexes
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
Mixed-ligand complexes
Ni(II), Co(II), Tetramines, Adenosine 5′-monophosphate, 745
Mixed-ligand complexes
Zinc(II) complexes, Aminohydroxamic acids, Polyamines, NMR spectra, Potentiometry, 2183
Mixed-ligands Cu(II) chelates
Dithiocarbamates, Cu(II) complexes, Ethylenediamine, Crystal structures, 1899
Mixed-valence compound
Electron transfer, Iron, Trinuclear, Iodoacetate, Heat capacity, 1299
Mixed-valence non-integer oxidation number
Solvation parameter model, Partition coefficient, Hydrophobic moment, Iron–sulfur protein, Cysteine ligand, 1357
Mixed-valence
Polyoxovanadates, Organic–inorganic hybrid, Hydrothermal synthesis, Cage-like structure, 2601
Mixed-valence
Ruthenium-ammine, Benzotriazole, Polynuclear complexes, Electron transfer, Molecular wires, 2089
MLCT transitions
Arylazopyrimidines, Osmium(II) complexes, Geometrical isomers, X-ray structures, Redox property, 753
M = Ni
Thiadiazole, M = Co, M = Cu, Crystal structures, Monomeric complexes, 403
MOCVD
Cerium, Fluoroalkoxides, Structures, Complexes, Films, 1985
Mo/Fe/S cluster
Synthesis, Structures, S=PEt_3 ligand, CO, 2523
Molecular orbital
Ab initio, Mechanism, Intermolecular nucleophilic attack, Titanium, Ylid, 2699
Molecular orbital calculation
Tetranuclear copper(II) complexes, Crystal structures, Magnetism, Antiferromagnetic coupling, 1539
Molecular orbitals
Polyoxometalates, Transition metals, Chemical bonding, Density–functional theory, 2201
Molecular recognition
Copper(II) complex, Crystal structures, EDTA, Adeninium, Ion pair, 1451
Molecular recognition
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Thermal stability, Spectral and magnetic properties, 1485
Molecular structures
Tridentate Schiff base ligand, Potassium permanganate, Photosystem II, 1139
Molecular structure
Trialkylaluminum, Aminoalane, Dibenzylamine, NMR, Mass spectrometry, 1747
Molecular structure
Trimetallic alkoxides, X-ray study, Mass-spectrometric study, Rhenium methoxides, Niobium methoxide, Tantalum methoxide, 2317
Molecular wires
Ruthenium-ammine, Benzotriazole, Polynuclear complexes, Mixed-valence, Electron transfer, 2089
Molybdenum complexes
oxo-Hydrazido complexes, Methyl-molybdenum complexes, Phenyl-molybdenum complexes, Diimine, X-ray structures, 2531
Molybdenum
Crystal structures, Cluster complexes, Acetates, Reduction, 147
Molybdenum
Metallocene, Metallocenium, Pentaphenylcyclopentadienyl, 1707
Molybdenum
Metal–metal interactions, Pyridylphosphines, Rhodium, 1737
Molybdenum
Nitrogenase, Hydrazido(2-), Crystal structures, Spectroelectrochemistry, 849
Molybdenum

Tin, Crystal structures, Metathesis, Polymerisation, Norbornadiene, NMR spectra, 2505
Mono-bridged species
Mono-helical, Single-helical-strand, Coordination chemistry, Transition metals, X-ray crystallography, 1177
Monodentate coordination of CrO_4^{2-}
Nickel(II) chromate and dichromate complexes of phenanthroline, Crystal structures, IR and UV–Vis–NIR band analysis, 997
Mono-helical
Single-helical-strand, Mono-bridged species, Coordination chemistry, Transition metals, X-ray crystallography, 1177
Monomeric complexes
Thiadiazole, M = Co, M = Ni, M = Cu, Crystal structures, 403
Mononuclear bis(imido) Mo(VI) complexes
Pyrazole, X-ray crystal structures, 1211
Mononuclear complexes
Copper(II) complexes, Spectral properties, Crystal structures, Pyridinecarboxylate complexes, 365
Mononuclear complexes
Rhodium complexes, Hydrido complexes, Nitrogen ligands, Crystal structures, 1613
Mononuclear complexes
Triazole derivatives, Crystal structures, 797
Mononuclear
Guanidinate, 1,3,4,6,7,8-Hexahydro-2*H*-pyramido[1,2-*a*]pyramidinate, Tin, Dinuclear, 619
Mononuclear tungsten(VI) complexes
X-ray, Ligand, Heteroleptic, 1017
Monothio-β-ketonate
Silver(I) complexes, Non-fluorinated β-diketonate ligands, β-Ketoiminate, Chemical vapor deposition, Crystal structures, 1289
Morphologies
Uranyl complexes, Schiff base ligand, 2421
Mössbauer
Organometallics, Heterobimetallics, Organoruthenium, Catalysis, NMR, 2323
Mössbauer spectra
Iron(III) dialkyldithiocarbamates, Magnetic moment, Thermal decomposition, Spin crossover, 2489
Multimetallic
Organometallic phosphine, π-Allyl molybdenum, Iron carbonyl complexes, Cyclopentadienyl iron complexes, 2301
Multiply bonded derivatives
Low valent, Group 13 metals, Matrix isolation, 473

$NaNbO_3$
Niobates, Hydrothermal synthesis, Hexaniobate, 2009
Nanosized clusters
Aluminum(I) halides, Metalloid clusters, Intermediates, Metal lattice, X-ray structural analysis, 489
Naphthalocyanine
Raman, Rare earth, Sandwich complexes, 1905
Natural ligands
Natural metal complexes, Resin titration, Ligand titration, Chelex 100, 1343
Natural metal complexes
Natural ligands, Resin titration, Ligand titration, Chelex 100, 1343
N-Benzoylthiourea derivatives
Gold, Palladium, Solvent extraction, Ion selective electrode, Crystal and molecular structure, 1429
N-(Benzylidene)xylylendiamines
Cyclometallated palladium(II) compounds, Chloro-bridged complexes, 2063
^{15}N CP/MAS NMR spectroscopy
$C_{10}H_{20}N_2S_4Zn \cdot C_5H_5N$, Isomorphism, Structures, 2727
N-donor
Iron(III), Single-crystal X-ray, Terpyridyl, 2055
N-donor ligands
Platinum chloride complexes, X-ray structures, ^{15}N NMR, 1,2,4-Triazolo-[1,5α]-pyrimidines, 343
n-Ethylpyridinium
Crystal structures, Magnetic properties, Thermal properties, Tetrabromocuprate(II), 19
Nickel complexes
Copper complexes, Complex-formation equilibria, Lysyl–glycyl–histidyl–lysine, 1469
Nickel complexes
Crystal structures, Palladium complexes, 2071
Nickel complexes
Dithiocarbimates, Triphenylphosphine, Crystal structures, 2243
Nickel complexes
Sulfonamide complexes, 8-Aminoquinoline, X-ray crystal structures, 1229
Nickel
Copper, Zinc, Cadmium, Saccharinate, X-ray structures, 395
Nickel
Cork, Solid state ^{13}C MAS and CP-MAS NMR, Copper, Potentiometric titration, Metal uptake, 1363
Nickel(II)
Acetylacetonate complexes, 1-Hydroxybenzotriazolate complexes, Magnetic properties, 2117
Nickel(II)
Amino acid, Coordination chemistry, Hydrogen bond, Chiral recognition, 817
Nickel(II)
CD spectroscopy, Copper(II), Palladium(II), Peptides, Methionine, 2149
Nickel(II) chromate and dichromate complexes of phenanthroline
Monodentate coordination of CrO_4^{2-}, Crystal structures, IR and UV–Vis–NIR band analysis, 997
Nickel(II), Cobalt(II), Copper(II), Iron(II), Uranyl(IV), Electrochemistry
vic-Dioxime, LH_4, $N_2O_2S_2$ macrocyle, 825
Nickel(II) complexes
Binucleating ligand, Copper(II) complexes, Electrochemistry, Magnetic properties, 2767
Nickel(II) complexes
Crystal structures, Hexaazamacrocycle, Organic ligands, Chain complex, 1913
Nickel(II) complexes
Di-2-pyridyl ketone benzoylhydrazone, Spectroscopy, Thermal analyses, 2375
Nickel(II) complexes
Heterotrinuclear complexes, BF_2^+-capped complexes, Dioxadithiadiazamacrobicycle, Template effect, *vic*-Dioxime, 1865
Nickel(II) complexes
Salen ligands, Ni(I) complexes, EPR, 1695
Nickel(II)
Crystal structures, 3-Piperidine, Thiosemicarbazone, 2-Pyridineformamide, Spectra, 859
Nickel(II)
2-Pyridineformamide, Thiosemicarbazone, Zinc(II), Cadmium(II), Crystal structures, 729
Nickel(II)
Schiff base complexes, Cobalt(II), Zinc(II), Tetrahedral, Crystal structures, 2733
Nickel
Malic acid, Malate, Coordination polymer, Asymmetric catalysis, Crystal structures, Electroplating, 787
Nickel
Palladium, Chirality, Bidentate nitrogen ligands, Crystal structures, 27
Nickel
Palladium, Platinum, Oxalate, Crystal structures, Magnetic properties, DFT calculations, 2631
Nickel
Phthalocyanines, Phthalonitrile derivatives, Electrochemistry, Zinc, Cobalt, 255
Nickel
Thiolate, *cis*-1,2-Bis(diphenylphosphino)ethene, X-ray structures, 421
Nickel(0)
Vinylcyclosilazane complexes, Crystal structure, 1261
Nicotinamide
Silver(I), Nicotinic acid, Sulfonate, Hydrogen bond, Ag–Ag interaction, Assembly chemistry, 689
Nicotinic acid
Silver(I), Nicotinamide, Sulfonate, Hydrogen bond, Ag–Ag interaction, Assembly chemistry, 689
Ni(I) complexes
Salen ligands, Nickel(II) complexes, EPR, 1695
Ni(II)
Co(II), Tetramines, Adenosine 5′-monophosphate, Mixed-ligand complexes, 745
Niobates
Hydrothermal synthesis, $NaNbO_3$, Hexaniobate, 2009
Niobium complexes
Heterodiene, 1,4-Diaza-1,3-diene, X-ray crystal structures, 305

Niobium
Magnesium, Alkoxides, Oxoalkoxides, Mass-spectra, Crystal structures, 1629
Niobium
Metal alkoxides, Esterification, Single-crystal X-ray, Group V, Tantalum, 2333
Niobium methoxide
Trimetallic alkoxides, Molecular structure, X-ray study, Mass-spectrometric study, Rhenium methoxides, Tantalum methoxide, 2317
Niobium sulphide metallacycles
X-ray structures, HF/ECP calculations, 2227
Nitrate complexes, Di-2-pyridylamine complexes
Crystal structures, Copper complexes, 943
Nitric oxide
Rhenium, Nitrosyl, X-ray structures, Electronic structures, 2617
Nitrite complexes
Crystal structures, Copper(II) complexes, Sulfate complexes, di-2-Pyridylamine complexes, Thiocyanato complexes, 1279
Nitrogenase
Hydrazido(2-), Molybdenum, Crystal structures, Spectroelectrochemistry, 849
Nitrogen dioxide
Phthalocyanines, Scanning electron microscopy, X-ray microprobe, UV–Vis and FTIR spectroscopy, X-ray powder diffractometry, 677
Nitrogen ligands
Mononuclear complexes, Rhodium complexes, Hydrido complexes, Crystal structures, 1613
Nitrophenoxide complexes
Thallium(I) complexes, Crystal structure, 2555
Nitrosyl complexes
Ruthenium(II), NMR spectra, X-ray structures, Diop, Dppb, 2221
Nitrosyl
Rhenium, X-ray structures, Electronic structures, Nitric oxide, 2617
N-[2-(4-Methoxyphenyltelluro)ethyl]benzamide
N-[2-(4-Methoxyphenyl telluro)propyl]phthalimide, Palladium(II), Platinum(II), Ruthenium(II), Complexes, Crystal structures, 667
N-[2-(4-Methoxyphenyl telluro)propyl]phthalimide
N-[2-(4-Methoxyphenyltelluro)ethyl]benzamide, Palladium(II), Platinum(II), Ruthenium(II), Complexes, Crystal structures, 667
N-methylated polyamines
Silver(I), Complexes, Dimethylsulfoxide, Thermodynamics, 1337
NMR
Aminomethane-1,1-diphosphonic acids, Zinc(II) complexes, Magnesium(II) complexes, Calcium(II) complexes, Potentiometry, 321
NMR and IR analysis
Platinum(II) complexes, Ribavirin, X-ray structures, 2001
NMR
Bis(phosphine) monoxides, Cu(I), Chelates, Electrochemistry, Hard–soft acids and bases, 2793
NMR
Chromium, Pivalate, Mass spectrometry, Paramagnetic, X-ray photoelectron spectroscopy, 155
NMR
Dimesitylphosphine, Secondary phosphine, X-ray crystallography, Cone angle, Fluxional, 2409
NMR
Isoxazolidines, Pd-, Zn-, Cu-complexes, Syntheses, X-ray, 769
NMR of paramagnetic compounds
Macrocycles, Lanthanide complexes, Crystal structures, Chiral complexes, 811
NMR
Organometallics, Heterobimetallics, Organoruthenium, Catalysis, Mössbauer, 2323
NMR
Poly(3-Rpyrazolyl)borate cobalt(II) complexes, Structures, 2743
NMR spectra
Molybdenum, Tin, Crystal structures, Metathesis, Polymerisation, Norbornadiene, 2505
NMR spectra
Nitrosyl complexes, Ruthenium(II), X-ray structures, Diop, Dppb, 2221
NMR spectra
Zinc(II) complexes, Mixed-ligand complexes, Aminohydroxamic acids, Polyamines, Potentiometry, 2183
NMR spectroscopy
Tellurium dichloride, Chloridotellurate anions, X-ray crystallography, 1089
NMR studies
Silver(I) complexes, Thiones, 1267
NMR
Synthesis, Cobalt(III) complexes, 4-Methyl-2,6-dibenzoylphenol, TGA, Cyclic voltammetry, X-ray structures, 1787
NMR
Trialkylaluminum, Aminoalane, Dibenzylamine, Mass spectrometry, Molecular structure, 1747
NMR
Triphenylantimony(V), Oximes, X-ray, 2387
NMR
Tungsten, Tin, Oxidative addition, Crystal structures, Hydride, 1817
N,*N*-Di(2-carboxyethyl)-*p*-toluidine
Idp-type ligand, *p*-Toluidine-*N*,*N*-di-3-propionic acid, Square pyramidal copper(II) complexes, Crystal structures, 2719
N,*N*-dimethyl-L-α-isoleucine
Electron paramagnetic resonance (EPR) spectroscopy, Copper(II) complexes, Amino acids, 1643
^{15}N NMR
Platinum chloride complexes, X-ray structures, N-donor ligands, 1,2,4-Triazolo-[1,5α]-pyrimidines, 343
NOESY
Adenosine-5′-triphosphate (ATP), Mg(II), Torsion angle (χ), 435
Nona-nuclear copper complex
Trinuclear copper complex, Structural and magnetic properties, 1715
Non-fluorinated β-diketonate ligands
Silver(I) complexes, Monothio-β-ketonate, β-Ketoiminate, Chemical vapor deposition, Crystal structures, 1289
Norbornadiene
Molybdenum, Tin, Crystal structures, Metathesis, Polymerisation, NMR spectra, 2505
Normal coordinate
Cd(II) and Hg(II) complexes, Spectroscopic properties, Force constant, 2-Phenylenediamine, 2-Aminophenol, 987
$N_2O_2S_2$ macrocyle
vic-Dioxime, Nickel(II), Cobalt(II), Copper(II), Iron(II), Uranyl(IV), Electrochemistry, LH_4, 825
N-oxides
Uranyl bis(β-diketonates), Adduct compounds, X-ray structures, 2403
N-(2-Pyridylmethyl)iminodiacetate(2-) ion
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
N-(2-Pyridylmethyl)iminodiacetic acid
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
NQR
Isotope effect, Hydrogen bond, Dimer, Crystal structures, Tetrachloroaurate(III), 2207
NS Schiff base
S-methyldithiocarbazate (SMDTC), Cu(II), Ni(II), Zn(II) complexes, Crystal structures of Zn(II) complexes, 2683
N-Thiocyanate
Organotin, Crystal structures, Halides, Azide, Acetate, 1667
Nucleotides
Supramolecular interactions, Tripodal ammonium, Ternary complexes, Zn(II), 1005

Octahedral systems
Conformational change, Schiff's base ligands, Transition metals, 2167
Oligophenols
Uranyl ion, Polyphenols, Crystal structures, 1949
One-dimensional polymers
Cocrystallization, Dinuclear platinum complexes, 715
One-dimensional structures

Zinc(II), Cobalt(II), Coordination complexes, 2705
Optical limiting properties
Crystal structures, Cluster, 2675
Optically active Schiff bases
Co(II), Cu(II) and Ni(II) complexes, CD spectra, Co(II) paramagnetic ^{1}H NMR, 2711
Organic–inorganic hybrid
Polyoxovanadates, Mixed-valence, Hydrothermal synthesis, Cage-like structure, 2601
Organic ligands
Crystal structures, Nickel(II) complexes, Hexaazamacrocycle, Chain complex, 1913
Organometallic phosphine
Multimetallic, π-Allyl molybdenum, Iron carbonyl complexes, Cyclopentadienyl iron complexes, 2301
Organometallics
Heterobimetallics, Organoruthenium, Catalysis, Mössbauer, NMR, 2323
Organometallic
Yttrium, Salen, Amide, Aryloxide, 1683
Organoruthenium
Organometallics, Heterobimetallics, Catalysis, Mössbauer, NMR, 2323
Organotin
Crystal structures, Halides, *N*-Thiocyanate, Azide, Acetate, 1667
Organotin(IV)
Bis(pyrazol-1-yl)alkane, X-ray structures, 873
Organotin(IV) complexes
Dimethylpyrimidinethione, Crystal structures, 1149
Organotin(IV) halide adducts
Porphyrins, Sitting–Atop complexes, Methyltin(IV) tribromide, Tin compounds, Spectral method, 1255
Osmium
Heterocyclic thioamides, Ruthenium, 2-Mercapto-1-methylimidazole, X-ray structures, 885
Osmium(II) complexes
Arylazopyrimidines, Geometrical isomers, X-ray structures, MLCT transitions, Redox property, 753
Osmium(II) complex
Redox activity, Proton-coupled redox process, Pyrazole-3,5-bis(benzimidazole), 2481
Osmium porphyrin
Imido transfer, Phosphines, Kinetics, 1889
Osmium
Ruthenium, Acetylide, Alkyne, Clusters, 1105
Outer-sphere coordination
Lanthanide(III) chelate, Cobalt(III) chelate, Binuclear complexes, Inner-sphere coordination, Stability constant, 805
Oxadiazole complexes
Copper complexes, Structures, Spectroscopic properties, 2257
Oxalate
Nickel, Palladium, Platinum, Crystal structures, Magnetic properties, DFT calculations, 2631
Oxalato-bridged complexes
Copper(II) complexes, Oxalato complexes, Magnetic properties, Crystal structures, 1203
Oxalato complexes
Copper(II) complexes, Oxalato-bridged complexes, Magnetic properties, Crystal structures, 1203
Oxalic acid
Uranyl oxalates, UV–Vis spectrophotometry, Speciation, Stability constants, Aqueous solutions, 1411
Oxidative addition reaction
Perfluoro-*n*-butyl iodide, 1,5-Cyclooctadiene, Fluoroalkyls, 2357
Oxidative addition
Tungsten, Tin, Crystal structures, Hydride, NMR, 1817
Oxidative-alkoxylation
Rhenium(I), Carbonyl, Aminoalcohol, Cytotoxicity, Hydrogen-bonding, 1991
Oximes
Triphenylantimony(V), NMR, X-ray, 2387
Oxoalkoxides
Magnesium, Niobium, Alkoxides, Mass-spectra, Crystal structures, 1629
Oxo-bridged peroxovanadates containing sulphate
Diperoxovanadate, Vanadyl, EDTA inhibition, EDTA bridged heteroligand peroxovanadates, Catalase resistance, 389
oxo-Hydrazido complexes
Molybdenum complexes, Methyl-molybdenum complexes, Phenyl-molybdenum complexes, Diimine, X-ray structures, 2531
Oxo ligands
Chloride ligands, Phenolates, Tungsten, 349
Oxotransfer catalysts
Dioxomolybdenum(VI) bromides, Thiol oxidation, 1635
Oxovanadium(IV) complexes
Carnosine, Potentiometric and spectrophotometric studies, Stability constants, 1513
2,2′-Oxydiethylamine
Lanthanides(III), Oxygen donors, Dimethylsulfoxide, Complexes, Thermodynamics, 1385
Oxygen donors
Lanthanides(III), 2,2′-Oxydiethylamine, Dimethylsulfoxide, Complexes, Thermodynamics, 1385

Palladium
C–H activation, Cyclometallation, Phosphorus ligands, Schiff bases, 39
Palladium complexes
Chiral benzodiazepine ligands, Zinc complexes, Spectroscopy, X-ray structure analysis, Cytostatic and antiviral activity, 2567
Palladium complexes
Crystal structures, Nickel complexes, 2071
Palladium complexes
Platinum complexes, Chiral iminophosphine ligand, 1043
Palladium
Cyclo-addition, Metallacycles, oxo ligands, P ligands, Structure elucidation, 2653
Palladium
2-Hydroxynicotinic acid, Platinum, X-ray crystal structures, Raman spectra, 2783
Palladium(II)
CD spectroscopy, Copper(II), Nickel(II), Peptides, Methionine, 2149
Palladium(II) complexes
Benzyl 8-quinolyl sulfide, Phenethyl 8-quinolyl, Crystal structures, 843
Palladium(II) complexes
Bioligands, Glycine methyl ester hydrolysis, 167
Palladium(II)
N-[2-(4-Methoxyphenyltelluro)ethyl]benzamide, *N*-[2-(4-Methoxyphenyl telluro)-propyl]phthalimide, Platinum(II), Ruthenium(II), Complexes, Crystal structures, 667
Palladium(II)
Phosphine chalcogenide, Seven-membered, Mercury(II), Metallacyclic rings, bis(diphenylthiophosphinyl)ethane, 205
Palladium
Metallation, Schiff base, Phosphorus ligands, X-ray diffraction, 2309
Palladium
N-Benzoylthiourea derivatives, Gold, Solvent extraction, Ion selective electrode, Crystal and molecular structure, 1429
Palladium
Nickel, Chirality, Bidentate nitrogen ligands, Crystal structures, 27
Palladium
Nickel, Platinum, Oxalate, Crystal structures, Magnetic properties, DFT calculations, 2631
Paracyanogen $(CN)_x$
Sulfur dicyanide $S_x(CN)_2$, Polythiocyanogens, ^{13}C NMR spectroscopy, 1825
Paramagnetic
Chromium, Pivalate, Mass spectrometry, NMR, X-ray photoelectron spectroscopy, 155
Partial molar enthalpies of
Potassium *p*-*n*-hexylbenzoate, Potassium *p*-*n*-heptylbenzoate, Potassium *p*-*n*-octylbenzoate, Apparent molar enthalpies of, Micellization enthalpy, Methylene group contribution, 1497
Partition coefficient
Solvation parameter model, Hydrophobic moment, Iron–sulfur protein, Mixed-valence non-integer oxidation number, Cysteine ligand, 1357
Partition function
Equilibria in solution, Cooperativity, Site affinity, Buffer capacity, Heat capacity, 1439
Pb(II) salts
BTZ ligands, X-ray crystallography, π–π stacking interaction, 197
Pd-, Zn-, Cu-complexes

Isoxazolidines, Syntheses, X-ray, NMR, 769
Pentacoordinated
Phosphoranes, X-ray structures, Hydrogen bonding, 1155
Pentacoordinate nickel(II) complexes
Dithiophosphate complexes, Dithiophosphonate complexes, Macrocycle complexes, Crystal structures, 1935
Pentacyaninotrosylferrate(2−) ion
Metastable excited states, X-ray diffraction, FIRRS, TGA, DTA, 1767
Pentacyanoferrate
2-Mercaptobenzoxazole, Kinetics, Equilibrium constants, Electrochemistry, 2137
Pentadentate ligands
Binuclear nickel(II) complexes, Crystal structures, Magnetic properties, Terminal thiocyanato ion complexes, Terminal cyanato ion complexes, 2457
Pentagonal bipyramidal
Acyclic, Binuclear, Pyrazole bridged, Asymmetric unit, 925
Pentamethylphenylmagnesium bromide
Tris(pentamethylphenyl)gallium, Elemental analyses, Single crystal X-ray diffraction, 531
Pentaphenylcyclopentadienyl
Molybdenum, Metallocene, Metallocenium, 1707
Peptide–Cu(II)–isocytosine complexes
Cu(II) complexes, Ternary complexes, Isocytosine complexes, 1197
Peptides
CD spectroscopy, Copper(II), Nickel(II), Palladium(II), Methionine, 2149
Perchlorate
Europium, Photoluminescence, Methylpyridylacetamide, Intensity parameters, 1837
Perfluoro-*n*-butyl iodide
Oxidative addition reaction, 1,5-Cyclooctadiene, Fluoroalkyls, 2357
1,10-Phenanthroline and its 5,6-disubstituted derivatives
Five-coordinated chlorocopper(II) complexes, X-ray structures, Electronic absorption and diffuse reflectance spectra, Cyclic voltammetry, 2143
Phenanthroline
Macrocycles, Cadmium, Polyamines, Dipyridine, 1329
Phenethyl 8-quinolyl
Palladium(II) complexes, Benzyl 8-quinolyl sulfide, Crystal structures, 843
Phenolates
Chloride ligands, Oxo ligands, Tungsten, 349
Phenolic phosphine
Cyclophosphazenes, Polyphosphazenes, Macromolecular complexes, Carbonyls, Spectroscopic characterization, 2579
2-Phenylenediamine
Cd(II) and Hg(II) complexes, Spectroscopic properties, Normal coordinate, Force constant, 2-Aminophenol, 987
Phenyl-molybdenum complexes
Molybdenum complexes, oxo-Hydrazido complexes, Methyl-molybdenum complexes, Diimine, X-ray structures, 2531
Phenylpyridine
Hydrogen-bonding, Silanol, Amine, Adducts, Acridine, 4,4′-bipyridine, 1689
PH-functionalised phosphanylalkyl(silyl)cyclopentadienyl ligands
Zirconium complexes, Titanium complexes, Polymerisation studies, 2445
Phoshocreatine
^{31}P NMR spectroscopy, Sodium complexes, Potassium complexes, Magnesium complexes, 1481
Phosphido
Diphosphine disulfide, Dimanganese decacarbonyl, Phosphidosulfide, 791
Phosphidosulfide
Diphosphine disulfide, Dimanganese decacarbonyl, Phosphido, 791
Phosphine chalcogenide
Seven-membered, Palladium(II), Mercury(II), Metallacyclic rings, bis(diphenylthiophosphinyl)ethane, 205
Phosphine complexes
Mercury(II) halides, Crystal structures, 1845
Phosphine complexes
Thioether complexes, Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Crown thioethers, 879
Phosphine oxide
Scandium, Arsine oxide, X-ray structures, ^{45}Sc NMR, 1579
Phosphine oxide
Yttrium, Arsine oxide, X-ray structures, 445
Phosphine
Platinum, Cyclometallation, Imine, Fluorine, Crystal structures, 105
Phosphines
Osmium porphyrin, Imido transfer, Kinetics, 1889
Phosphino amino acids
Ferrocenylmethylphosphine, 1,3-Diaza-5-phosphacyclohexane, 1,5-Diaza-3,7-diphosphacyclooctane, Water-soluble complexes, Trinuclear complexes, 2251
Phosphoranes
Pentacoordinated, X-ray structures, Hydrogen bonding, 1155
Phosphorus ligands
C–H activation, Cyclometallation, Schiff bases, Palladium, 39
Phosphorus ligands
Palladium, Metallation, Schiff base, X-ray diffraction, 2309
Photobleaching
Zinc phthalocyanine, Sensitizer, Singlet oxygen, 2463
Photochemistry
Tertiary amines, Ruthenium complexes, Electrochemistry, 61
Photochromism
Polyoxometalates, Keggin, Charge transfer, 2537
Photoinduced electron transfer
Cyclic voltammetry, Supramolecular preassociation, Ruthenium(II) complexes, 2,2′:6′,2″-Terpyridine, 4′-*p*-Tolyl-2,2′:6′,2″-terpyridine-4-carboxylic acid, 49
Photoluminescence
Europium, Perchlorate, Methylpyridylacetamide, Intensity parameters, 1837
Photolysis
Disilenes, Silenes, Silanones, Matrix isolation, 467
Photosystem II
Tridentate Schiff base ligand, Potassium permanganate, Molecular structures, 1139
$Ph_2P(CH_2)_nNHP^iPr_2$
Diphosphine ligands, Chelate complexes, 2639
Phthalocyanine
Cobalt, Cyanide, Sulfur dioxide, Kinetics, Equilibria, 133
Phthalocyanines
Nitrogen dioxide, Scanning electron microscopy, X-ray microprobe, UV–Vis and FTIR spectroscopy, X-ray powder diffractometry, 677
Phthalocyanines
Phthalonitrile derivatives, Electrochemistry, Nickel, Zinc, Cobalt, 255
Phthalonitrile derivatives
Phthalocyanines, Electrochemistry, Nickel, Zinc, Cobalt, 255
Physico-chemical properties
Crystal structures, Spectroscopy, X-ray diffraction, Imidiazole complexes, 1857
α-Picolylamine
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
Piperazine and piperazin-1-ium ligands
Zn(II)–N bonds, Crystal structures, Zn(II) complexes, 2161
Piperazine
Coordination chemistry, Crystal structures, Homopiperazine, 1729
3-Piperidine
Crystal structures, Thiosemicarbazone, 2-Pyridineformamide, Nickel(II), Spectra, 859
Pivalate
Chromium, Mass spectrometry, Paramagnetic, NMR, X-ray photoelectron spectroscopy, 155
Platinum
Amido, Amine, Triflate, Diphosphazane, Cyclometalation, 1305
Platinum chloride complexes
X-ray structures, N-donor ligands, ^{15}N NMR, 1,2,4-Triazolo-[1,5α]-pyrimidines, 343
Platinum complexes
Palladium complexes, Chiral iminophosphine ligand, 1043

Platinum complexes
Thioether complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Phosphine complexes, Crown thioethers, 879
Platinum
Cyclometallation, Imine, Fluorine, Phosphine, Crystal structures, 105
Platinum
Gallium, Indium, Heterobimetallic complexes, X-ray structure analysis, Quantum chemical calculations, 535
Platinum
Hexamethyleneimine, 1,1-Cyclobutanedicarboxylato, Synthesis, Crystal structure, 2659
Platinum
2-Hydroxynicotinic acid, Palladium, X-ray crystal structures, Raman spectra, 2783
Platinum(II) complexes
Heptamethyleneimine, Synthesis, Crystal structures, 2369
Platinum(II) complexes
Ribavirin, X-ray structures, NMR and IR analysis, 2001
Platinum(II)
Homopiperazines, Disubstituted sulfides, Synthesis, Crystal structure, 125
Platinum(III) compounds
Lantern-type complexes, Amidate bridging ligands, X-ray structure, 275
Platinum(II)
N-[2-(4-Methoxyphenyltelluro)ethyl]benzamide, *N*-[2-(4-Methoxyphenyl telluro)propyl]phthalimide, Palladium(II), Ruthenium(II), Complexes, Crystal structures, 667
Platinum
Nickel, Palladium, Oxalate, Crystal structures, Magnetic properties, DFT calculations, 2631
Platinum nuclear magnetic resonance
Thioether complexes, Platinum complexes, Trithiacyclononane, Phosphine complexes, Crown thioethers, 879
P ligands
Cyclo-addition, Metallacycles, oxo ligands, Palladium, Structure elucidation, 2653
P-Ligands
2*H*-Azaphosphirene complexes, 2*H*-1,2-Azaphosphole complexes, Cyclisation, 1,3-Dipoles, 119
Plumbylenes
Stannylenes, Distannenes, Diplumbenes, Lewis-amphoteric behavior, 587
^{31}P NMR spectroscopy
Phoshocreatine, Sodium complexes, Potassium complexes, Magnesium complexes, 1481
Polyamine
Bithiophene, Coordination, Cu(II)-electrochemical pattern, Potentiometry, 1523
Polyamine complexes
Linear polyamines, Metal complexes, 1459
Polyamines
Cadmium(II) complexes, X-ray structures, 739
Polyamines
Macrocycles, Cadmium, Dipyridine, Phenanthroline, 1329
Polyamines
Statistical thermodynamic model, Cooperativity effect, Site constant, Cooperativity potential, 1503
Polyamines
Synthesis, Equilibria, Binuclear complexes, 1351
Polyamines
Zinc(II) complexes, Mixed-ligand complexes, Aminohydroxamic acids, NMR spectra, Potentiometry, 2183
Polyazaalkanes ligand
Fluorogenic receptors, Chemosensors, 1397
Polyaza ligands
Lanthanide, Catecholate ligands, Stability constants, Potentiometry, 1393
Polyboron halides
Boron monochloride, Halogen exchange, 543
Polybromides
Actinides, Dioxouranium(VI) polyhalides, Uranyl polyhalides, Polyiodides, 2755
Polycations
Cluster compounds, Crystal structures, Bismuth, Iridium, Rhodium, 651
Polydentate Ni(II) edta-type complexes
Crystal structures, 2667
Polyethylene
Chromium, Crystal structures, Homogeneous catalyst, Electron spin resonance, 867
Polyiodides
Actinides, Dioxouranium(VI) polyhalides, Uranyl polyhalides, Polybromides, 2755
Polymeric zinc(II) complexes
Imidazole-4-acetic acid, Crystal structures, Vibrational spectra, Density functional calculations, 2819
Polymerisation
Molybdenum, Tin, Crystal structures, Metathesis, Norbornadiene, NMR spectra, 2505
Polymerisation studies
PH-functionalised phosphanylalkyl(silyl)cyclopentadienyl ligands, Zirconium complexes, Titanium complexes, 2445
Polynuclear complexes
Ruthenium-ammine, Benzotriazole, Mixed-valence, Electron transfer, Molecular wires, 2089
Polyoxometalates
Heteropolyanions, Ti(IV) complex, Wells-Dawson structure, 353
Polyoxometalates
Keggin, Charge transfer, Photochromism, 2537
Polyoxometalates
Transition metals, Chemical bonding, Molecular orbitals, Density–functional theory, 2201
Polyoxovanadates
Organic–inorganic hybrid, Mixed-valence, Hydrothermal synthesis, Cage-like structure, 2601
Polyphenols
Uranyl ion, Oligophenols, Crystal structures, 1949
Polyphosphazene
Inorganic polymer, Metal–polymer complexes, 2587
Polyphosphazenes
Cyclophosphazenes, Phenolic phosphine, Macromolecular complexes, Carbonyls, Spectroscopic characterization, 2579
Poly(3-Rpyrazolyl)borate cobalt(II) complexes
Structures, NMR, 2743
Polythiocyanogens
Sulfur dicyanide $S_1(CN)_2$, ^{13}C NMR spectroscopy, Paracyanogen $(CN)_x$, 1825
Porphyrins
Adduct formation, Thermodynamics, Tin compounds, Equilibrium constant, Spectral method, 683
Porphyrins
Sitting–Atop complexes, Methyltin(IV) tribromide, Organotin(IV) halide adducts, Tin compounds, Spectral method, 1255
Potassium complexes
Phoshocreatine, ^{31}P NMR spectroscopy, Sodium complexes, Magnesium complexes, 1481
Potassium permanganate
Tridentate Schiff base ligand, Molecular structures, Photosystem II, 1139
Potassium *p*-*n*-heptylbenzoate
Potassium *p*-*n*-hexylbenzoate, Potassium *p*-*n*-octylbenzoate, Apparent molar enthalpies of, Partial molar enthalpies of, Micellization enthalpy, Methylene group contribution, 1497
Potassium *p*-*n*-hexylbenzoate
Potassium *p*-*n*-heptylbenzoate, Potassium *p*-*n*-octylbenzoate, Apparent molar enthalpies of, Partial molar enthalpies of, Micellization enthalpy, Methylene group contribution, 1497
Potassium *p*-*n*-octylbenzoate
Potassium *p*-*n*-hexylbenzoate, Potassium *p*-*n*-heptylbenzoate, Apparent molar enthalpies of, Partial molar enthalpies of, Micellization enthalpy, Methylene group contribution, 1497
Potassium
Rubidium, Amide ligands, 15-Crown-5, Crystal structures, 2451
Potentiometric and spectrophotometric studies
Oxovanadium(IV) complexes, Carnosine, Stability constants, 1513
Potentiometric titration
Cork, Solid state ^{13}C MAS and CP-MAS NMR, Copper, Nickel, Metal uptake, 1363
Potentiometric titrations
Vanadium complexes, Caffeic acid complexes, IR spectra, UV–Vis spectra, Catecholate-like ligand, 1979

Potentiometry
Aminomethane-1,1-diphosphonic acids, Zinc(II) complexes, Magnesium(II) complexes, Calcium(II) complexes, NMR, 321
Potentiometry
Lanthanide, Polyaza ligands, Catecholate ligands, Stability constants, 1393
Potentiometry
Mercapto-carboxylic acid, IR, Formation constants, Ionisation constants, 1319
Potentiometry
Polyamine, Bithiophene, Coordination, Cu(II)-electrochemical pattern, 1523
Potentiometry
Zinc(II) complexes, Mixed-ligand complexes, Aminohydroxamic acids, Polyamines, NMR spectra, 2183
Preparation
1D nickel(II) azido complexes, Pyridine derivative complexes, Crystal structures, Magnetic data, Spectra, 1871
Propadienylidene
Iron, Acetylide, Vinylidene, 1755
Propane-1,3-diamine
Silica gel, Immobilization, Epoxide, 2647
Proton-coupled redox process
Osmium(II) complex, Redox activity, Pyrazole-3,5-bis(benzimidazole), 2481
p-Toluidine-*N*,*N*-di-3-propionic acid
Idp-type ligand, *N*,*N*-Di(2-carboxyethyl)-*p*-toluidine, Square pyramidal copper(II) complexes, Crystal structures, 2719
4′-*p*-Tolyl-2,2′:6′,2″-terpyridine-4-carboxylic acid
Photoinduced electron transfer, Cyclic voltammetry, Supramolecular pre-association, Ruthenium(II) complexes, 2,2′:6′,2″-Terpyridine, 49
2-Pyrazine carboxylic acid
Manganese(II) complexes, 2,6-Pyridinedicarboxylic acid, Chelidamic acid, Crystal structures, Catalytic disproportionation, Hydrogen peroxide, 1063
Pyrazineformamide
Thiosemicarbazone, Zinc, Cadmium, Crystal structures, Electrochemical synthesis, 1553
Pyrazole-3,5-bis(benzimidazole)
Osmium(II) complex, Redox activity, Proton-coupled redox process, 2481
Pyrazole bridged
Acyclic, Binuclear, Asymmetric unit, Pentagonal bipyramidal, 925
Pyrazole
Co(III) complexes, Dithiocarbazate, Synthesis, Spectroscopy, X-ray crystal structures, 1
Pyrazole
Crystal structures, Tungsten complexes, Copper complexes, 1547
Pyrazole
Mononuclear bis(imido) Mo(VI) complexes, X-ray crystal structures, 1211
Pyrazolylthiosemicarbazone
Cobalt(III), ^{1}H NMR, X-ray crystallography, 779
Pyridinecarboxylate complexes
Copper(II) complexes, Spectral properties, Crystal structures, Mononuclear complexes, 365
Pyridine derivative complexes
1D nickel(II) azido complexes, Preparation, Crystal structures, Magnetic data, Spectra, 1871
2,6-Pyridinedicarboxylic acid
Manganese(II) complexes, 2-Pyrazine carboxylic acid, Chelidamic acid, Crystal structures, Catalytic disproportionation, Hydrogen peroxide, 1063
2-Pyridineformamide
Crystal structures, 3-Piperidine, Thiosemicarbazone, Nickel(II), Spectra, 859
2-Pyridineformamide
Thiosemicarbazone, Nickel(II), Zinc(II), Cadmium(II), Crystal structures, 729
Pyridine N-oxide ligands, copper(II) complexes
X-ray structures, Hydrogen bonding, Magnetism, 1561
Pyridine-2-thiolates of ruthenium
Ruthenium aryls, Imine–phenol function, 899
Pyridine-2-thione
Tri-*p*-tolylphosphine, Triphenylphosphine, Sulfur-bridged dimer, Copper(I) complexes, 1603
2-(2′-Pyridyl)benzimidazole
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, Spectral and magnetic properties, 1485
2-Pyridylmethanol
Saccharin complexes, Single crystal structures, Thermal analysis, 2393
Pyridylphosphines
Metal–metal interactions, Molybdenum, Rhodium, 1737

Quantum chemical calculations
Gallium, Indium, Platinum, Heterobimetallic complexes, X-ray structure analysis, 535

Raman
Naphthalocyanine, Rare earth, Sandwich complexes, 1905
Raman spectra
2-Hydroxynicotinic acid, Palladium, Platinum, X-ray crystal structures, 2783
Raman spectra
Subvalent indium and gallium, Gallium(II), Indium(I), Indium(II), Halide complexes, 519
Raman spectroscopy
Magnesium phthalocyanines, Magnesium complexes, Crystal structures, IR spectroscopy, UV–Vis spectroscopy, 265
Rare earth complexes
EPR spectroscopy, Coordination structures, 4f-Electron, 2127
Rare earth
Naphthalocyanine, Raman, Sandwich complexes, 1905
Redox activity
Osmium(II) complex, Proton-coupled redox process, Pyrazole-3,5-bis(benzimidazole), 2481
Redox chemistry
Heteropolyoxometalate, Arsenic, Tungstate, Lacunary, Synthesis, 959
Redox property
Arylazopyrimidines, Osmium(II) complexes, Geometrical isomers, X-ray structures, MLCT transitions, 753
Redox
Ruthenium promoted reactions, Dimerization of aromatic amines, 1,2-Diimine, Structures, 97
Redox
Silver, Hydroxylamine, Kinetics, Mechanism, Catalysis, 1893
Reduction
Molybdenum, Crystal structures, Cluster complexes, Acetates, 147
Renner effect
Electronic states, Linear disilaketenylidene (SiSiO), Analogous multiple bonded systems, 599
Resin titration
Natural metal complexes, Natural ligands, Ligand titration, Chelex 100, 1343
Rhenium complexes
Trigonal prismatic geometry, 2-Amidothiophenolato complexes, 1597
Rhenium(I)
Carbonyl, Aminoalcohol, Cytotoxicity, Oxidative-alkoxylation, Hydrogen-bonding, 1991
Rhenium(III) complexes
Iridium(III) complexes, S-bridged polynuclear complexes, Crystal structures, UV–Vis absorption spectra, Cyclic voltammetry, 1809
Rhenium methoxides
Trimetallic alkoxides, Molecular structure, X-ray study, Mass-spectrometric study, Niobium methoxide, Tantalum methoxide, 2317
Rhenium
Nitrosyl, X-ray structures, Electronic structures, Nitric oxide, 2617
Rhodium complexes
Mononuclear complexes, Hydrido complexes, Nitrogen ligands, Crystal structures, 1613
Rhodium
Cyano, Dioxygen, Enhanced reactivity, Structures, 1775
Rhodium
Metal–metal interactions, Molybdenum, Pyridylphosphines, 1737
Rhodium
Polycations, Cluster compounds, Crystal structures, Bismuth, Iridium, 651
Ribavirin
Platinum(II) complexes, X-ray structures, NMR and IR analysis, 2001

RP-HPLC
Urinary trypsin inhibitors, Bubble extraction, Affinity chromatography, 1475
Rubidium
Potassium, Amide ligands, 15-Crown-5, Crystal structures, 2451
Ru(II) complexes
dcbpy, bdmpp, Thiocyanato ligands, Sensitizing ability, 2773
Ruthenium-ammine
Benzotriazole, Polynuclear complexes, Mixed-valence, Electron transfer, Molecular wires, 2089
Ruthenium aryls
Pyridine-2-thiolates of ruthenium, Imine–phenol function, 899
Ruthenium complexes
Tertiary amines, Photochemistry, Electrochemistry, 61
Ruthenium
Heterocyclic thioamides, Osmium, 2-Mercapto-1-methylimidazole, X-ray structures, 885
Ruthenium(II)
Binuclear, Bis(β-diketone), Triphenylarsine, Syntheses, Antibacterial activity, Catalytic study, 219
Ruthenium(II) complexes
Binuclear, Thiobis(β-diketone), Syntheses, Catalytic oxidation, Antibacterial activity, 1721
Ruthenium(II) complexes
Photoinduced electron transfer, Cyclic voltammetry, Supramolecular pre-association, 2,2′:6′,2″-Terpyridine, 4′-*p*-Tolyl-2,2′:6′,2″-terpyridine-4-carboxylic acid, 49
Ruthenium(II) complexes
Semiquinone monochelates, Homolytic hydride cleavage, 2761
Ruthenium(II)
Nitrosyl complexes, NMR spectra, X-ray structures, Diop, Dppb, 2221
Ruthenium(II)
N-[2-(4-Methoxyphenyltelluro)ethyl]benzamide, *N*-[2-(4-Methoxyphenyl telluro)-propyl]phthalimide, Palladium(II), Platinum(II), Complexes, Crystal structures, 667
Ruthenium monoterpyridine complexes
Ancillary functions, Crystal structures, 2033
Ruthenium
Osmium, Acetylide, Alkyne, Clusters, 1105
Ruthenium promoted reactions
Dimerization of aromatic amines, 1,2-Diimine, Structures, Redox, 97

Saccharinate
Nickel, Copper, Zinc, Cadmium, X-ray structures, 395
Saccharin complexes
2-Pyridylmethanol, Single crystal structures, Thermal analysis, 2393
Saccharomyces cererisiae
Capillary electrophoresis, Hydrophobic interaction chromatography, Heterologous protein, BPTI, 1405
Salen Cu(II) complexes
Schiff-base ligands, Cyclic voltammetry, Hammett substituent constants, 55
Salen ligands
Ni(I) complexes, Nickel(II) complexes, EPR, 1695
Salen
Yttrium, Amide, Aryloxide, Organometallic, 1683
Salicylaldimine adducts
Schiff bases, Interconversion, X-ray crystal structures, Zinc complexes, Zwitterion, 697
Sandwich complexes
Naphthalocyanine, Raman, Rare earth, 1905
S-Benzyldithiocarbazate
Metal complexes, Bioactivity of Schiff bases, Bioactivity of metal complexes, Crystal structure of Cd(II) complexes, 2547
S-bridged polynuclear complexes
Rhenium(III) complexes, Iridium(III) complexes, Crystal structures, UV–Vis absorption spectra, Cyclic voltammetry, 1809
Scandium and lanthanide
Triflates, Triphenylphosphine oxide complexes, Single crystal X-ray diffraction, Catalysis, 287
Scandium
Phosphine oxide, Arsine oxide, X-ray structures, ^{45}Sc NMR, 1579
Scanning electron microscopy
Phthalocyanines, Nitrogen dioxide, X-ray microprobe, UV–Vis and FTIR spectroscopy, X-ray powder diffractometry, 677
Schiff base complexes
Cobalt(II), Nickel(II), Zinc(II), Tetrahedral, Crystal structures, 2733
Schiff base
Eight-coordinate, Zirconium complexes, X-ray crystal structure, Synthon, Heteroleptic, 211
Schiff base
Iron(II), Zinc(II), X-ray crystal structures, ^{1}H NMR spectroscopy, Dioxygen reactivity, 705
Schiff base ligands
Cadmium(II) complexes, Crystal structures, Dithiocarbazate Schiff base crystal structures, Metal complexes, Bioactivity, 2691
Schiff-base ligands
Salen Cu(II) complexes, Cyclic voltammetry, Hammett substituent constants, 55
Schiff base ligand
Uranyl complexes, Morphologies, 2421
Schiff base
Palladium, Metallation, Phosphorus ligands, X-ray diffraction, 2309
Schiff bases
C–H activation, Cyclometallation, Phosphorus ligands, Palladium, 39
Schiff bases
Salicylaldimine adducts, Interconversion, X-ray crystal structures, Zinc complexes, Zwitterion, 697
Schiff bases
Vanadyl complexes, Chiral complexes, EPR, X-ray structures, 2021
Schiff's base ligands
Conformational change, Octahedral systems, Transition metals, 2167
^{45}Sc NMR
Scandium, Phosphine oxide, Arsine oxide, X-ray structures, 1579
Scorpionate ligands
Thallium(I) complexes, Crystal packing, π-Stacking, Cation–π interaction, 553
Secondary phosphine
Dimesitylphosphine, X-ray crystallography, NMR, Cone angle, Fluxional, 2409
Self-assembly
Copper, Supramolecules, X-ray structures, 1621
Self-propagating
Silicides, Solid state metathesis, 187
Semi-bridging carbonyl
Crystal structures, Cobalt(I) clusters, Interstitial phosphorus atom, Heterocyclic phosphide, Substituted site, 1073
Semi-empirical calculations
Carbohydrates, Cobalt complexes, Circular dichroism, Sucrose complexes, ^{1}H NMR, 2215
Semiquinone monochelates
Ruthenium(II) complexes, Homolytic hydride cleavage, 2761
Sensitizer
Zinc phthalocyanine, Singlet oxygen, Photobleaching, 2463
Sensitizing ability
Ru(II) complexes, dcbpy, bdmpp, Thiocyanato ligands, 2773
Separation of isomers
Crystal structures, Copper(II) complexes, Cyclohexanediols, 1133
Seven-membered
Phosphine chalcogenide, Palladium(II), Mercury(II), Metallacyclic rings, bis(diphenylthiophosphinyl)ethane, 205
Silanol
Hydrogen-bonding, Amine, Adducts, Acridine, 4,4′-bipyridine, Phenylpyridine, 1689
Silanones
Disilenes, Silenes, Matrix isolation, Photolysis, 467
Silenes
Disilenes, Silanones, Matrix isolation, Photolysis, 467
Silica gel
Immobilization, Epoxide, Propane-1,3-diamine, 2647
Silicides
Solid state metathesis, Self-propagating, 187
Silver
Azide, Germanium, Tin, Tris(pyrazolyl)borate, Aminotroponimine, 611
Silver
Hydroxylamine, Kinetics, Mechanism, Redox, Catalysis, 1893

Silver(I) complexes
Non-fluorinated β-diketonate ligands, Monothio-β-ketonate, β-Ketoiminate, Chemical vapor deposition, Crystal structures, 1289
Silver(I) complexes
Thiones, NMR studies, 1267
Silver(I)
Nicotinamide, Nicotinic acid, Sulfonate, Hydrogen bond, Ag–Ag interaction, Assembly chemistry, 689
Silver(I)
N-methylated polyamines, Complexes, Dimethylsulfoxide, Thermodynamics, 1337
Silver(I)
Trinuclear complexes, Single crystal structures, Copper(II), Carboxylate, Thioether, 33
Single crystals
Solventothermal synthesis, Crystal structures, Coordination polymers, Copper methoxide, 2017
Single crystal structures
2-Pyridylmethanol, Saccharin complexes, Thermal analysis, 2393
Single crystal structures
Trinuclear complexes, Copper(II), Silver(I), Carboxylate, Thioether, 33
Single crystal X-ray diffraction
Triflates, Triphenylphosphine oxide complexes, Scandium and lanthanide, Catalysis, 287
Single crystal X-ray diffraction
Tris(pentamethylphenyl)gallium, Pentamethylphenylmagnesium bromide, Elemental analyses, 531
Single-crystal X-ray
Iron(III), N-donor, Terpyridyl, 2055
Single-crystal X-ray
Metal alkoxides, Esterification, Group V, Tantalum, Niobium, 2333
Single-helical-strand
Mono-helical, Mono-bridged species, Coordination chemistry, Transition metals, X-ray crystallography, 1177
Singlet oxygen
Zinc phthalocyanine, Sensitizer, Photobleaching, 2463
Site affinity
Partition function, Equilibria in solution, Cooperativity, Buffer capacity, Heat capacity, 1439
Site constant
Statistical thermodynamic model, Cooperativity effect, Cooperativity potential, Polyamines, 1503
Sitting–Atop complexes
Porphyrins, Methyltin(IV) tribromide, Organotin(IV) halide adducts, Tin compounds, Spectral method, 1255
Six-coordinate geometry
Macrocycles, Germanium(IV) tmtaa complexes, Crystal structures, *Trans*-positions, 969
S-methyldithiocarbazate (SMDTC)
NS Schiff base, Cu(II), Ni(II), Zn(II) complexes, Crystal structures of Zn(II) complexes, 2683
Sn(IV) complexes
Tin enolates, Diorganohydroxytin, Diorganotin, Malonates, Di-*n*-butylhydroxytin(IV), 417
Sodium complexes
Phoshocreatine, ^{31}P NMR spectroscopy, Potassium complexes, Magnesium complexes, 1481
Sodium complexes
tert-Butylcalix[4]arenes, Amide, Yttrium(III) complexes, Lanthanide(III) complexes, X-ray structures, 763
Sodium ion
Alkali metal ions, Caesium ion, Calix[4]arene, Crystal structures, 2497
Solid state ^{13}C MAS and CP-MAS NMR
Cork, Copper, Nickel, Potentiometric titration, Metal uptake, 1363
Solid state metathesis
Silicides, Self-propagating, 187
Solid state structures
Copper(I), Anions, Dppe, Coordination mode, 2433
Solid state supramolecular complexes
Dibenzotetraaza[14]annulenes, Macrocyclic Ni(II) complexes, Succinyl dichloride, Crystal structures, 7
Solutions
Equilibria, Cations, Hydrolysis, Titration, Masking, 1369
Solvation parameter model
Partition coefficient, Hydrophobic moment, Iron–sulfur protein, Mixed-valence non-integer oxidation number, Cysteine ligand, 1357
Solvent extraction
N-Benzoylthiourea derivatives, Gold, Palladium, Ion selective electrode, Crystal and molecular structure, 1429
Solventothermal synthesis
Crystal structures, Coordination polymers, Copper methoxide, Single crystals, 2017
Speciation
Uranyl oxalates, Oxalic acid, UV–Vis spectrophotometry, Stability constants, Aqueous solutions, 1411
Spectra
Copper(II) complexes, Imidazole, 9,10-dihydro-9-oxo-10-acridineacetate, Crystal structures, Magnetic measurements, 2381
Spectra
Crystal structures, 3-Piperidine, Thiosemicarbazone, 2-Pyridineformamide, Nickel(II), 859
Spectra
1D nickel(II) azido complexes, Pyridine derivative complexes, Preparation, Crystal structures, Magnetic data, 1871
Spectral and magnetic properties
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Thermal stability, 1485
Spectral method
Adduct formation, Thermodynamics, Tin compounds, Porphyrins, Equilibrium constant, 683
Spectral method
Porphyrins, Sitting–Atop complexes, Methyltin(IV) tribromide, Organotin(IV) halide adducts, Tin compounds, 1255
Spectral properties
Copper(II) complexes, Crystal structures, Pyridinecarboxylate complexes, Mononuclear complexes, 365
Spectroelectrochemistry
Nitrogenase, Hydrazido(2-), Molybdenum, Crystal structures, 849
Spectroscopic characterization
α-Aminoisobutyryl-α-aminoisobutyric acid (H–Aib–Aib–OH), Copper(II) peptide complexes, X-ray crystal structures, 229
Spectroscopic characterization
Cyclophosphazenes, Polyphosphazenes, Phenolic phosphine, Macromolecular complexes, Carbonyls, 2579
Spectroscopic properties
Cd(II) and Hg(II) complexes, Normal coordinate, Force constant, 2-Phenylenediamine, 2-Aminophenol, 987
Spectroscopic properties
Copper complexes, Structures, Oxadiazole complexes, 2257
Spectroscopic study
Trinuclear complexes, Cyano-bridge, Crystal structures, 2237
Spectroscopy
Chiral benzodiazepine ligands, Zinc complexes, Palladium complexes, X-ray structure analysis, Cytostatic and antiviral activity, 2567
Spectroscopy
Co(III) complexes, Pyrazole, Dithiocarbazate, Synthesis, X-ray crystal structures, 1
Spectroscopy
Crystal structures, Physico-chemical properties, X-ray diffraction, Imidiazole complexes, 1857
Spectroscopy
Di-2-pyridyl ketone benzoylhydrazone, Nickel(II) complexes, Thermal analyses, 2375
S–PEt_3 ligand
Synthesis, Mo/Fe/S cluster, Structures, CO, 2523
Spin crossover
Iron(III) dialkyldithiocarbamates, Mössbauer spectra, Magnetic moment, Thermal decomposition, 2489
Spin polarization
DFT calculations, Dinuclear transition metal complexes, Electron transfer, Magnetic coupling, Metal–metal bonding, 1163
Square pyramidal copper(II) complexes
Idp-type ligand, *N*,*N*-Di(2-carboxyethyl)-

p-toluidine, *p*-Toluidine-*N*,*N*-di-3-propionic acid, Crystal structures, 2719
Stability constant
Lanthanide(III) chelate, Cobalt(III) chelate, Binuclear complexes, Inner-sphere coordination, Outer-sphere coordination, 805
Stability constants
Artificial neural networks, Experimental design, Metal complexes, Ion selective electrodes, Metal–ligand equilibria, 1375
Stability constants
Edta-derived macrocycles, Macrocyclic ether bis(lactones), EPR of Cu(II) complexes, EPR of dinuclear Cu–Cu complexes, Hydrolysis of macrocycles, 2265
Stability constants
Lanthanide, Polyaza ligands, Catecholate ligands, Potentiometry, 1393
Stability constants
Oxovanadium(IV) complexes, Carnosine, Potentiometric and spectrophotometric studies, 1513
Stability constants
Uranyl oxalates, Oxalic acid, UV–Vis spectrophotometry, Speciation, Aqueous solutions, 1411
π–π stacking interaction
BTZ ligands, X-ray crystallography, Pb(II) salts, 197
π-Stacking
Thallium(I) complexes, Scorpionate ligands, Crystal packing, Cation–π interaction, 553
Stannylenes
Plumbylenes, Distannenes, Diplumbenes, Lewis-amphoteric behavior, 587
Statistical thermodynamic model
Cooperativity effect, Site constant, Cooperativity potential, Polyamines, 1503
Stereochemistry
Copper complexes, X-ray structures, Steric properties, 1031
Steric properties
Copper complexes, Stereochemistry, X-ray structures, 1031
Stoichiometry
Isoquercitrin, Al(III) complexes, UV–Vis Spectroscopy, DFT calculations, FT Raman, 2801
Structural and magnetic properties
Nona-nuclear copper complex, Trinuclear copper complex, 1715
Structure elucidation
Cyclo-addition, Metallacycles, oxo ligands, P ligands, Palladium, 2653
Structure elucidation
Titanium, Chelate, Coordination chemistry, 8-Hydroxyquinolinate, 1081
Structures
Cadmium(II), Aspartate, ^{111}Cd NMR, 935
Structures
Cerium, Fluoroalkoxides, Complexes, MOCVD, Films, 1985
Structures
$C_{10}H_{20}N_2S_4Zn\cdot C_5H_5N$, Isomorphism, ^{15}N CP/MAS NMR spectroscopy, 2727
Structures
Copper complexes, Spectroscopic properties, Oxadiazole complexes, 2257
Structures
Gallium, Indium, Dithiocarbamates, Dialkyldithiophosphates, ^{71}Ga NMR, 239
Structures
Poly(3-Rpyrazolyl)borate cobalt(II) complexes, NMR, 2743
Structures
Rhodium, Cyano, Dioxygen, Enhanced reactivity, 1775
Structures
Ruthenium promoted reactions, Dimerization of aromatic amines, 1,2-Diimine, Redox, 97
Structures
Synthesis, Mo/Fe/S cluster, S=PEt$_3$ ligand, CO, 2523
3-Substituted-1,2-diaminopropanes
Lanthanide(III) complexes, Macrocyclic ligands, 2,6-Diacetylpyridine, 425
Substituted site
Crystal structures, Cobalt(I) clusters, Interstitial phosphorus atom, Heterocyclic phosphide, Semi-bridging carbonyl, 1073
Subvalent indium and gallium
Gallium(II), Indium(I), Indium(II), Halide complexes, Raman spectra, 519
Succinyl dichloride
Dibenzotetraaza[14]annulenes, Macrocyclic Ni(II) complexes, Crystal structures, Solid state supramolecular complexes, 7
Sucrose complexes
Carbohydrates, Cobalt complexes, Circular dichroism, ^{1}H NMR, Semi-empirical calculations, 2215
Sulfate complexes
Crystal structures, Copper complexes, Di-2-pyridylamine complexes, Tetrathionate complexes, Trifluoromethanesulfonate complexes, Hexafluorophosphate complexes, 247
Sulfate complexes
Crystal structures, Copper(II) complexes, Nitrite complexes, di-2-Pyridylamine complexes, Thiocyanato complexes, 1279
Sulfido
Triosmium cluster, Tetramethylthiourea, Desulfurization, X-ray structures, 381
Sulfonamide complexes
Nickel complexes, 8-Aminoquinoline, X-ray crystal structures, 1229
Sulfonate
Silver(I), Nicotinamide, Nicotinic acid, Hydrogen bond, Ag–Ag interaction, Assembly chemistry, 689
Sulfur-bridged dimer
Pyridine-2-thione, Tri-*p*-tolylphosphine, Triphenylphosphine, Copper(I) complexes, 1603
Sulfur
Cysteamine, Cysteine, Hydrogen bonding, 225
Sulfur dicyanide $S_x(CN)_2$
Polythiocyanogens, ^{13}C NMR spectroscopy, Paracyanogen $(CN)_x$, 1825
Sulfur dioxide
Cobalt, Phthalocyanine, Cyanide, Kinetics, Equilibria, 133
Sulfur dioxide
Zinc(II)tetrasulfophthalocyanine, Fluorescence quenching, Association constants, 951
Superconductors
Chemical bonding topology, Magnesium diboride, Cuprate superconductors, 2347
Supramolecular assembly
Uranyl ion, Calixarenes, Homooxacalixarenes, Crystal structures, 1125
Supramolecular chemistry
Gallium–gallium bonds, Macrocycles, 511
Supramolecular interactions
Tripodal ammonium, Nucleotides, Ternary complexes, Zn(II), 1005
Supramolecular polymer
Cyclophosphazene, Coordination bonding, Hairy-rod structure, Lamellar packing, 1573
Supramolecular pre-association
Photoinduced electron transfer, Cyclic voltammetry, Ruthenium(II) complexes, 2,2′:6′,2″-Terpyridine, 4′-*p*-Tolyl-2,2′:6′,2″-terpyridine-4-carboxylic acid, 49
Supramolecules
Copper, Self-assembly, X-ray structures, 1621
Symbiosis
Cadmium(II) complexes, Coordination polymers, Crystal structures, 2293
Syntheses
Binuclear, Ruthenium(II) complexes, Thiobis(β-diketone), Catalytic oxidation, Antibacterial activity, 1721
Syntheses
Isoxazolidines, Pd-, Zn-, Cu-complexes, X-ray, NMR, 769
Syntheses
Ruthenium(II), Binuclear, Bis(β-diketone), Triphenylarsine, Antibacterial activity, Catalytic study, 219
Synthesis and electrochemistry
Asymmetric 14-π nickel(II) tetraazaannulene, Hammett plot, Electrocatalysis, 917
Synthesis
Boron complexes, Benzohydroximate anion, Crystal structures, 2351
Synthesis
Cobalt(III) complexes, 4-Methyl-2,6-dibenzoylphenol, NMR, TGA, Cyclic voltammetry, X-ray structures, 1787
Synthesis
Co(III) complexes, Pyrazole, Dithiocarbazate, Spectroscopy, X-ray crystal structures, 1
Synthesis
Crystal structures, X-ray diffraction, 1883
Synthesis
Cyano(selenone)gold(I) complexes, ^{13}C and ^{15}N NMR spectroscopy, 2099
Synthesis
Equilibria, Binuclear complexes, Polyamines, 1351
Synthesis

Heteropolyoxometalate, Arsenic, Tungstate, Lacunary, Redox chemistry, 959
Synthesis
Metal-organic frameworks (MOF), Crystal structures, TGA–DTA, 175
Synthesis
Mo/Fe/S cluster, Structures, S=PEt_3 ligand, CO, 2523
Synthesis
Platinum, Hexamethyleneimine, 1,1-Cyclobutanedicarboxylato, Crystal structure, 2659
Synthesis
Platinum(II) complexes, Heptamethyleneimine, Crystal structures, 2369
Synthesis
Platinum(II), Homopiperazines, Disubstituted sulfides, Crystal structure, 125
Synthon
Eight-coordinate, Schiff base, Zirconium complexes, X-ray crystal structure, Heteroleptic, 211

Tantalum
Metal alkoxides, Esterification, Single-crystal X-ray, Group V, Niobium, 2333
Tantalum
Metallocenes, Hydrides, Metallophosphines, Bimetallics, X-ray structures, 371
Tantalum methoxide
Trimetallic alkoxides, Molecular structure, X-ray study, Mass-spectrometric study, Rhenium methoxides, Niobium methoxide, 2317
Tantalum(V)
Bis-sulfamide, Diamide, Crystal structures, 1051
Tellurium dichloride
Chloridotellurate anions, X-ray crystallography, NMR spectroscopy, 1089
Template effect
Nickel(II) complexes, Heterotrinuclear complexes, BF_2^+-capped complexes, Dioxadithiadiazamacrobicycle, *vic*-Dioxime, 1865
Terminal cyanato ion complexes
Binuclear nickel(II) complexes, Crystal structures, Magnetic properties, Terminal thiocyanato ion complexes, Pentadentate ligands, 2457
Terminal thiocyanato ion complexes
Binuclear nickel(II) complexes, Crystal structures, Magnetic properties, Terminal cyanato ion complexes, Pentadentate ligands, 2457
Terminal tungsten complexes
Digermene, Germylene, X-ray crystallographic analysis, Dissociation, Equilibrium, Bond dissociation energy, Dioxadigermetane, 563
Ternary complexes
Crystal structures, Kinetic studies, 2045
Ternary complexes
Cu(II) complexes, Peptide–Cu(II)–isocytosine complexes, Isocytosine complexes, 1197
Ternary complexes
Supramolecular interactions, Tripodal ammonium, Nucleotides, Zn(II), 1005
2,2′:6′,2″-Terpyridine
Photoinduced electron transfer, Cyclic voltammetry, Supramolecular pre-association, Ruthenium(II) complexes, 4′-*p*-Tolyl-2,2′:6′,2″-terpyridine-4-carboxylic acid, 49
Terpyridyl
Iron(III), Single-crystal X-ray, N-donor, 2055
tert-Butylcalix[4]arenes
Amide, Sodium complexes, Yttrium(III) complexes, Lanthanide(III) complexes, X-ray structures, 763
Tertiary amines
Ruthenium complexes, Photochemistry, Electrochemistry, 61
Tetrabromocuprate(II)
Crystal structures, Magnetic properties, Thermal properties, *n*-Ethylpyridinium, 19
Tetrachloroaurate(III)
Isotope effect, Hydrogen bond, Dimer, Crystal structures, NQR, 2207
Tetrachlorocuprate(II)
Aminoguanidonium, Copper(II) halides, Crystal structures, 409
Tetrachlorocuprate
Thermochromism, Crystal structures, Benzimidazolium, 2561
Tetrachlorogallate salt
Gallium pyrazole complexes, Gallium trichloride, 3,5-diphenylpyrazole, 1117
Tetradentate ligands
Cobalt(III) complexes, Bidentate ligands, Eddp, 2277
Tetrahedral
Schiff base complexes, Cobalt(II), Nickel(II), Zinc(II), Crystal structures, 2733
Tetramethylthiourea
Triosmium cluster, Desulfurization, Sulfido, X-ray structures, 381
Tetramines
Ni(II), Co(II), Adenosine 5′-monophosphate, Mixed-ligand complexes, 745
Tetranuclear copper(II) complexes
Crystal structures, Magnetism, Antiferromagnetic coupling, Molecular orbital calculation, 1539
Tetrathionate complexes
Crystal structures, Copper complexes, Di-2-pyridylamine complexes, Trifluoromethanesulfonate complexes, Sulfate complexes, Hexafluorophosphate complexes, 247
TGA–DTA
Metal-organic frameworks (MOF), Synthesis, Crystal structures, 175
TGA
Pentacyaninotrosylferrate(2−) ion, Metastable excited states, X-ray diffraction, FIRRS, DTA, 1767
TGA
Synthesis, Cobalt(III) complexes, 4-Methyl-2,6-dibenzoylphenol, NMR, Cyclic voltammetry, X-ray structures, 1787
Thallium(I) complexes
Crystal structure, Nitrophenoxide complexes, 2555
Thallium(I) complexes
Scorpionate ligands, Crystal packing, π-Stacking, Cation–π interaction, 553
The 2,6-bis(dimethylamino)phenyl ligand
Arylmetal complexes, Mercury(II), Boron, 635
Thermal analyses
Di-2-pyridyl ketone benzoylhydrazone, Nickel(II) complexes, Spectroscopy, 2375
Thermal analysis
2-Pyridylmethanol, Saccharin complexes, Single crystal structures, 2393
Thermal decomposition
Iron(III) dialkyldithiocarbamates, Mössbauer spectra, Magnetic moment, Spin crossover, 2489
Thermal properties
Crystal structures, Magnetic properties, Tetrabromocuprate(II), *n*-Ethylpyridinium, 19
Thermal stability
Copper(II), *N*-(2-Pyridylmethyl)iminodiacetic acid, *N*-(2-Pyridylmethyl)iminodiacetate(2-) ion, 2-(Aminomethyl)pyridine, α-Picolylamine, 2-(2′-Pyridyl)benzimidazole, Crystal structures, Mixed-ligand complexes, Aromatic π,π-staking interactions, Molecular recognition, Spectral and magnetic properties, 1485
Thermochromism
Crystal structures, Benzimidazolium, Tetrachlorocuprate, 2561
Thermodynamics
Adduct formation, Tin compounds, Porphyrins, Equilibrium constant, Spectral method, 683
Thermodynamics group
Complex history, Complex pioneers, Coordination chemistry, 1313
Thermodynamics
Lanthanides(III), Oxygen donors, 2,2′-Oxydiethylamine, Dimethylsulfoxide, Complexes, 1385
Thermodynamics
Silver(I), *N*-methylated polyamines, Complexes, Dimethylsulfoxide, 1337
Thermolysis
Iminophosphorane, Cycloaddition, Four-membered ring compounds, Aza-Wittig reaction, X-ray analysis, 657
Thiadiazole
M = Co, M = Ni, M = Cu, Crystal structures, Monomeric complexes, 403
Thin film
Tin phosphide, APCVD, 1943
Thiobis(β-diketone)
Binuclear, Ruthenium(II) complexes, Syntheses, Catalytic oxidation, Antibacterial activity, 1721
Thiocarbodihydrazone Schiff base
Dioxomolybdenum(VI) complexes, X-ray structures, 1023
Thiocyanate ligands
Hemidirected, Lead(II) complexes, Crystal

structures, 1223
Thiocyanate
Tris(pyrazolyl)borate and 2,6-pyridyl-diimine ligands, Cadmium(II), Lead(II), 1795
Thiocyanato complexes
Crystal structures, Copper(II) complexes, Nitrite complexes, Sulfate complexes, di-2-Pyridylamine complexes, 1279
Thiocyanato ligands
Ru(II) complexes, dcbpy, bdmpp, Sensitizing ability, 2773
Thioether complexes
Platinum complexes, Trithiacyclononane, Platinum nuclear magnetic resonance, Phosphine complexes, Crown thioethers, 879
Thioether
Trinuclear complexes, Single crystal structures, Copper(II), Silver(I), Carboxylate, 33
Thiolate
Nickel, *cis*-1,2-Bis(diphenylphosphino)-ethene, X-ray structures, 421
Thiol oxidation
Dioxomolybdenum(VI) bromides, Oxo-transfer catalysts, 1635
Thiones
Silver(I) complexes, NMR studies, 1267
Thiosemicarbazone
Cobalt(III), X-ray crystal studies, ^{1}H NMR, IR, Electronic spectra, 2515
Thiosemicarbazone
Crystal structures, 3-Piperidine, 2-Pyridineformamide, Nickel(II), Spectra, 859
Thiosemicarbazone
Pyrazineformamide, Zinc, Cadmium, Crystal structures, Electrochemical synthesis, 1553
Thiosemicarbazone
2-Pyridineformamide, Nickel(II), Zinc(II), Cadmium(II), Crystal structures, 729
Thiosemicarbazones
Dimethylthallium(III), Crystal structures, IR spectra, ^{1}H, ^{13}C NMR spectra, 1651
Thiosemicarbazones
Zinc, Halide complexes, Ligand, 1217
Thiosemicarbazone
X-ray, Isatin, Metal complexes, 2593
Ti(IV) complex
Polyoxometalates, Heteropolyanions, Wells-Dawson structure, 353
Tin
Azide, Germanium, Silver, Tris(pyrazolyl)borate, Aminotroponimine, 611
Tin
C_3-chiral triamidostannate, Amides, Lithium, 629
Tin compounds
Adduct formation, Thermodynamics, Porphyrins, Equilibrium constant, Spectral method, 683
Tin compounds
Porphyrins, Sitting–Atop complexes, Methyltin(IV) tribromide, Organotin(IV) halide adducts, Spectral method, 1255
Tin enolates
Diorganohydroxytin, Diorganotin, Sn(IV) complexes, Malonates, Di-*n*-butylhydroxytin(IV), 417
Tin
Guanidinate, 1,3,4,6,7,8-Hexahydro-2*H*-pyramido[1,2-*a*]pyramidinate, Mononuclear, Dinuclear, 619
Tin
Molybdenum, Crystal structures, Metathesis, Polymerisation, Norbornadiene, NMR spectra, 2505
Tin phosphide
Thin film, APCVD, 1943
Tin
Tungsten, Oxidative addition, Crystal structures, Hydride, NMR, 1817
Titanium
Chelate, Coordination chemistry, Structure elucidation, 8-Hydroxyquinolinate, 1081
Titanium complexes
PH-functionalised phosphanylalkyl(silyl)cyclopentadienyl ligands, Zirconium complexes, Polymerisation studies, 2445
Titanium
Molecular orbital, Ab initio, Mechanism, Intermolecular nucleophilic attack, Ylid, 2699
Titration
Solutions, Equilibria, Cations, Hydrolysis, Masking, 1369
Torsion angle (χ)
Adenosine-5′-triphosphate (ATP), Mg(II), NOESY, 435
Trans influence
Crystal structures, Ligand-field strength, Tripodal tridentate phosphine, Acetylacetonate complexes, Chromium(III) complexes, 835
Transition metals
Conformational change, Four or five coordinate geometry, Metal centre, 2175
Transition metals
Conformational change, Schiff's base ligands, Octahedral systems, 2167
Transition metals
Mono-helical, Single-helical-strand, Mono-bridged species, Coordination chemistry, X-ray crystallography, 1177
Transition metals
Polyoxometalates, Chemical bonding, Molecular orbitals, Density–functional theory, 2201
Trans-positions
Macrocycles, Germanium(IV) tmtaa complexes, Crystal structures, Six-coordinate geometry, 969
Trialkylaluminum
Aminoalane, Dibenzylamine, NMR, Mass spectrometry, Molecular structure, 1747
Triazole derivatives
Mononuclear complexes, Crystal structures, 797
1,2,4-Triazolo-[1,5α]-pyrimidines
Platinum chloride complexes, X-ray structures, N-donor ligands, ^{15}N NMR, 343
Tridentate Schiff base ligand
Potassium permanganate, Molecular structures, Photosystem II, 1139
Triflate
Amido, Amine, Platinum, Diphosphazane, Cyclometalation, 1305
Triflates
Triphenylphosphine oxide complexes, Single crystal X-ray diffraction, Scandium and lanthanide, Catalysis, 287
Trifluoromethanesulfonate complexes
Crystal structures, Copper complexes, Di-2-pyridylamine complexes, Tetrathionate complexes, Sulfate complexes, Hexafluorophosphate complexes, 247
Trigonal prismatic geometry
Rhenium complexes, 2-Amidothiophenolato complexes, 1597
Trimetallic alkoxides
Molecular structure, X-ray study, Mass-spectrometric study, Rhenium methoxides, Niobium methoxide, Tantalum methoxide, 2317
Trinuclear complexes
Aluminium, Diols, 2,2′-Di(hydroxymethyl)biphenyl, Crystal structures, Alkylaluminium diolates, 281
Trinuclear complexes
Cyano-bridge, Crystal structures, Spectroscopic study, 2237
Trinuclear complexes
Ferrocenylmethylphosphine, Phosphino amino acids, 1,3-Diaza-5-phosphacyclohexane, 1,5-Diaza-3,7-diphosphacyclooctane, Water-soluble complexes, 2251
Trinuclear complexes
Single crystal structures, Copper(II), Silver(I), Carboxylate, Thioether, 33
Trinuclear copper complex
Nona-nuclear copper complex, Structural and magnetic properties, 1715
Trinuclear metal chelates
β-Aminovinylimines, Chemical and electrochemical synthesis, 2081
Trinuclear
Mixed-valence compound, Electron transfer, Iron, Iodoacetate, Heat capacity, 1299
Triosmium cluster
Tetramethylthiourea, Desulfurization, Sulfido, X-ray structures, 381
Triphenylantimony(V)
Oximes, NMR, X-ray, 2387
Triphenylarsine
Ruthenium(II), Binuclear, Bis(β-diketone), Syntheses, Antibacterial activity, Catalytic study, 219
Triphenylphosphine
Dithiocarbimates, Nickel complexes, Crystal structures, 2243
Triphenylphosphine oxide complexes
Triflates, Single crystal X-ray diffraction, Scandium and lanthanide, Catalysis, 287
Triphenylphosphine
Pyridine-2-thione, Tri-*p*-tolylphosphine, Sulfur-bridged dimer, Copper(I) complexes, 1603
Tripodal ammonium
Supramolecular interactions, Nucleotides,

Ternary complexes, Zn(II), 1005
Tripodal tridentate phosphine
Trans influence, Crystal structures, Ligand-field strength, Acetylacetonate complexes, Chromium(III) complexes, 835
Tri-*p*-tolylphosphine
Pyridine-2-thione, Triphenylphosphine, Sulfur-bridged dimer, Copper(I) complexes, 1603
Tris(pentamethylphenyl)gallium
Pentamethylphenylmagnesium bromide, Elemental analyses, Single crystal X-ray diffraction, 531
Tris(pyrazolyl)borate and 2,6-pyridyl-diimine ligands
Thiocyanate, Cadmium(II), Lead(II), 1795
Tris(pyrazolyl)borate
Azide, Germanium, Tin, Silver, Aminotroponimine, 611
Trithiacyclononane
Thioether complexes, Platinum complexes, Platinum nuclear magnetic resonance, Phosphine complexes, Crown thioethers, 879
Tungstate
Heteropolyoxometalate, Arsenic, Lacunary, Synthesis, Redox chemistry, 959
Tungsten
Alkoxides, Crystal structures, Lithium, Methoxide, 193
Tungsten
Chloride ligands, Oxo ligands, Phenolates, 349
Tungsten complexes
Crystal structures, Pyrazole, Copper complexes, 1547
Tungsten
Tin, Oxidative addition, Crystal structures, Hydride, NMR, 1817

Uranyl bis(β-diketonates)
N-oxides, Adduct compounds, X-ray structures, 2403
Uranyl complexes
Morphologies, Schiff base ligand, 2421
Uranyl
Dimethylmelonate, Counter-cation, CPMAS ^{13}C NMR, X-ray crystallography, 69
Uranyl ion
Calixarenes, Homooxacalixarenes, Supramolecular assembly, Crystal structures, 1125
Uranyl ion
Polyphenols, Oligophenols, Crystal structures, 1949
Uranyl
Malonato complexes, CPMAS ^{13}C NMR, X-ray crystallography, 81
Uranyl oxalates
Oxalic acid, UV–Vis spectrophotometry, Speciation, Stability constants, Aqueous solutions, 1411
Uranyl polyhalides
Actinides, Dioxouranium(VI) polyhalides, Polybromides, Polyiodides, 2755
Urea and thiourea derivatives
Diruthenium carboxylates, Crystal structures, Infrared spectroscopy, 1235
Urinary trypsin inhibitors
Bubble extraction, Affinity chromatography, RP-HPLC, 1475
UV–Vis absorption spectra
Rhenium(III) complexes, Iridium(III) complexes, S-bridged polynuclear complexes, Crystal structures, Cyclic voltammetry, 1809
UV–Vis and FTIR spectroscopy
Phthalocyanines, Nitrogen dioxide, Scanning electron microscopy, X-ray microprobe, X-ray powder diffractometry, 677
UV–Vis spectra
Vanadium complexes, Caffeic acid complexes, IR spectra, Potentiometric titrations, Catecholate-like ligand, 1979
UV–Vis spectrophotometry
Uranyl oxalates, Oxalic acid, Speciation, Stability constants, Aqueous solutions, 1411
UV–Vis Spectroscopy
Isoquercitrin, Al(III) complexes, Stoichiometry, DFT calculations, FT Raman, 2801
UV–Vis spectroscopy
Magnesium phthalocyanines, Magnesium complexes, Crystal structures, IR spectroscopy, Raman spectroscopy, 265

Vanadium complexes
Caffeic acid complexes, IR spectra, UV–Vis spectra, Potentiometric titrations, Catecholate-like ligand, 1979
Vanadyl complexes
Schiff bases, Chiral complexes, EPR, X-ray structures, 2021
Vanadyl
Diperoxovanadate, EDTA inhibition, EDTA bridged heteroligand peroxovanadates, Catalase resistance, Oxo-bridged peroxovanadates containing sulphate, 389
Vibrational spectra
Imidazole-4-acetic acid, Polymeric zinc(II) complexes, Crystal structures, Density functional calculations, 2819
vic-Dioxime
Nickel(II), Cobalt(II), Copper(II), Iron(II), Uranyl(IV), Electrochemistry, LH_4, $N_2O_2S_2$ macrocyle, 825
vic-Dioxime
Nickel(II) complexes, Heterotrinuclear complexes, BF_2^+-capped complexes, Dioxadithiadiazamacrobicycle, Template effect, 1865
Vinylcyclosilazane complexes
Nickel(0), Crystal structure, 1261
Vinylidene
Iron, Acetylide, Propadienylidene, 1755
Vis spectra
Copper(II) complexes, Mixed-ligand complexes, Five-coordinate complexes, Aminohydroxamic acids, EPR spectra, 295

Water-soluble complexes
Ferrocenylmethylphosphine, Phosphino amino acids, 1,3-Diaza-5-phosphacyclohexane, 1,5-Diaza-3,7-diphosphacyclooctane, Trinuclear complexes, 2251
Wells-Dawson structure
Polyoxometalates, Heteropolyanions, Ti(IV) complex, 353

X-ray analysis
Iminophosphorane, Cycloaddition, Four-membered ring compounds, Thermolysis, Aza-Wittig reaction, 657
X-ray
Boron, Lithium, Imido, Complexes, 549
X-ray
Copper, Hinokitiol, Adduct, 1761
X-ray crystallographic analysis
Digermene, Germylene, Dissociation, Equilibrium, Bond dissociation energy, Dioxadigermetane, Terminal tungsten complexes, 563
X-ray crystallography
BTZ ligands, Pb(II) salts, π–π stacking interaction, 197
X-ray crystallography
Cobalt(III), Pyrazolylthiosemicarbazone, ^1H NMR, 779
X-ray crystallography
Dimesitylphosphine, Secondary phosphine, NMR, Cone angle, Fluxional, 2409
X-ray crystallography
Europium complexes, Luminescence property, Dibenzoylmethane, 2-(4′-Dimethylaminophenyl)imidazo[4.5-f]1.10-phenanthroline, 3-Ethyl-2-(4′-dimethylaminophenyl)imidazo[4.5-f]1.10-phenanthroline, 313
X-ray crystallography
Magnetochemical studies, Manganese oxide clusters, 1779
X-ray crystallography
Mono-helical, Single-helical-strand, Mono-bridged species, Coordination chemistry, Transition metals, 1177
X-ray crystallography
Tellurium dichloride, Chloridotellurate anions, NMR spectroscopy, 1089
X-ray crystallography
Uranyl, Dimethylmelonate, Counter-cation, CPMAS ^{13}C NMR, 69
X-ray crystallography
Uranyl, Malonato complexes, CPMAS ^{13}C NMR, 81
X-ray crystal structure
Eight-coordinate, Schiff base, Zirconium complexes, Synthon, Heteroleptic, 211
X-ray crystal structures
α-Aminoisobutyryl-α-aminoisobutyric acid (H–Aib–Aib–OH), Copper(II) peptide complexes, Spectroscopic characterization, 229
X-ray crystal structures
Co(III) complexes, Pyrazole, Dithiocarbazate, Synthesis, Spectroscopy, 1
X-ray crystal structures
Hg(II) complexes, Dimer, Diethylene triamine, 2195
X-ray crystal structures
2-Hydroxynicotinic acid, Palladium, Pla-

tinum, Raman spectra, 2783
X-ray crystal structures
Iron(II), Zinc(II), Schiff base, ^{1}H NMR spectroscopy, Dioxygen reactivity, 705
X-ray crystal structures
Nickel complexes, Sulfonamide complexes, 8-Aminoquinoline, 1229
X-ray crystal structures
Niobium complexes, Heterodiene, 1,4-Diaza-1,3-diene, 305
X-ray crystal structures
Pyrazole, Mononuclear bis(imido) Mo(VI) complexes, 1211
X-ray crystal structures
Schiff bases, Salicylaldimine adducts, Interconversion, Zinc complexes, Zwitterion, 697
X-ray crystal studies
Cobalt(III), Thiosemicarbazone, ^{1}H NMR, IR, Electronic spectra, 2515
X-ray data
Cobalt(II), Cubane complexes, Carbacylamidophosphates, 963
X-ray diffraction
Crystal structures, Physico-chemical properties, Spectroscopy, Imidiazole complexes, 1857
X-ray diffraction
Palladium, Metallation, Schiff base, Phosphorus ligands, 2309
X-ray diffraction
Pentacyaninotrosylferrate(2−) ion, Metastable excited states, FIRRS, TGA, DTA, 1767
X-ray diffraction
Synthesis, Crystal structures, 1883
X-ray
Isoxazolidines, Pd-, Zn-, Cu-complexes, Syntheses, NMR, 769
X-ray microprobe
Phthalocyanines, Nitrogen dioxide, Scanning electron microscopy, UV–Vis and FTIR spectroscopy, X-ray powder diffractometry, 677
X-ray
Mononuclear tungsten(VI) complexes, Ligand, Heteroleptic, 1017
X-ray photoelectron spectroscopy
Chromium, Pivalate, Mass spectrometry, Paramagnetic, NMR, 155
X-ray powder diffractometry
Phthalocyanines, Nitrogen dioxide, Scanning electron microscopy, X-ray microprobe, UV–Vis and FTIR spectroscopy, 677
X-ray structural analysis
Aluminum(I) halides, Metalloid clusters, Nanosized clusters, Intermediates, Metal lattice, 489
X-ray structure analysis
Chiral benzodiazepine ligands, Zinc complexes, Palladium complexes, Spectroscopy, Cytostatic and antiviral activity, 2567
X-ray structure analysis
Gallium, Indium, Platinum, Heterobimetallic complexes, Quantum chemical calculations, 535
X-ray structure
2-(3,5-Dimethylpyrazol-1-ylmethyl)pyridine, Bis-ligand and anion-bound copper(II) complexes, Absorption and EPR spectra, Cyclic voltammetry, 1245
X-ray structure
Platinum(III) compounds, Lantern-type complexes, Amidate bridging ligands, 275
X-ray structures
Arylazopyrimidines, Osmium(II) complexes, Geometrical isomers, MLCT transitions, Redox property, 753
X-ray structures
Bis(pyrazol-1-yl)alkane, Organotin(IV), 873
X-ray structures
Cadmium(II) complexes, Polyamines, 739
X-ray structures
Copper complexes, Stereochemistry, Steric properties, 1031
X-ray structures
Copper, Self-assembly, Supramolecules, 1621
X-ray structures
Cu(II) stereochemistry, Magnetism, EPR spectra, 2473
X-ray structures
Dioxomolybdenum(VI) complexes, Thiocarbodihydrazone Schiff base, 1023
X-ray structures
Five-coordinated chlorocopper(II) complexes, 1,10-Phenanthroline and its 5,6-disubstituted derivatives, Electronic absorption and diffuse reflectance spectra, Cyclic voltammetry, 2143
X-ray structures
Heterocyclic thioamides, Osmium, Ruthenium, 2-Mercapto-1-methylimidazole, 885
X-ray structures
Molybdenum complexes, oxo-Hydrazido complexes, Methyl-molybdenum complexes, Phenyl-molybdenum complexes, Diimine, 2531
X-ray structures
Nickel, Copper, Zinc, Cadmium, Saccharinate, 395
X-ray structures
Nickel, Thiolate, *cis*-1,2-Bis(diphenylphosphino)ethene, 421
X-ray structures
Niobium sulphide metallacycles, HF/ECP calculations, 2227
X-ray structures
Nitrosyl complexes, Ruthenium(II), NMR spectra, Diop, Dppb, 2221
X-ray structures
N-oxides, Uranyl bis(β-diketonates), Adduct compounds, 2403
X-ray structures
Phosphoranes, Pentacoordinated, Hydrogen bonding, 1155
X-ray structures
Platinum chloride complexes, N-donor ligands, ^{15}N NMR, 1,2,4-Triazolo-[1,5α]-pyrimidines, 343
X-ray structures
Platinum(II) complexes, Ribavirin, NMR and IR analysis, 2001
X-ray structures
Pyridine N-oxide ligands, copper(II) complexes, Hydrogen bonding, Magnetism, 1561
X-ray structures
Rhenium, Nitrosyl, Electronic structures, Nitric oxide, 2617
X-ray structures
Scandium, Phosphine oxide, Arsine oxide, ^{45}Sc NMR, 1579
X-ray structures
Synthesis, Cobalt(III) complexes, 4-Methyl-2,6-dibenzoylphenol, NMR, TGA, Cyclic voltammetry, 1787
X-ray structures
Tantalum, Metallocenes, Hydrides, Metallophosphines, Bimetallics, 371
X-ray structures
tert-Butylcalix[4]arenes, Amide, Sodium complexes, Yttrium(III) complexes, Lanthanide(III) complexes, 763
X-ray structures
Triosmium cluster, Tetramethylthiourea, Desulfurization, Sulfido, 381
X-ray structures
Vanadyl complexes, Schiff bases, Chiral complexes, EPR, 2021
X-ray structures
Yttrium, Phosphine oxide, Arsine oxide, 445
X-ray study
Trimetallic alkoxides, Molecular structure, Mass-spectrometric study, Rhenium methoxides, Niobium methoxide, Tantalum methoxide, 2317
X-ray
Thiosemicarbazone, Isatin, Metal complexes, 2593
X-ray
Triphenylantimony(V), Oximes, NMR, 2387

Ylid
Molecular orbital, Ab initio, Mechanism, Intermolecular nucleophilic attack, Titanium, 2699
Yttrium(III) complexes
tert-Butylcalix[4]arenes, Amide, Sodium complexes, Lanthanide(III) complexes, X-ray structures, 763
Yttrium
Phosphine oxide, Arsine oxide, X-ray structures, 445
Yttrium
Salen, Amide, Aryloxide, Organometallic, 1683

Zigzag chain
Cadmium complexes, Dca ligand, Double end-to-end, π–π interaction, 893
Zinc adducts
Emprirical correlations, Calorimetry, Infrared spectroscopy, 1677
Zinc complexes
Chiral benzodiazepine ligands, Palladium

complexes, Spectroscopy, X-ray structure analysis, Cytostatic and antiviral activity, 2567

Zinc complexes
Crystal structures, Copper complexes, Lumazine complexes, 1961

Zinc complexes
Schiff bases, Salicylaldimine adducts, Interconversion, X-ray crystal structures, Zwitterion, 697

Zinc
Halide complexes, Thiosemicarbazones, Ligand, 1217

Zinc(II) complexes
Aminomethane-1,1-diphosphonic acids, Magnesium(II) complexes, Calcium(II) complexes, Potentiometry, NMR, 321

Zinc(II) complexes
Crystal structures, Co-ordination number asymmetry, 1957

Zinc(II) complexes
Mixed-ligand complexes, Aminohydroxamic acids, Polyamines, NMR spectra, Potentiometry, 2183

Zinc(II)
Iron(II), Schiff base, X-ray crystal structures, ^{1}H NMR spectroscopy, Dioxygen reactivity, 705

Zinc(II)
One-dimensional structures, Cobalt(II), Coordination complexes, 2705

Zinc(II)
2-Pyridineformamide, Thiosemicarbazone, Nickel(II), Cadmium(II), Crystal structures, 729

Zinc(II)
Schiff base complexes, Cobalt(II), Nickel(II), Tetrahedral, Crystal structures, 2733

Zinc(II)tetrasulfophthalocyanine
Sulfur dioxide, Fluorescence quenching, Association constants, 951

Zinc
Nickel, Copper, Cadmium, Saccharinate, X-ray structures, 395

Zinc phthalocyanine
Sensitizer, Singlet oxygen, Photobleaching, 2463

Zinc
Phthalocyanines, Phthalonitrile derivatives, Electrochemistry, Nickel, Cobalt, 255

Zinc
Pyrazineformamide, Thiosemicarbazone, Cadmium, Crystal structures, Electrochemical synthesis, 1553

Zintl phases
Clusters, Crystal structures, Intermetallic compounds, Lead, 641

Zirconium complexes
Eight-coordinate, Schiff base, X-ray crystal structure, Synthon, Heteroleptic, 211

Zirconium complexes
PH-functionalised phosphanylalkyl(silyl)cyclopentadienyl ligands, Titanium complexes, Polymerisation studies, 2445

Zn(II) complexes
Zn(II)–N bonds, Crystal structures, Piperazine and piperazin-1-ium ligands, 2161

Zn(II)–N bonds
Crystal structures, Zn(II) complexes, Piperazine and piperazin-1-ium ligands, 2161

Zn(II)
Supramolecular interactions, Tripodal ammonium, Nucleotides, Ternary complexes, 1005

Zwitterion
Schiff bases, Salicylaldimine adducts, Interconversion, X-ray crystal structures, Zinc complexes, 697